

Sieboldine A, A Novel Tetracyclic Alkaloid from *Lycopodium sieboldii*, Inhibiting Acetylcholinesterase


Yusuke Hirasawa,[†] Hiroshi Morita,[†] Motoo Shiro,[‡] and Jun'ichi Kobayashi^{*,†}

[†]*Graduate School of Pharmaceutical Sciences, Hokkaido University, Sapporo 060-0812, Japan and*

[‡]*X-Ray Research Laboratory, Rigaku Corporation, Akishima, Tokyo 196-8666, Japan*

Supporting Information

- Figure S1. ¹H NMR spectrum of sieboldine A (**1**) in CD₃OD.
Figure S2. ¹³C NMR spectrum of sieboldine A (**1**) in CD₃OD.
Figure S3. ¹H-¹H COSY spectrum of sieboldine A (**1**) in CD₃OD.
Figure S4. HOHAHA spectrum of sieboldine A (**1**) in CD₃OD.
Figure S5. NOESY spectrum of sieboldine A (**1**) in CD₃OD.
Figure S6. HMQC spectrum of sieboldine A (**1**) in CD₃OD.
Figure S7. HMBC spectrum of sieboldine A (**1**) in CD₃OD.






Figure S2. ¹³C NMR spectrum of sieboldine A (1) in CD₃OD.




Figure S3. ^1H - ^1H COSY spectrum of sieboldine A (**1**) in CD_3OD .




Figure S4. HOHAHA spectrum of sieboldine A (**1**) in CD₃OD.




Figure S5. NOESY spectrum of sieboldine A (**1**) in CD₃OD.




Figure S6. HMQC spectrum of sieboldine A (**1**) in CD₃OD.




Figure S7. HMBC spectrum of sieboldine A (**1**) in CD₃OD.