Computational Intelligence Methods and Applications

Series editors

Sanghamitra Bandyopadhyay, Kolkata, West Bengal, India Ujjwal Maulik, Kolkata, West Bengal, India Patrick Siarry, Vitry-sur-Seine, France The monographs and textbooks in this series explain methods developed in computational intelligence (including evolutionary computing, neural networks, and fuzzy systems), soft computing, statistics, and artificial intelligence, and their applications in domains such as heuristics and optimization; bioinformatics, computational biology, and biomedical engineering; image and signal processing, VLSI, and embedded system design; network design; process engineering; social networking; and data mining.

More information about this series at http://www.springer.com/series/15197

Sourav De · Siddhartha Bhattacharyya Susanta Chakraborty · Paramartha Dutta

Hybrid Soft Computing for Multilevel Image and Data Segmentation



Sourav De
Department of Computer Science
and Engineering
Cooch Behar Government Engineering
College
Cooch Behar, West Bengal
India

Siddhartha Bhattacharyya Department of Information Technology RCC Institute of Information Technology Kolkata, West Bengal India Susanta Chakraborty
Department of Computer Science
and Technology
Indian Institute of Engineering Science
and Technology
Howrah, West Bengal
India

Paramartha Dutta
Department of Computer and System
Sciences
Visva-Bharati University
Santiniketan, West Bengal
India

ISSN 2510-1765 ISSN 2510-1773 (electronic) Computational Intelligence Methods and Applications ISBN 978-3-319-47523-3 ISBN 978-3-319-47524-0 (eBook) DOI 10.1007/978-3-319-47524-0

Library of Congress Control Number: 2016954909

© Springer International Publishing AG 2016

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

This Springer imprint is published by Springer Nature
The registered company is Springer International Publishing AG
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

To my respected parents Satya Narayan De and Tapasi De, loving wife Debolina Ghosh, beloved son Aishik De, sister Soumi De and my in-laws

Souray De

To my father Late Ajit Kumar Bhattacharyya, mother Late Hashi Bhattacharyya, beloved wife Rashni, father-in-law Mr. Asis Kumar Mukherjee, mother-in-law Mrs. Poly Mukherjee and brother-in-law Rishi Mukherjee

Siddhartha Bhattacharyya

To my father, Late Santosh K. Chakraborty and my beloved students, who can take away the ideas forward

Susanta Chakraborty

To my father, Late Arun Kanti Dutta and mother Mrs. Bandana Dutta

Paramartha Dutta

Preface

Segmentation is targeted to partition an image into distinct regions comprising pixels having similar attributes. In the context of image analysis and interpretation, these partitioned regions should strongly relate to depicted objects or features of interest. Faithful segmentation of an image scene is the first step from low-level image processing transforming a multilevel or colour image into one or more other images to high-level image description in terms of features, objects, and scenes. The success of image analysis depends on reliability of segmentation, but an accurate partitioning of an image is generally a very challenging problem.

Segmentation techniques are either contextual or non-contextual. The non-contextual techniques take no account of spatial relationships between features in an image and group pixels together on the basis of some global attributes, viz. grey level or colour. On the other hand, the contextual techniques group together pixels with similar grey levels and close spatial locations. A plethora of classical techniques are available in the literature for faithful segmentation of images. However, each of these techniques suffers from several drawbacks affected by the inherent uncertainties in images. The soft computing paradigm is very capable of handling the uncertainties prevalent in the image segmentation problem faced by the computer vision research community. However, the existing soft computing methodologies applied for the segmentation of multilevel and colour images are jeopardised in several respects. The most notable among them is the selection of the class levels/transition levels of the different segments/classes. Researches in this direction are aimed at finding suitable solutions to these problems.

An effort has been made in this book to remove the aforementioned short-comings of these soft computing methodologies involving neural network architectures, with special reference to the neighbourhood topology-based multilayer self-organising neural network (MLSONN) architecture through an optimization of the class levels/transition levels of the segments/classes. The book takes recourse to seven well-written chapters targeted in this direction.

Chapter 1 introduces to the audience the basics of image segmentation with reference to the classical approaches, the soft computing counterparts and the hybrid approaches. The chapter also discusses the different soft computing

viii Preface

paradigms in brief like neural network, fuzzy sets and fuzzy logic, genetic algorithms and the classical differential evolutionary algorithm. Then it throws light on the role of single- and multi-objective optimization on image segmentation.

A brief review of the recent trends in image segmentation is illustrated in Chap. 2. The chapter starts with a discussion of the classical approaches of image segmentation. As a sequel, the chapter elaborates the different soft computing paradigm based image segmentation approaches in detail.

As earlier stated the main objective of the book is to remove the limitation of the existing soft computing paradigm as far as image segmentation is concerned. The initial steps in this direction are centred on the standard multilevel sigmoidal (MUSIG) activation function of the MLSONN architecture. This results in an induction of the data heterogeneity in the area of clustering/segmentation with the help of the conventional self-organising neural network. The MUSIG activation function uses equal and fixed class responses, assuming the homogeneity of image information content. Chapter 3 introduces a genetic algorithm based optimised MUSIG (OptiMUSIG) activation function, which enables the network architecture to incorporate the underneath image content for the segmentation of the multilevel greyscale images.

Suitable extensions to the OptiMUSIG activation function with the help of the MLSONN architecture for the purpose of segmentation of true colour images have been proposed by resorting to a parallel version of the activation function in Chap. 4. The genetic algorithm based parallel version of optimised MUSIG (ParaOptiMUSIG) activation function is generated with the optimised class boundaries for the colour components and is able to segment colour images efficiently with the help of the parallel self-organising neural network (PSONN) architecture.

Thirdly, in order to overcome the flaws of single objective based optimization procedures multi-objective based optimization procedures have been invested to solve the problem of image segmentation. A multi-objective based OptiMUSIG activation function has been presented in Chap. 5 to segment the multilevel grey-scale images. This refining procedure reduces the possibility of the non-effectiveness of a particular solution in the field of other objective functions. Not only restricted in this, a NSGA II based OptiMUSIG activation function is also presented to segment the multilevel gray scale images.

In attempt to put forward the aforementioned approaches together, a multi-objective genetic algorithm based ParaOptiMUSIG activation function, which obviates the shortcomings of the single objective based ParaOptiMUSIG activation function, is proposed in Chap. 6 to segment colour images. Similar to the NSGA II based OptiMUSIG activation function, a NSGA II based ParaOptiMUSIG activation function is also presented for the segmentation of true colour images.

A segmentation procedure with a predefined number of classes cannot assure good results. Good segmented output may be derived by increasing or decreasing the number of classes if the exact number of classes in that test image/dataset is unknown. This is when no *a priori* knowledge regarding the information distribution, the number of classes and the information about the class responses are

Preface

supplied at the preliminary stage. In this direction a genetic algorithm based clustering algorithm is presented in Chap. 7 to perform automatic clustering/segmentation. The effectiveness of a cluster/segment is validated by a proposed fuzzy intercluster hostility index. The proposed segmentation process starts from a large number of classes and finds out the exact number of classes in the test image/dataset.

The experimental findings of each of the chapter reveal that the hybrid soft computing paradigms resorted to yield superior performance as compared to the soft computing counterpart devoid of any hybridization. This substantiates the fact that proper hybridization of the soft computing tools and techniques always leads to more effective and robust solutions since the constituent soft computing elements in the hybrid system always complement each other.

The authors have tried to bring together some notable contributions in the field of hybrid soft computing paradigm for the application of multilevel image and data segmentation. The authors feel that these contributions will open up research interests among the computer vision fraternity to evolve more robust, time-efficient and fail-safe hybrid intelligent systems. The authors believe that this book will serve the graduate students and researchers in computer science, electronics communication engineering, electrical engineering, and information technology as a reference book and as an advanced textbook for some parts of the curriculum. Last but not the least, the authors would like to take this opportunity to extend their heartfelt thanks to the editors of the Springer book series Computational Intelligence Methods and Applications, and to Mr. Ronan Nugent, Senior Editor, Springer-Verlag for his constructive support during the tenure of the book project.

Cooch Behar, India Kolkata, India Howrah, India Santiniketan, India August 2016 Sourav De Siddhartha Bhattacharyya Susanta Chakraborty Paramartha Dutta

Contents

1 Introduction				
	1.1	Introduction		
	1.2	Different Approaches Used for Image Segmentation	5	
		1.2.1 Classical Approaches	5	
		1.2.2 Soft Computing Approaches	6	
		1.2.3 Hybrid Approaches	6	
	1.3	Soft Computing Techniques	7	
		1.3.1 Neural Network	7	
		1.3.2 Fuzzy Sets and Fuzzy Logic	1(
		1.3.3 Fuzzy Set Theory	12	
		1.3.4 Genetic Algorithms	14	
		1.3.5 Classical Differential Evolution	18	
	1.4	Segmentation	19	
	1.5	1	21	
		1.5.1 Single-Objective Optimisation	22	
		1.5.2 Multi-objective Optimisation	22	
	1.6	Organisation of the Book	27	
2	Ima	ge Segmentation: A Review	29	
	2.1		29	
	2.2		29	
	2.3		33	
			34	
			36	
			38	
3	Self-	-supervised Grey Level Image Segmentation Using		
		• • • • • •	41	
	3.1		41	
	3.2		43	
		1	43	
			44	

xii Contents

	3.3	Multilayer Self-organising Neural Network (MLSONN)	
			46
		1 & 1	46
		3	47
		e e	48
	3.4	Optimised Multilevel Sigmoidal (OptiMUSIG) Activation	
		Function	49
	3.5	· · · · · · · · · · · · · · · · · · ·	51
			51
		3.5.2 Empirical Goodness Measures	52
	3.6	Methodology	53
		3.6.1 Generation of Optimised Class Boundaries	53
		3.6.2 Designing of OptiMUSIG Activation Function	54
		3.6.3 Multilevel Image Segmentation by OptiMUSIG	54
	3.7		55
		3.7.1 Quantitative Performance Analysis of Segmentation	57
			73
	3.8		85
4	C - 16		
4		supervised Colour Image Segmentation Using Parallel	റെ
	_		89
	4.1		89
	4.2	Parallel Self-Organising Neural Network (PSONN)	00
	4.2		92
	4.3	Parallel optimised Multilevel Sigmoidal (ParaOptiMUSIG)	0.2
	4.4		93
	4.4	ParaOptiMUSIG Activation Function Based Colour	0.5
		e e	95
		4.4.1 Optimised Class Boundaries Generation for True	~ ~
			96
			98
		4.4.3 Input of True Colour Image Pixel Values	~ ~
		· · · · · · · · · · · · · · · · · · ·	98
		4.4.4 Distribution of the Colour Component Images	
			99
		4.4.5 Segmentation of Colour Component Images	
		· • · · · · · · · · · · · · · · · · · ·	99
		4.4.6 Fusion of Individual Segmented Component Outputs	
		into a True Colour Image at the Sink Layer	
			99
	4.5		00
		, E	00
			03
	4.6	Discussions and Conclusion	19

Contents xiii

5	Self-supervised Grey Level Image Segmentation Using Multi-Objective-Based Optimised MUSIG (OptiMUSIG)					
			Function	125		
	5.1		action	125		
	5.2	Multile	evel Greyscale Image Segmentation by Multi-objective			
		Genetic	c Algorithm-Based OptiMUSIG Activation Function	127		
		5.2.1	Methodology	128		
		5.2.2	Experimental Results	130		
		5.2.3	Image Segmentation Outputs	136		
	5.3	NSGA 5.3.1	-II-Based OptiMUSIG Activation Function	139		
			by NSGA-II-Based OptiMUSIG Activation Function	141		
		5.3.2	Result Analysis	143		
		5.3.3	Image Segmentation Outputs	149		
	5.4	Discus	sions and Conclusion	152		
6	Self-	supervi	sed Colour Image Segmentation Using			
			ive Based Parallel Optimized MUSIG			
	(Par	aOptiM	IUSIG) Activation Function	153		
	6.1	Introdu	action	153		
	6.2	Colour	Image Segmentation by a Multiobjective Genetic			
		Algorit	thm Based ParaOptiMUSIG Activation Function	155		
		6.2.1	Methodology	155		
			Experimental Results	158		
			Image Segmentation Outputs	169		
	6.3		II Based Parallel Optimized Multilevel Sigmoidal			
			ptiMUSIG) Activation Function	171		
		6.3.1	Colour Image Segmentation By NSGA II Based			
			ParaOptiMUSIG Activation Function	173		
		6.3.2	Result Analysis	177		
		6.3.3	Image Segmentation Outputs	188		
	6.4	Discus	sions and Conclusion	190		
7	Unc	unervice	ed Genetic Algorithm Based Automatic Image			
•			on and Data Clustering Technique Validated			
	by F	uzzy In	ntercluster Hostility Index	193		
	7.1	•	action	193		
	7.2		Based Image Clustering	196		
		7.2.1	Fuzzy Intercluster Hostility Index	197		
	7.3		Validity Indices	198		
		7.3.1	Davies-Bouldin (DB) Validity Index	198		
			CS Measure	199		
	7.4		atic Clustering Differential Evolution (ACDE)	1//		
	, . 	Algorit		200		

xiv	Contents

7.5	GA-Based Clustering Algorithm Validated by Fuzzy	
	Intercluster Hostility Index	201
7.6	Results	203
7.7	Discussions and Conclusion	217
References		219
Index .		233
7.7 Refere r	Results	203 217 219