Salicylic Acid: A Multifaceted Hormone

Rahat Nazar • Noushina Iqbal Nafees A. Khan Editors

Salicylic Acid: A Multifaceted Hormone



Editors
Rahat Nazar
Department of Botany
Jamia Hamdard University
New Delhi, Delhi, India

Nafees A. Khan Department of Botany Aligarh Muslim University Aligarh, Uttar Pradesh, India Noushina Iqbal Department of Botany Jamia Hamdard University New Delhi, India

ISBN 978-981-10-6067-0 ISBN 978-981-10-6068-7 (eBook) https://doi.org/10.1007/978-981-10-6068-7

Library of Congress Control Number: 2017957235

© Springer Nature Singapore Pte Ltd. 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature
The registered company is Springer Nature Singapore Pte Ltd.
The registered company address is: 152 Beach Road, #21-01/04 Gateway East, Singapore 189721, Singapore

Preface

The rapid increase in industrialization and urbanization during the past few decades has posed various unpredicted disturbances in the environment resulting in stressful conditions. Plants are constantly exposed to changes in environmental conditions. When these changes are rapid and extreme, plants generally perceive them as stresses which are of two types, biotic and abiotic, depending on the source of stress. A broad range of abiotic stresses includes osmotic stress caused by salinity, drought, and low and high temperatures, as well as ionic, nutrient, or metal stresses. The responses to abiotic stresses are not the linear pathways but are the complicated integrated circuits involving the interaction of additional cofactors and/or signaling molecules to coordinate a specified response to a given stimulus.

Plant hormones regulate a number of signaling networks involving developmental processes and plant response to environmental stresses. Phytohormones, the chemical messengers, play a vital role in the resistance of plants to the changing environments by regulating physiological and molecular processes. Their signaling pathways are not isolated but rather interconnected with a complex regulatory network involving various defense signaling pathways. To understand how plants coordinate multiple hormonal components in response to various developmental and environmental cues is a major challenge for the future. The role of phytohormones under abiotic stress is critical in modulating physiological responses that will eventually lead to adaptation to an unfavorable environment. Among the recognized major classes of phytohormones, attention has largely been focused on salicylic acid (SA). In recent years, salicylic acid has been the focus of intense research due to its function as an endogenous signal mediating local and systemic plant defense responses against pathogens and also because it participates in the regulation of physiological processes and plant resistance to biotic and abiotic stress. Salicylic acid regulates photosynthetic events, nutrient metabolism, osmotic relations, and defense mechanisms in plants growing under optimal and changing environmental conditions.

This book primarily deals with the importance of SA in regulating plant growth and development under stress conditions along with its interaction with other hormones or molecules in controlling the process. The editors and contributing authors hope that this book will include a practical update on the current knowledge of abiotic stress tolerance and lead to new discussions and explore the mechanisms responsible for the perception and signal transduction of salicylic acid under control

vi Preface

and stress conditions and the efforts to use the informative tools for the improvement of crop plants in the era of global climatic change.

The chapters of the book deal with the importance of salicylic acid and/or its structural analogs in response to some biotic and abiotic challenges in relation to their effect in the antioxidative metabolism in plants. It also emphasizes on the recent understanding to underpin the interaction of defense regulators, such as salicylates, jasmonates, hydrogen peroxide, nitric acid, and abscisic acid, with growth phytohormones, viz., auxins, cytokinins, gibberellic acid, and ethylene, in correlation with disease development in different plant-microbe interactions. The perception and transduction of a signal from salicylic acid induced defense response under biotic and abiotic stress conditions are also studied. It deals with the current knowledge of the role of SA on plant growth and development, and explores the identification of potential targets for the modulation of salicylic acid signal pathways in response to plant stress tolerance. Critical evaluation of and cross-talks in salicylic acid signaling pathways under optimal and stressful conditions is also discussed. It also gives an insight to the genetic and molecular aspects of plant resistance to stress through recent advancements and the role of salicylic acid in stress resistance. The mechanism to induce thermotolerance in plants by SA interaction is also studied. This book presents an overview of stresses on crop plants and effects of SA on different stresses on plant physiology and stress agronomy, as well as the synergies between types of stresses. In addition, an understanding on the mechanisms underlying between SA and nutrient signal transduction pathways in plants for abiotic stress tolerance is also covered.

The book covers interesting topics dealing with the role of SA and the mechanistic approaches for abiotic stress tolerance to pave the path for agricultural scientists and breeders to develop high-yielding sustainable transgenic crops.

We extend our gratitude to all those who have contributed in making this book possible. Also, we would like to apologize unreservedly for any mistake or failure to acknowledge fully.

New Delhi, India Aligarh, India Rahat Nazar Noushina Iqbal Nafees A. Khan

Acknowledgments

First and foremost, we would like to thank the Almighty without whose blessings the task would be impossible. We thankfully acknowledge the DS Kothari postdoctoral fellowship for providing the research grant. We also acknowledge the academic staff of Jamia Hamdard, New Delhi, and AMU, Aligarh, for their support.

We are also thankful to our families for their continuous support and inspiration. And lastly, we thank Springer for providing us the chance to widen the audience for our work.

Contents

1	Role of Salicylic Acid in the Control of General Plant Growth, Development, and Productivity Cesar J. Tucuch-Haas, Jesica V. Pérez-Balam, Karen B. Díaz-Magaña, José Manuel Castillo-Chuc, María G. Dzib-Ek, Gabriel Alcántar-González, Silvia Vergara-Yoisura, and Alfonso Larqué-Saavedra	1
2	On the Role of Salicylic Acid in Plant Responses to Environmental Stresses José A. Hernández, Pedro Diaz-Vivancos, Gregorio Barba-Espín, and María José Clemente-Moreno	17
3	Use of Salicylic Acid and Related Compounds to Improve the Abiotic Stress Tolerance of Plants: Practical Aspects	35
4	Emerging Trends in Physiological and Biochemical Responses of Salicylic Acid	47
5	Wheat Germ Agglutinin and Dehydrins as ABA-Regulated Components of SA-Induced Cadmium Resistance in Wheat Plants F.M. Shakirova, M.V. Bezrukova, Ch.R. Allagulova, D.R. Maslennikova, and A.R. Lubyanova	77
6	Salicylic Acid-Mediated Defence Signalling in Respect to Its Perception, Alteration and Transduction	97
7	Role of Salicylic Acid in Heavy Metal Stress Tolerance: Insight into Underlying Mechanism. Sukhmeen Kaur Kohli, Neha Handa, Ravdeep Kaur, Vinod Kumar, Kanika Khanna, Palak Bakshi, Ravinder Singh, Saroj Arora, Rupinder Kaur, and Renu Bhardwaj	123
		iv

x Contents

8	Heat Stress Tolerance in Plants: Action of Salicylic Acid Rahat Nazar, Noushina Iqbal, and Shahid Umar	145
9	Salicylic Acid: Molecular Basis of Stress Resistance in Plants Uğur Uzuner, Aykut Sağlam, and Asım Kadıoğlu	163
10	Interaction of Salicylic Acid with Plant Hormones in Plants Under Abiotic Stress. Shagun Bali, Poonam, Vandana Gautam, Parminder Kaur, Kanika Khanna, Rupinder Kaur, Adarsh Pal Vig, Puja Ohri, and Renu Bhradwaj	201
11	Salicylic Acid and Nutrients Interplay in Abiotic Stress Tolerance Tasir S. Per, Mehar Fatma, Mohd. Asgher, Sofi Javied, and Nafees A. Khan	221
Ind	ev	239

Contributors

S.B. Agrawal Laboratory of Air Pollution and Global Climate Change, Center for Advanced Studies, Department of Botany, Banaras Hindu University, Varanasi, Uttar Pradesh, India

Gabriel Alcántar-González Edafología, Colegio de Postgraduados, Texcoco, Estado de México, Mexico

Ch.R. Allagulova Institute of Biochemistry and Genetics, Ufa Scientific Centre, Russian Academy of Sciences, Ufa, Russia

Saroj Arora Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Mohd. Asgher Plant Physiology and Biochemistry Division, Department of Botany, Aligarh Muslim University, Aligarh, UP, India

Molecular and Conservation Lab, School of Biosciences and Biotechnology, Baba Ghulam Shah Badshah University, Rajouri, India

Palak Bakshi Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Shagun Bali Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Gregorio Barba-Espín Department of Plant and Environmental Sciences, University of Copenhagen, Copenhagen, Denmark

M.V. Bezrukova Institute of Biochemistry and Genetics, Ufa Scientific Centre, Russian Academy of Sciences, Ufa, Russia

Renu Bhardwaj Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

José Manuel Castillo-Chuc Recursos Naturales, Centro de Investigación Científica de Yucatán, Mérida, Yucatán, Mexico

María José Clemente-Moreno Department of Biology, University of the Balearic Islands, Palma, Spain

xii Contributors

Éva Darkó Agricultural Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, Martonvásár, Hungary

Karen B. Díaz-Magaña Recursos Naturales, Centro de Investigación Científica de Yucatán, Mérida, Yucatán, Mexico

Pedro Diaz-Vivancos Fruit Tree Biotechnology Group, Department of Plant Breeding, CEBAS-CSIC, Murcia, Spain

María G. Dzib-Ek Recursos Naturales, Centro de Investigación Científica de Yucatán, Mérida, Yucatán, Mexico

Mehar Fatma Plant Physiology and Biochemistry Division, Department of Botany, Aligarh Muslim University, Aligarh, UP, India

Plant Molecular Biology, School of life Sciences, Jawaharlal Nehru University, New Delhi, Delhi, India

Vandana Gautam Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Neha Handa Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

José A. Hernández Fruit Tree Biotechnology Group, Department of Plant Breeding, CEBAS-CSIC, Murcia, Spain

Noushina Iqbal Department of Botany, Jamia Hamdard University, New Delhi, India

Tibor Janda Agricultural Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, Martonvásár, Hungary

Sofi Javied Plant Physiology and Biochemistry Division, Department of Botany, Aligarh Muslim University, Aligarh, UP, India

Asım Kadıoğlu Biology, Karadeniz Technical University, Trabzon, Turkey

Parminder Kaur Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Ravdeep Kaur Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Rupinder Kaur Biotechnology Department, DAV College, Amritsar, India

Nafees A. Khan Plant Physiology and Biochemistry Division, Department of Botany, Aligarh Muslim University, Aligarh, UP, India

Kanika Khanna Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Sukhmeen Kaur Kohli Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Contributors xiii

Vinod Kumar Department of Botany, DAV University, Jalandhar, India

Alfonso Larqué-Saavedra Recursos Naturales, Centro de Investigación Científica de Yucatán, Mérida, Yucatán, Mexico

A.R. Lubyanova Institute of Biochemistry and Genetics, Ufa Scientific Centre, Russian Academy of Sciences, Ufa, Russia

D.R. Maslennikova Institute of Biochemistry and Genetics, Ufa Scientific Centre, Russian Academy of Sciences, Ufa, Russia

Bilal Ahmed Mir Department of Botany, School of Life Sciences, Satellite Campus Kargil, University of Kashmir, India

Rahat Nazar Department of Botany, Jamia Hamdard University, New Delhi, India

Puja Ohri Department of Zoology, Guru Nanak Dev University, Amritsar, Punjab, India

Magda Pál Agricultural Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, Martonvásár, Hungary

Tasir S. Per Plant Physiology and Biochemistry Division, Department of Botany, Aligarh Muslim University, Aligarh, UP, India

Govt Degree College Doda, Doda, Jammu and Kashmir, India

Jesica V. Pérez-Balam Recursos Naturales, Centro de Investigación Científica de Yucatán, Mérida, Yucatán, Mexico

Poonam Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Aykut Sağlam Molecular Biology and Genetics, Karadeniz Technical University, Trabzon, Turkey

F.M. Shakirova Institute of Biochemistry and Genetics, Ufa Scientific Centre, Russian Academy of Sciences, Ufa, Russia

Ravinder Singh Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

Gabriella Szalai Agricultural Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, Martonvásár, Hungary

Ashwani Kumar Thukral Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, India

Cesar J. Tucuch-Haas Edafología, Colegio de Postgraduados, Texcoco, Estado de México, Mexico

Shahid Umar Department of Botany, Jamia Hamdard University, New Delhi, India

xiv Contributors

Uğur Uzuner Molecular Biology and Genetics, Karadeniz Technical University, Trabzon, Turkey

Silvia Vergara-Yoisura Recursos Naturales, Centro de Investigación Científica de Yucatán, Mérida, Yucatán, Mexico

Kusum Verma Laboratory of Air Pollution and Global Climate Change, Center for Advanced Studies, Department of Botany, Banaras Hindu University, Varanasi, Uttar Pradesh, India

Adarsh Pal Vig Department of Botanical and Environmental Sciences, Guru Nanak Dev University, Amritsar, Punjab, India

About the Editors

Dr. Rahat Nazar received her master's degree and PhD from Aligarh Muslim University, Aligarh. She did her post doc at Jamia Hamdard University, New Delhi, India. She worked as JRF and SRF in DST- and UGC-funded projects during her research. She has published many research papers in leading journals of the world with a high impact factor. She has also edited two books and authored one book. Dr. Nazar is a life member of the Indian Society for Plant Physiology (ISPP) and the National Environmental Science Academy (NESA), New Delhi, India. She has been awarded with Junior Scientist Award (2010) by NESA. Dr. Nazar's is actively engaged in studying the role of phytohormones and mineral nutrition with special emphasis on photosynthetic efficiency and nutrient-use efficiency under optimal and abiotic stress conditions.

Dr. Noushina Iqbal has done her Ph.D. at Aligarh and then postdoc at Jamia Hamdard, New Delhi, India. She has many good publications in journals of national and international repute with high impact and has written five chapters and presented four papers in conferences. She has edited two books and authored one book. She is an eminent researcher and has worked as a project fellow in a UPCST-funded research project and received UGC-BSR and CSIR-SRF fellowship during her research. She is a member of the Indian Society for Plant Physiology (ISPP). Dr. Iqbal works on the role of phytohormones, osmolytes and nutritional factors particularly nitrogen and sulphur in combating abiotic stress.

Nafees A. Khan, a professor of plant physiology, is affiliated with AMU, Aligarh (India). Prof. Khan obtained his bachelor's, master's and doctoral degrees at AMU, Aligarh, and also earned his D.Sc. at the same university. In addition to innovative teaching, he is fond of researching and publishing and has to his credit more than 170 significant peer-reviewed scientific papers and a dozen of edited volumes on important aspects including plant stress physiology, abiotic stress tolerance, phytohormones, S and N nutrition, nutrient-use efficiency and source-sink relations. A member of academic bodies of universities, Prof. Khan is also a life member of

xvi About the Editors

major professional societies including the Indian Society for Plant Physiology (ISPP) and National Environmental Science Academy (NESA), New Delhi, India, and the Indian Botanical Society. He also worked as subject expert for national and international bodies and was honoured with the position of editor-in-chief of the *Journal of Functional and Environmental Botany* (2011–2013). Since 2013, he is serving as an executive editor of the *Journal of Functional and Environmental Botany*. In recognition of his contributions, Prof. Khan was elected as a fellow of the 'Indian Society for Plant Physiology' and the 'Indian Botanical Society' and was also awarded with the UGC Research Award (2002); Distinguished Scientist Award (2015) by VIFRA International Foundation (India); Group Leader, DBT-BUILDER Programme (2013–2016), DBT, Government of India, New Delhi; and Scientist of the Year Award (2005) and Eminent Scientist of the Year Award (2006) by NESA, New Delhi, India.