

## The problems of fishermen in the Southern Aral Sea region

Bakhtiyor Karimov · Helmut Lieth · Mohira Kurambaeva · Irina Matsapaeva

Published online: 12 June 2007  
© Springer Science+Business Media B.V. 2007

### Erratum to: Mitig Adapt Strat Glob Change 10(1):87–103 DOI 10.1007/s11027-005-7832-0

This Erratum has been initiated in order to add further corrections. The new corrections are:

- page 87: 3000 mg yr<sup>-1</sup> should be 3.000 tons/yr and 6000 mg yr<sup>-1</sup> should be 6.000 tons/yr
- page 88: Kazakhstan ( $\times 10^3$  mg) should be Uzbekistan, tons
- page 90: 550–20  $\times 10^3$  ha<sup>-1</sup> should be ha
- page 92: 32 mg yr<sup>-1</sup> should be 32 tons/yr, and 1.000Mg should be 1.000 tons
- page 94: 17 Mg should be 17 tons
- page 99: 552 Mg should be 552 tons
- page 101: 459 Mg should be 459 tons, 1.500 Mg should be 1.500 tons, 552 Mg should be 552 tons, 3000 Mg should be 3.000 tons

---

The online version of the original article can be found under doi: [10.1007/s11027-005-7832-0](https://doi.org/10.1007/s11027-005-7832-0)

---

B. Karimov · M. Kurambaeva · I. Matsapaeva  
Institute of Water Problems of Uzbekistan Academy of Sciences, Tashkent, Uzbekistan

H. Lieth (✉)  
Institute for Environmental Systems Research, University of Osnabrueck, Osnabrueck, Germany  
e-mail: Helmut.lieth@usf.uni-osnabrueck.de