Advisors:
Stephen Fienberg Ingram Olkin

Springer Texts in Statistics

Alfred Elements of Statistics for the Life and Social Sciences

Chow and Teicher Probability Theory: Independence, Interchangeability, Martingales

Second Edition

Christensen Plane Answers to Complex Questions: The Theory of Linear Models

du Toit, Steyn, and

Strumpf

Graphical Exploratory Data Analysis

Kalbfleisch Probability and Statistical Inference: Volume I: Probability.

Second Edition

Kalbfleisch Probability and Statistical Inference: Volume 2: Statistical Inference.

Second Edition

Keyfitz Applied Mathematical Demography. Second Edition

Kiefer Introduction to Statistical Inference

Madansky Prescriptions for Working Statisticians

Peters Counting for Something: Statistical Principles and Personalities

Albert Madansky

Prescriptions for Working Statisticians

With 25 Illustrations



Springer-Verlag New York Berlin Heidelberg London Paris Tokyo Albert Madansky Graduate School of Business University of Chicago Chicago, IL 60637 U.S.A.

Editorial Board

Stephen Fienberg
Department of Statistics
Carnegie Mellon University
Pittsburgh, PA 15213
U.S.A.

Ingram Olkin Department of Statistics Stanford University Stanford, CA 94305 U.S.A.

Mathematics Subject Classification (1980): 62-01

Library of Congress Cataloging-in-Publication Data Madansky, Albert
Prescriptions for working statisticians.
(Springer texts in statistics)
Includes index.

1. Statistics. I. Title. II. Series.

519.5

ISBN-13: 978-1-4612-8354-6

QA276.M27 1988

e-ISBN-13: 978-1-4612-3794-5

87-28346

DOI: 10.1007/978-1-4612-3794-5

© 1988 by Springer-Verlag New York Inc. Softcover reprint of the hardcover 1st edition 1988

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer-Verlag, 175 Fifth Avenue, New York, NY 10010, U.S.A.), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden. The use of general descriptive names, trade names, trademarks, etc. in this publication, even if the former are not especially identified, is not to be taken as a sign that such names, as understood by the Trade Marks and Merchandise Marks Act, may accordingly be used freely by anyone.

Typeset by Asco Trade Typesetting Ltd., Hong Kong.

To my daughters—Susan, Cynthia, Noreen, and Michele רבות בנותי עשו חיל

adapted from Proverbs 31:29

Contents

Preface	xi
Acknowledgments	xix
Chapter 0	
A Thoughtful Student's Retrospective on Statistics 101	1
0. Introduction	1
The Introductory Model	1
2. The Regression Model	4
References	12
Chapter 1	
Testing for Normality	14
0. Introduction	14
1. Normal Plots	16
2. Regression Procedures	20
(a) Shapiro-Wilk Statistic	20
(b) Filliben Statistic	30
(c) D'Agostino Statistic	31
3. Studentized Range	34
4. Moment Checking	36
5. Standard Tests of Goodness-of-Fit	40
(a) Chi-Square Test	41
(b) Kolmogorov Test	44
(c) Durbin Test	50
6. Evaluation	50
Appendix I	53
References	53

viii Contents

CHAPTER 2	5.0
Testing for Homoscedasticity	56
0. Introduction	56
1. Comparing Variances of Two Normal Distributions	59
2. Testing Homoscedasticity of Many Populations	61
(a) Bartlett Test	61
(b) Normal Score Procedure (Fligner-Killeen)	65
(c) Use of Analysis of Variance (Levene)	67
(d) Evaluation	68
3. Regression Residuals	68
(a) Standard Estimates	68 70
(b) Homoscedastic Estimated Residuals (i) BLUS	70 70
(ii) Recursive Residuals	73
4. Testing Homoscedasticity of Regression Residuals	75 75
(a) Goldfeld-Quandt Procedure	78
(b) Lagrange Multiplier Test	81
(c) White Procedure	82
(d) Robust Procedures	83
(e) Nonparametric Tests	85
(f) Adapting Tests of Homogeneity of Variances	88
(g) Evaluation	88
Appendix I	89
References	89
Chapter 3	
Testing for Independence of Observations	92
0. Introduction	92
1. Parametric Procedures	93
(a) Independence of Observations	93
(b) Autocorrelation	101
(c) Independence of Regression Residuals	102
(d) Box-Pierce Statistic	104
2. Nonparametric Procedures	106
(a) Runs Above and Below the Median	106
(b) Runs Up-and-Down	113
(c) Rank von Neumann Ratio References	116
References	119
Chapter 4	
Identification of Outliers	120
0. Introduction	120
1. Normal Distribution	122
(a) One Outlier	122
(b) Multiple Outlier Indication	126
(c) Multiple Outlier Detection—Known Number	127
(d) Multiple Outlier Detection—Unknown Number	134

ix

2. Nonparametric Procedures	137
3. Outliers in Regression	140 147
References	147
Chapter 5	
Transformations	148
0. Introduction	148
Deflating Heteroscedastic Regressions	148
2. Variance Stabilizing Transformations	156
3. Power Transformations (Box–Cox)	158
(a) Maximum Likelihood	160
(b) Hinkley Estimation Procedure	168
(c) Graphic Procedure	170
4. Letter-Values and Boxplots	173
5. Power Transformations of Regression Independent Variables	175
Appendix I	178
References	179
Chapter 6	
Independent Variable Selection in Multiple Regression	181
0. Introduction	181
Criteria for Goodness of Regression Model	181
2. Stepwise Procedures	191
(a) Order of Selection of Variables	192
(b) Theoretical Description	193
(c) Cutoff Rules	196
(d) Example	197
3. Multicollinearity	199
(a) Description of the Phenomenon	199
(b) Diagnostics	205
(c) Ridge Regression	208
References	211
Chapter 7	
Categorical Variables in Regression	214
0. Introduction	214
1. Two Sample Tests	214
(a) Parametric Procedures	215
(b) Nonparametric Procedures	219
2. Analysis of Variance via Regression (Model I)	228 228
(a) One-Way Anova (b) Unbalanced Two-Way Anova with Only Main Effects	232
•	232
(c) Unbalanced Two-Way Anova with Interaction (d) Median Polish	233
3. Components of Variance (Model II)	241
4. Dichotomous Dependent Variables	246
References	249

X	Contents

Chapter 8	
Analysis of Cross-Classified Data	252
 0. Introduction 1. Independence in the r₁ × r₂ Table (a) General (b) 2 × 2 Tables 	252 254 254 256
 Log-Linear Models in the r₁ × r₂ Table The Three-Dimensional Table Analysis of Cross-Classifications with Ordered Categories Latent Class Model Appendix I Appendix II References 	259 261 266 270 274 282 285
Index of Reference Tables Index	289 291

Preface

The first course in statistics, no matter how "good" or "long" it is, typically covers inferential procedures which are valid only if a number of preconditions are satisfied by the data. For example, students are taught about regression procedures valid only if the true residuals are independent, homoscedastic, and normally distributed. But they do not learn how to check for independence, homoscedasticity, or normality, and certainly do not learn how to adjust their data and/or model so that these assumptions are met.

To help this student out I designed a second course, containing a collection of statistical diagnostics and prescriptions necessary for the applied statistician so that he can deal with the realities of inference from data, and not merely with the kind of classroom problems where all the data satisfy the assumptions associated with the technique to be taught. At the same time I realized that I was writing a book for a wider audience, namely all those away from the classroom whose formal statistics education ended with such a course and who apply statistical techniques to data. Thus the book begins with four chapters of diagnostics, answering in turn the following questions:

- How do I find out whether my data came from normal distributions?
- How do I find out whether my data are homoscedastic?
- How do I find out whether my data are independent?
- How do I find out whether there are outliers in my data?

I know of no book that treats the material in Chapters 1, 2, and 3, let alone combines those topics under one cover. Two books are devoted to the topic covered in Chapter 4; we include the most relevant material between these covers as well.

¹ This student's thoughts as he takes the first course are recorded in Chapter 0, entitled "A Thoughtful Student's Retrospective on Statistics 101".

xii Preface

Next the book presents two chapters of *prescriptions*. Chapter 5 answers the questions:

- How do I fix up my data so that we can treat them as if they were normally distributed?
- How do I fix up my regression variables so that the residuals are homoscedastic?
- How do I concoct an appropriate set of independent variables for a regression?

Chapter 6 answers the most frequently asked questions by the student in that "first course":

- How do I know how many independent variables to put into a regression model?
- What do I do about multicollinearity?

The material in Chapter 5 is, to my knowledge, not to be found in any other book. Answers to the questions covered in my Chapter 6 are well presented in Chapter 6 of Draper and Smith [1966] or Chatterjee and Price [1977]; again my justification for writing this chapter is to include it between the covers of a single book of the timbre of this one.

Finally, the book contains two chapters on *techniques* for making inferences from specialized data, mixed categorical and measured data (Chapter 7), and cross-classified data (Chapter 8). Though the material in these chapters can be found in a number of other books, our approach to this material may be a little different from the usual fare, and this slant may give the reader added insight into the techniques covered in these chapters—in the main, into analysis of variance and into $\log r$ linear modeling of contingency tables. Chapter 7 was motivated by the observation that a first course teaches the student both the two-sample t test and multiple regression. What would then be more natural in a second course than to use the multiple regression model with dummy independent variables as the vehicle for teaching students the generalization of the t test, the analysis of variance? Once dummy variables are introduced in regression, a natural further topic is the use of a "dummy" variable as a dependent variable. This, too, is included in Chapter 7.

The last topic, along with the technology of the analysis of variance, leads naturally to a topic not treated in a first course but which is probably as important as t tests and regression, namely the analysis of counted data. Chapter 8 gives a brief summary of $\log r$ linear model analysis for counted data, more to give the reader an acquaintance with these methods, and whet his appetite for more, than replace the many excellent books devoted to this subject.

In summary, I have written a book that is ostensibly for a "second course" in applied statistics but actually may have merit as a ready handbook for the practitioner. To this end, it is self-contained in that all necessary tables are included in this book. When there was a number of competitive procedures for the same problem, I was faced with an editorial choice: Should I only

Preface xiii

include the best procedure and disregard the rest, or include them all? My answer to that question was the latter, for a few reasons. First, in some cases we don't yet know which procedure is best. (Of course, for situations in which something is known about the properties of the procedure, I include that information.) Second, sometimes a "better" procedure may be more complex to implement than a "worse" procedure; by describing both the reader can select the one he chooses to use based not merely on "goodness" but on practicality. Finally, some of the "not-so-good" procedures are so well known and well ingrained in statistical practice, or are intellectual forerunners of the "better" procedures, that their absence would be noticed (and have been, in earlier drafts).

One institutional idiosyncrasy which creeps into this book, but in a minor way and can be brushed aside by the disinterested reader, is my occasional use of IDA, an interactive data analysis system available to students at the University of Chicago Graduate School of Business (see Roberts and Ling [1982]). These uses have purposely not been edited out, partly to enhance this book's direct value to my students, but also partly to stimulate the reader's interest in interactive data analysis systems as the "way of life" in current statistical practice. Moreover, as MINITAB (see Ryan, Joiner, and Ryan [1985]) embodies commands which implement some of the procedures described herein, I include some examples on the use of that data analysis system as well.

As I was writing these chapters, I had to grapple with the problem as to what level of mathematical and statistical background to presuppose of the reader. Some of the material requires no more mathematics than high school algebra; others require a good knowledge of matrix algebra. To cope with this range of prerequisites, I have adopted a number of expository ground rules:

- (1) describe the procedures in as clear a manner as I can consonant with the maturity level necessary for the user of the procedure;
- (2) provide motivation for the procedure, but stop short of a mathematical derivation;
- (3) provide an example of the use and computation of each procedure;
- (4) provide a FORTRAN computer program for implementing the more mathematically complex procedures.

We require three items of statistics background:

- (1) familiarity with multiple regression modeling and at least a nodding acquaintance with the matricial representation of the regression parameter estimates;
- (2) exposure to the t, F, chi-square, beta, gamma, binomial, Poisson, and uniform densities, at least to the point of knowing their mean and variance and how to read tables of their distributions; and
- (3) understanding of the workings of the expectation (\mathscr{E}), variance (\mathscr{V}), and covariance (\mathscr{C}) operators.

These are for the most part covered in a good first course in statistics. Any

xiv Preface

gap between what the reader has learned in such a course and a particular fact needed to read this book can be bridged by the reader with a minimum amount of individual effort.

Thus, the book is not written toward a single prototypical reader with a specific background. The applied statistician with a background in matrix algebra and a prior background in regression will find this book, at even its most difficult points, right at his level and in its easiest parts quite tedious. The reader whose background is merely high school algebra, and a first course in statistics which treated only the normal distribution, will find some of the material opaque. To him, I can only recommend that he read the opaque material, at least to ascertain the general drift of the described material, in order that, knowing of its existence, he can invoke it at appropriate occasions with the help of a more mathematically trained statistician. I have helped the reader along by segregating the material in each section of the book into two categories, labeled "Prescription" and "Theoretical Background", respectively. I have tried to make the "Prescription" material more intuitive, readable to the practitioner, and "cook-bookish"; and even in the "Theoretical Background" most theoretical results are stated without proof. Of course, one can pursue any topic in the book in greater depth by going back to the cited references.

The reader should be forewarned that I am a bit idiosyncratic in my notation. I use lowercase letters to denote scalar variables and uppercase letters to denote matrix (and vector) variables. I use regular type to denote nonrandom variables and boldface type to denote random variables. Thus we can look at a symbol and know whether or not it is a matrix and whether or not it is random. (No longer need we write X for a random variable and x for its value, or equations like X = x, and no longer will we be confused about what symbols to use for a random matrix and its value.) Schematically, the notation is the following:

	Nonrandom	Random
Scalar	x	x
Matrix	X	X

At the blackboard one can easily denote randomness by using the printer's symbol \sim under the letter to indicate randomness, e.g., what appears in this book as **u** would be written on the blackboard as u. (This is by contrast to those who are already denoting randomness by using the \sim above the letter to indicate randomness.) Finally, I have attempted to name all parameters with Greek letters, and here again the case of the letter indicates whether it is a scalar or a matrix.

To make this book as usable as possible, I have appended to each chapter all the specialized tables necessary to perform the statistical procedures described therein, though in most cases only for the 5% significance level. Since

Preface xv

tables of the χ^2 and F distribution are necessary for almost all the chapters of this book, I append them for ready reference in this Preface.

References

Chatterjee, S. and Price, B. 1977. Regression Analysis by Example. New York: Wiley. Draper, N. R. and Smith, H. 1966. Applied Regression Analysis. New York: Wiley.

Pearson, E. S. and Hartley, H. O., 1966 Biometrika Tables for Statisticians, Vol. I, 3rd ed. Cambridge: Cambridge University Press.

Ryan, B. F., Joiner, B. I., and Ryan, T. R., Jr. 1985. Minitab Handbook. Florence, KY: Wadsworth.

Roberts, H. V. and Ling, R. F. 1982. Conversational Statistics with IDA. New York: Scientific Press and McGraw-Hill.

Percentage Points of the χ^2 Distribution.

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	v Q	0.995	0.990	0.975	0.950	0.900	0.750	0.500
6 0.675727 0.872085 1.237347 1.63539 2.20413 3.45460 5.34812 7 0.989265 1.239043 1.68987 2.16735 2.83311 4.25485 6.34581 8 1.344419 1.646482 2.17973 2.73264 3.48954 5.07064 7.34412 9 1.734926 2.087912 2.70039 3.32511 4.16816 5.89883 8.34283 10 2.15586 2.55821 3.24697 3.94030 4.86518 6.73720 9.34182 11 2.60321 3.056347 3.81575 4.57481 5.57779 7.58412 10.3410 12 3.07382 3.57056 4.40379 5.22603 6.30380 8.43842 11.3403 13 3.66503 4.10691 5.00874 5.89186 7.04160 9.29906 12.3398 14 4.07468 4.66043 5.62872 6.57063 7.78953 10.1653 13.3393 15 4.60094 5.22935 6.26214	3	0.0100251 0.0717212	0·0201007 0·114832	0·0506356 0·215795	0·102587 0·351846	0·210720 0·584375	0·575364 1·212534	0·454937 1·38629 2·36597 3·35670
11 2.60321 3.05347 3.81575 4.57481 5.57779 7.58412 10.3410 12 3.07382 3.57056 4.40379 5.22603 6.30380 8.43842 11.3403 13 3.56503 4.10691 5.00874 5.89186 7.04150 9.29906 12.3398 14 4.07468 4.66043 5.62872 6.57063 7.78963 10.1653 13.3393 15 4.60094 5.22935 6.26214 7.26094 8.54675 11.0365 14.3389 16 5.14224 5.81221 6.90766 7.96164 9.31223 11.9122 15.3385 17 5.69724 6.40776 7.56418 8.67176 10.0852 12.7919 16.3381 18 6.26481 7.01491 8.23075 9.39048 10.8649 13.6753 17.3379 19 6.84398 7.63273 8.90655 10.1170 11.6509 14.5620 18.3376 20 7.43386 8.26040 9.59083 10	6 7 8	0.675727 0.989265 1.344419	0·872085 1·239043 1·646482	1.237347 1.68987 2.17973	1.63539 2.16735 2.73264	2·20413 2·83311 3·48954	3·45460 4·25485 5·07064	4·35146 5·34812 6·34581 7·34412 8·34283
16 5·14224 5·81221 6·90766 7·96164 9·31223 11·9122 15·3385 17 5·69724 6·40776 7·56418 8·67176 10·0852 12·7919 16·3381 18 6·26481 7·01491 8·23075 9·39046 10·8649 13·6753 17·3379 19 6·84398 7·63273 8·90655 10·1170 11·6509 14·5620 18·3374 20 7·43386 8·26040 9·59083 10·8508 12·4426 15·4518 19·3374 21 8·03366 8·89720 10·28293 11·5913 13·2396 16·3444 20·3372 22 8·64272 9·54249 10·9823 12·3380 14·0415 17·2396 21·3370 23 9·26042 10·19567 11·6885 13·0905 14·8479 18·1373 22·3369 24 9·88623 10·864 12·4011 13·8484 15·6587 19·0372 23·3667 25 10·5197 11·5240 13·1197 1	11 12 13	2·60321 3·07382 3·56503	3·05347 3·57056 4·10691	3·81575 4·40379 5·00874	4·57481 5·22603 5·89186	5·57779 6·30380 7·04150	7·58412 8·43842 9·29906	11·3403 12·3398
21 8-03366 8-89720 10-28293 11-5913 13-2396 16-3444 20-3372 22 8-64272 9-54249 10-9823 12-3380 14-0415 17-2396 21-3370 23 9-26042 10-19567 11-6885 13-0905 14-8479 18-1373 22-3369 24 9-88623 10-8564 12-4011 13-8484 15-6587 19-0372 23-3367 25 10-5197 11-5240 13-1197 14-6114 16-4734 19-9393 24-3366 26 11-1603 12-1981 13-8439 15-3791 17-2919 20-8434 25-3364 27 11-8076 12-8786 14-5733 16-1613 18-1138 21-7494 26-3363 28 12-4613 13-5648 15-3079 16-9279 18-9392 22-6572 27-3363 29 13-1211 14-2565 16-0471 17-7083 19-7677 23-5666 28-3362 30 13-7867 14-9535 16-7908	16	5·14224	5·81221	6·90766	7·96164	9·31223	11.9122	15·3385
	17	5·69724	6·40776	7·56418	8·67176	10·0852	12.7919	16·3381
	18	6·26481	7·01491	8·23075	9·39046	10·8649	13.6753	17·3379
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	21	8·03366	8·89720	10·28293	11·5913	13·2396	16·3444	20·3372
	22	8·64272	9·54249	10·9823	12·3380	14·0415	17·2396	21·3370
	23	9·26042	10·19567	11·6885	13·0905	14·8479	18·1373	22·3369
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	26	11·1603	12·1981	13·8439	15·3791	17·2919	20·8434	25·3364
	27	11·8076	12·8786	14·5733	16·1513	18·1138	21·7494	26·3363
	28	12·4613	13·5648	15·3079	16·9279	18·9392	22·6572	27·3363
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	40	20·7065	22·1643	24·4331	26·5093	29·0505	33.6603	39·3354
	50	27·9907	29·7067	32·3574	34·7642	37·6886	42.9421	49·3349
	60	35·5346	37·4848	40·4817	43·1879	46·4589	52.2938	59·3347
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	80	51·1720	53·5400	57·1532	60·3915	64·2778	71·1445	79-3343
	90	59·1963	61·7541	65·6466	69·1260	73·2912	80·6247	89-3342
	100	67·3276	70·0648	74·2219	77·9295	82·3581	90·1332	99-3341

SOURCE: Pearson and Hartley [1958]. Reprinted from *Biometrika Tables for Statisticians*, Vol. I, with the permission of the Biometrika Trustees.

xvi Preface

Percentage Points of the χ^2 Distribution (continued)

1 2 3 4 5	1·32330 2·77259 4·10835 5·38527 6·62568 7·84080 9·03715	2·70554 4·60517 6·25139 7·77944 9·23635 10·6446	3·84146 5·99147 7·81473 9·48773	5·02389 7·37776 9·34840 11·1433	6-63490 9-21034 11-3449	7·87944 10·5966	10·828 13·846
2 3 4 5	2·77259 4·10835 5·38527 6·62568 7·84080 9·03715	4·60517 6·25139 7·77944 9·23635	5·99147 7·81473 9·48773	9.34840			
3 4 5	4·10835 5·38527 6·62568 7·84080 9·03715	6·25139 7·77944 9·23635	7·81473 9·48773	9.34840			
5	6·62568 7·84080 9·03715	9.23635		11.1433	11.9448	12.8381	16.266
	7·84080 9·03715		11.0705	111100	13-2767	14.8602	18-467
6 1	9.03715	10.6446	11.0705	12.8325	15.0863	16.7496	20.515
			12.5916	14.4494	16.8119	18.5476	22.458
7		12.0170	14.0671	16.0128	18.4753	20.2777	24.322
	10.2188	13.3616	15.5073	17.5346	20.0902	21.9550	26.125
9 1	11.3887	14.6837	16.9190	19.0228	21.6660	23.5893	27-877
10	12.5489	15.9871	18-3070	20.4831	23.2093	25.1882	29.588
11 1	13.7007	17.2750	19-6751	21.9200	24.7250	26.7569	31.264
	l4·8454	18.5494	21.0261	23.3367	26.2170	28.2995	32.909
	L5·9839	19.8119	22.3621	24.7356	27.6883	29.8194	34.528
14	17-1170	21.0642	23.6848	26-1190	29-1413	31.3193	36-123
15	18-2451	22.3072	24.9958	27.4884	30.5779	32-8013	37-697
	19-3688	23.5418	26.2962	28.8454	31.9999	34.2672	39.252
17	20-4887	24.7690	27.5871	30.1910	33.4087	35.7185	40.790
	21.6049	25.9894	28.8693	31.5264	34.8053	37.1564	42.312
19	22.7178	27-2036	30-1435	32-8523	36-1908	38-5822	43.820
20	23-8277	28.4120	31-4104	34.1696	37.5662	39-9968	45.315
21	24.9348	29.6151	32-6705	35.4789	38-9321	41.4010	46.797
22	26.0393	30.8133	33.9244	36.7807	40.2894	42.7956	48.268
23	27-1413	32.0069	35-1725	38-0757	41.6384	44.1813	49.728
24	28-2412	33.1963	36-4151	39-3641	42-9798	45.5585	51-179
25	29-3389	34.3816	37-6525	40.6465	44.3141	46.9278	52-620
	30-4345	35.5631	38.8852	41.9232	45.6417	48.2899	54.052
27	31.5284	36.7412	40.1133	43.1944	46.9630	49.6449	55.476
28	32-6205	37.9159	41.3372	44.4607	48-2782	50.9933	56.892
29	33-7109	39.0875	42.5569	45.7222	49.5879	52.3356	58.302
30	34-7998	40.2560	43.7729	46-9792	50-8922	53-6720	59.703
40	45 ⋅6160	51.8050	55.7585	59.3417	63-6907	66.7659	73.402
50	56-3336	63.1671	67.5048	71.4202	76-1539	79.4900	86-661
60	86-9814	74.3970	79.0819	83-2976	88-3794	91.9517	99-607
70	77-5766	85.5271	90-5312	95.0231	100-425	104-215	112-317
	88-1303	96.5782	101-879	106-629	112-329	116-321	124-839
90	98-6499	107-565	113-145	118-136	124-116	128-299	137-208
100 1	09-141	118-498	124-342	129-561	135-807	140-169	149-449
X +	- 0∙6745	+1.2816	+1.6449	+1.9600	+ 2.3263	+ 2.5758	+3.0902

 ${\tt SOURCE: Pearson \ and \ Hartley \ [1958]. \ Reprinted \ from \textit{Biometrika Tables for Statisticians}, Vol. \ I, with the permission of the Biometrika Trustees.}$

Percentage Points of the F Distribution. Upper 2.5% Points.

8	1018 39.50 13.90 8.26	6.02 4.485 9.94.14 9.33	2 2 2 2 2 2 4 4 4 9 6 0 4 9 6 0 6 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2.09 1.97 1.97	1.91 1.88 1.85 1.83 1.83	1.79 1.64 1.48 1.31 1.00
120	1014 39·49 13·95 8·31	6.07 4.90 3.73 3.89	60 63 63 64 64 65 65 65 65 65 65 65 65 65 65 65 65 65	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	8 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1.98 1.95 1.93 1.91 1.89	1.87 1.72 1.58 1.43 1.27
09	1010 39.48 13.99 8.36	6.12 4.96 3.78 3.45	3.50 3.00 2.72 2.61	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2.22 2.18 2.14 2.11	2.05 2.03 2.00 1.98 1.96	1.94 1.80 1.67 1.53 1.39
9	1006 39·47 14·04 8·41	6.18 5.01 4.31 3.84 3.51	3.26 3.06 2.91 2.78	2.55 2.55 2.38 2.38	2.25 2.25 2.21 2.18 2.18	2.12 2.09 2.07 2.05 2.05	3.01 1.88 1.74 1.61 1.48
30	1001 39·46 14·08 8·46	6.23 5.07 4.36 3.89 3.56	3.31 3.12 2.96 2.84 2.73	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2 2 2 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2:18 2:16 2:13 2:11 2:09	2.07 1.94 1.82 1.69 1.67
24	997.2 39.46 14.12 8.51	6.28 6.12 4.42 3.95 3.61	3.03 2.03 2.03 2.03 2.03	44444 5654 66564	44444	25.22 25.22 25.13 25.17	2:14 2:01 1:88 1:76 1:64
70	993·1 39·45 14·17 8·56	6.33 5.17 4.47 3.67	3.23 3.23 2.95 2.95 4.8	2.68 2.68 2.56 2.56	2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3	223 223 233 233 233 233 233 233 233 233	2.20 2.07 1.94 1.82 1.71
15	984·9 39·43 14·25 8·66	6.43 6.27 4.57 4.10	2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	8 6 6 7 6 8 6 8 6 7 8 6 7 8 6 7 7 8 6 7 7 8 6 7 7 8 6 7 7 8 6 7 7 8 6 7 7 8 6	9 9 9 9 9 7 5 5 3 4 4 7 6 5 4 4	4 2 2 2 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2	2:31 2:18 2:06 1:94 1:83
12	976·7 39·41 14·34 8·75	6.52 5.37 4.67 3.87	3.62 3.43 3.15 3.05	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
91	968.6 39.40 14.42 8.84	6.62 6.44 6.76 8.30 9.96	3.72 3.37 3.25 3.15	2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	44444 44444 444444	665548 63548 63548	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
•	963·3 39·39 14·47 8·90	6.68 5.52 4.82 4.36 6.03	3.78 3.59 3.81 3.21	88 88 85 12 88 88 88 88 88 88 88 88 88 88 88 88 88	484444 48644 48644	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 3 4 5 4 5 4 5 4 5 4 5 5 4 5 5 5 5 5 5 5
•	956·7 39·37 14·54 8·98	6.76 6.60 6.44 6.43 6.10	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3.12 3.12 3.06 2.96	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	25.57 25.57 25.69 26.69	9 9 9 9 9 5 4 9 9 9 1 9 9 1
7	948·2 39·36 14·62 9·07	6.85 5.70 4.99 4.53 4.20	3.95 3.76 3.48 3.38	3.52 3.52 3.05 3.05	8 2 2 2 3 3 3 4 3 4 3 4 3 4 3 4 3 4 4 4 4	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	25.62 25.63 25.33 25.33 25.33
9	937·1 39·33 14·73 9·20	6.98 5.82 4.65 4.32	8.88 3.73 3.60 3.50	3.22 3.22 3.17	3.05 3.05 3.05 2.99	2 2 2 2 2 2 2 2 2 2 2 3 2 3 2 3 3 4 4 4 5 3 3 4 4 4 5 4 5 4 5 4 5 4 5	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
7.0	921.8 39.30 14.88 9.36	7.15 5.99 6.29 4.82 4.48	4.24 4.04 3.77 3.66	3.58 3.50 3.33 3.33	3.25 3.25 3.18 3.18	3.13 3.08 3.08 3.08 3.04	3.03 2.90 2.79 2.67
4	899.6 39.25 15.10 9.60	7.39 6.23 5.52 4.72	4.44 4.28 4.12 3.89	3.80 3.73 3.66 3.66	3.44 3.44 3.38 3.38	3.33 3.33 3.29 3.27	3.25 3.13 3.01 2.89 2.79
60	864·2 39·17 15·44 9·98	7.76 6.60 5.89 5.42 5.08	44.63 44.63 42.44 42.44	4.15 4.08 4.01 3.95 3.90	3.86 3.78 3.75 3.75	3.65 3.65 3.65 3.63	65 69 69 69 69 69 69 69 69 69 69 69 69 69
7	799.5 39.00 16.04 10.65	8.43 7.26 6.54 6.06 6.07	5.46 5.26 5.10 4.97 4.86	4.69 4.69 4.56 4.56	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 29 22 22 22 22 22 22 22 22 22 22 22 22	3.93 3.93 3.93 3.69 3.69
-	647·8 38·51 17·44 12·22	10.01 8.81 8.07 7.57 7.21	6.94 6.72 6.55 6.41 6.30	6.20 6.12 6.04 5.98 5.98	6.87 6.79 6.75 6.75	5.69 5.68 5.63 5.61	6.57 6.42 6.29 6.15 6.02
', 's	-764	20780	12111	15 16 17 18 19	82224	38728	8435 8

SOURCE: Pearson and Hartley [1958]. Reprinted from Biometrika Tables for Statisticians, Vol. I, with the permission of the Biometrika Trustees.

xvii

Percentage Points of the F Distribution (continued) Upper 5% Points.

Property Property										•	-								
1996 2167 2246 2369 2369 2406 2449 2459 2469 2474 4468 <th< th=""><th>1</th><th>7</th><th>60</th><th>4</th><th>160</th><th>9</th><th>7</th><th>∞</th><th>6</th><th>10</th><th>12</th><th>15</th><th>8</th><th>24</th><th>30</th><th>4</th><th>3</th><th>120</th><th>8</th></th<>	1	7	60	4	160	9	7	∞	6	10	12	15	8	24	30	4	3	120	8
1900 1916 1915 1916 1918 1918 1919 1914 1918 1919 1914 1918 1919 1918	161.4	199.5		224.6			236.8	238.9		241.9	243.9		248.0	249.1	250-1	251.1		253.3	254.3
67.9 65.61 67.0 <t< td=""><td>18.51</td><td>19:00</td><td></td><td>19.25</td><td></td><td></td><td>19:35</td><td>19:37</td><td></td><td>8.79</td><td>8.74</td><td></td><td>8.66</td><td>8.64</td><td>8.62</td><td>8.59</td><td></td><td>8.55</td><td>8.53</td></t<>	18.51	19:00		19.25			19:35	19:37		8.79	8.74		8.66	8.64	8.62	8.59		8.55	8.53
6.14 6.16 6.16 6.06 4.08 4.03 4.17 4.14 4.08 4.02 4.06 4.03 3.44 3.47 3.44 3.71 4.71 4.76 4.18 4.76 4.18 3.89 3.44 3.41 3.89 3.44 3.41 4.37 4.48 4.18 4.18 4.18 4.18 4.18 4.18 4.18	7.71	6.94		6:39			90.9	6.04		6.96	6.91		6.80	6.77	6.75	5.72		2.66	5.63
4.74 4.75 4.55 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 4.95 3.94 3.97 3.91 3.94 3.97 3.91 3.95 3.94 3.97 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3.95 3.96 3.96 3.96 3.96 3.97 3.96 3.96 3.96 3.96 3.97 3.96 3.96 3.97 3.96 3.97 3.96 3.97 3.96 3.97 3.96 3.97 3.96 3.96 3.97 3.96 3.97 3.96 3.96 3.97 3.96 3.96 3.97 3.96 3.97 3.96 3.97 3.96 3.97 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 3.96 <th< td=""><td>6.6</td><td>6.70</td><td>6.41</td><td>61.10</td><td>7.08</td><td>4.95</td><td>4.88</td><td>4.82</td><td>4.77</td><td>4.74</td><td>4.68</td><td>4.62</td><td>4.58</td><td>4.53</td><td>4.50</td><td>4.48</td><td>4.43</td><td>4.40</td><td>4.36</td></th<>	6.6	6.70	6.41	61.10	7.08	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.58	4.53	4.50	4.48	4.43	4.40	4.36
4.16 3.17 3.64 3.64 3.61 3.64 3.61 3.64 3.61 3.64 3.61 3.64 3.61 3.64 3.61 3.62 3.61 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.61 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 3.62 <th< td=""><td>200.5</td><td>5.14</td><td>4.78</td><td>4.53</td><td>4.39</td><td>4.98</td><td>4.21</td><td>4.15</td><td>4.10</td><td>4.06</td><td>4.00</td><td>3.94</td><td>3.87</td><td>3.84</td><td>3.81</td><td>3.77</td><td>3.74</td><td>3.70</td><td>3.67</td></th<>	200.5	5.14	4.78	4.53	4.39	4.98	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
446 4.07 3.64 3.69 3.46 3.89 3.25 3.22 3.15 3.16 3.01 2.94 3.01 3.07 3.01 3.07 3.01 3.07 3.01 3.07 3.01 3.07 3.01 3.07 3.01 3.04 3.01 2.04 3.01 2.04 3.01 3.07 3.01 3.01 3.07 3.01 3.07 3.01 2.04 2.06 2.06 2.06 2.01 2.02 2.06 2.01 2.02 2.06 2.01 2.02 2.06 2.01 2.07 2.01 2.02 2.02 2.02 2.02 2.02 2.02 2.02 2.02 2.02 2.02 2.02 2.02	7.50	4.74	4.35	4.12	3.97	20.00	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	330	3.27	3.23
4.10 3.71 3.46 3.32 3.41 3.07 3.04 3.01 2.04 <th< td=""><td>5.32</td><td>4.48</td><td>4.07</td><td>3.84</td><td>3.69</td><td>3.58</td><td>3.50</td><td>3.44</td><td>3.39</td><td>3.35</td><td>3.28</td><td>3.22</td><td>3.15</td><td>3.12</td><td>3.08</td><td>3.04</td><td>3.01</td><td>2.97</td><td>2.93</td></th<>	5.32	4.48	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
4-10 3-46 3-86 3-87 3-86 2-91 2-86 2-77 2-74 2-70 2-66 2-61 2-67 2-68 2-91 2-86 2-61 2-67 2-63 2-86 2-61 2-67 2-63 2-86 3-84 3-84 2-87 3-94 2-87 3-87 3-94 2-87 2-87 2-76 2-66 2-61 2-67 2-63 2-86 2-87 2-87 2-74 2-77 2-71 2-77 2-71 2-77 2-71 2-77 2-71 2-60 2-86 2-86 2-87 2-87 2-86 2-87 2-86 2-87 <th< td=""><td>5.13</td><td>4.26</td><td>3.86</td><td>3.63</td><td>3.48</td><td>3.37</td><td>3.29</td><td>3.23</td><td>3.18</td><td>3.14</td><td>3.07</td><td>3.01</td><td>2.94</td><td>2.90</td><td>2.86</td><td>2.83</td><td>2.79</td><td>2:75</td><td>2:41</td></th<>	5.13	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2:75	2:41
3.68 3.69 3.69 3.00 3.01 2.65 2.60 2.65 2.64 2.65 2.64 2.65 2.64 2.65 2.64 2.65 2.64 2.65 2.64 <th< td=""><td>4.08</td><td>4.10</td><td>3.71</td><td>3.48</td><td>8.33</td><td>3.99</td><td>3.14</td><td>3.07</td><td>3.03</td><td>2.98</td><td>2.91</td><td>2.85</td><td>2.77</td><td>2.74</td><td>2.70</td><td>2.66</td><td>2.62</td><td>2.58</td><td>2.54</td></th<>	4.08	4.10	3.71	3.48	8.33	3.99	3.14	3.07	3.03	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
3.49 3.26 3.11 3.00 2.91 2.86 2.76 2.64 2.64 2.64 2.64 2.64 2.64 2.64 2.64 2.64 2.64 2.64 2.64 2.64 2.67 2.60 2.65 2.64 2.64 2.69 2.64 2.69 2.64 <th< td=""><td>4.84</td><td>3.08</td><td>3.50</td><td>3.38</td><td>3.50</td><td>60</td><td>30</td><td>2.95</td><td>2.90</td><td>2.85</td><td>2.79</td><td>2.72</td><td>2.65</td><td>2.61</td><td>2.57</td><td>2.53</td><td>2:48</td><td>2.46</td><td>2.40</td></th<>	4.84	3.08	3.50	3.38	3.50	60	30	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2:48	2.46	2.40
3-61 3-41 3-18 3-03 2-92 2-83 2-77 2-71 2-60 2-53 2-46 2-36 2-36 2-46 2-39 2-36 2-36 2-60 2-60 2-60 2-60 2-60 2-60 2-60 2-60 2-70 2-60 <th< td=""><td>4.75</td><td>3.89</td><td>3.49</td><td>3.28</td><td>3.1</td><td>30.00</td><td>2.91</td><td>2.85</td><td>2.80</td><td>2.75</td><td>5.69</td><td>2.62</td><td>2.64</td><td>2.61</td><td>2.47</td><td>2.43</td><td>5.38</td><td>2.34</td><td>5.30</td></th<>	4.75	3.89	3.49	3.28	3.1	30.00	2.91	2.85	2.80	2.75	5.69	2.62	2.64	2.61	2.47	2.43	5.38	2.34	5.30
3-74 3-34 3-11 2-96 2-86 2-60 2-53 2-46 2-36 2-76 2-70 2-66 2-64 2-46 2-46 2-36 2-36 2-36 2-49 2-49 2-36 2-36 2-36 2-36 2-36 2-36 2-36 2-49 2-49 2-36 2-49 2-49 2-36 2-36 2-36 2-49 2-49 2-36 2-36 2-49 2-49 2-36 2-36 2-49 2-49 2-36 2-49 2-49 2-36 2-49 2-49 2-36 2-36 2-49 2-49 2-36 2-36 2-49 2-49 2-36 2-36 2-36 2-36 2-36 2-36 2-36 2-36 2-36 2-36 <th< td=""><td>4.67</td><td>3.81</td><td>3.41</td><td>3.18</td><td>3.03</td><td>2.82</td><td>2.83</td><td>2.77</td><td>2.71</td><td>2.67</td><td>2.60</td><td>2.53</td><td>2.46</td><td>2.42</td><td>5.38</td><td>2.34</td><td>2.30</td><td>2.25</td><td>7.71</td></th<>	4.67	3.81	3.41	3.18	3.03	2.82	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	5.38	2.34	2.30	2.25	7.71
3.68 3.29 3.06 3.06 2.70 2.71 2.64 2.64 2.48 2.40 2.38 2.29 2.26 2.20 2.16 2.96 2.96 2.64 2.42 2.36 2.28 2.24 2.39 2.25 2.29 2.16 2.10 2.11 2.06 2.06 2.66 2.46 2.41 2.36 2.38 2.29 2.16 2.10 2.11 2.06 2.01 2.06 2.01 2.06 2.02 2.11 2.01 2.16 2.11 2.01 2.16 2.11 2.06 2.01 2.06 2.02 2.21 2.29 2.26 2.11 2.00 2.01 1.09 1.09 1.09 1.09 1.09 1.09 1.00 <th< td=""><td>4.60</td><td>3.74</td><td>3.34</td><td>3.11</td><td>2.96</td><td>2.86</td><td>2.78</td><td>2.70</td><td>2.65</td><td>2.60</td><td>2.53</td><td>2.46</td><td>2.39</td><td>2.35</td><td>2:31</td><td>2.27</td><td>2.55</td><td>2.18</td><td>2.13</td></th<>	4.60	3.74	3.34	3.11	2.96	2.86	2.78	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2:31	2.27	2.55	2.18	2.13
3.63 3.24 3.01 2.86 2.74 2.66 2.69 2.49 2.42 2.36 2.24 2.49 2.42 2.36 2.24 2.49 2.46 2.38 2.31 2.33 2.19 2.11 2.10 2.10 2.10 2.06 2.01 3.49 3.24 2.31 2.31 2.33 2.10 2.11 2.06 2.01 3.04 2.41 2.34 2.42 2.46 2.41 2.31 2.31 2.31 2.10 2.11 2.07 2.03 1.98 1.93 2.10 2.93 <th< td=""><td>4.54</td><td>3.68</td><td>8.90</td><td>3.0g</td><td>06.6</td><td>9.79</td><td>2.71</td><td>2.64</td><td>2.59</td><td>2.54</td><td>2.48</td><td>2.40</td><td>2.33</td><td>2.29</td><td>2.25</td><td>2.20</td><td>2.16</td><td>2.11</td><td>2.07</td></th<>	4.54	3.68	8.90	3.0g	06.6	9.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
3-56 3-20 2-36 2-61 2-49 2-45 2-38 2-31 2-16 2-10 <th< td=""><td>4.49</td><td>3.63</td><td>3.24</td><td>3.01</td><td>2.85</td><td>2.74</td><td>2.66</td><td>2.59</td><td>2.54</td><td>2.49</td><td>2.42</td><td>2.35</td><td>2.28</td><td>2.24</td><td>2.19</td><td>2.16</td><td>2:11</td><td>5.06</td><td>2.01</td></th<>	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.16	2:11	5.06	2.01
3.56 3.16 2.93 2.77 2.66 2.64 2.41 2.34 2.27 2.19 2.15 2.11 2.05 2.02 1.97 <th< td=""><td>4.45</td><td>3.59</td><td>3.20</td><td>2.98</td><td>2.81</td><td>2.70</td><td>2.61</td><td>2.55</td><td>2.49</td><td>2.46</td><td>2.38</td><td>2.31</td><td>2.23</td><td>5.19</td><td>2.15</td><td>2.10</td><td>500</td><td>5.01</td><td>1.96</td></th<>	4.45	3.59	3.20	2.98	2.81	2.70	2.61	2.55	2.49	2.46	2.38	2.31	2.23	5.19	2.15	2.10	500	5.01	1.96
3-52 3-13 2-90 2-74 2-63 2-64 2-48 2-42 2-38 2-31 2-20 2-16 2-11 2-07 2-03 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 1-96 1-90 <td< td=""><td>4.41</td><td>3.55</td><td>3.16</td><td>2.93</td><td>2.77</td><td>2.66</td><td>2.58</td><td>2.21</td><td>2.46</td><td>2.41</td><td>2.34</td><td>2.27</td><td>5.19</td><td>2.15</td><td>2.11</td><td>2.08</td><td>70.7</td><td>1.87</td><td>1.92</td></td<>	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.21	2.46	2.41	2.34	2.27	5.19	2.15	2.11	2.08	70.7	1.87	1.92
3.49 3.10 2.84 2.64 2.65 2.46 2.46 2.36 2.36 2.20 2.12 2.08 2.04 1.99 1.96 1.99 1.90 <th< td=""><td>4.38</td><td>3.52</td><td>3.13</td><td>2.80</td><td>2.74</td><td>2.63</td><td>2.64</td><td>2.48</td><td>2.42</td><td>5·38</td><td>2:31</td><td>2.23</td><td>2.16</td><td>7.11</td><td>2.07</td><td>2:03</td><td>96-T</td><td>58.T</td><td>99.1</td></th<>	4.38	3.52	3.13	2.80	2.74	2.63	2.64	2.48	2.42	5·38	2:31	2.23	2.16	7.11	2.07	2:03	96-T	58.T	99.1
3.47 3.07 2.84 2.68 2.67 2.49 2.42 2.97 2.25 2.18 2.10 2.06 2.01 1.96 1.92 1.87 1.87 3.44 3.05 2.84 2.66 2.46 2.46 2.24 2.34 2.37 2.25 2.16 2.07 2.03 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.98 1.94 1.99 1.96 1.91 1.98 1.94 1.99 1.98 1.94 1.99 1.96 1.99 1.	A.9.	3.40	2.10	9.87	6.71	9.60	19.61	9.45	9.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
3.44 3.05 2.86 2.66 2.46 2.94 2.84 3.06 2.65 2.46 2.46 2.84 2.87 2.83 2.16 2.07 2.03 1.98 1.94 1.98 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.94 1.89 1.84 1.89 1.94 1.89 1.84 1.89 1.84 1.89 1.84 1.89 1.84 1.89 1.84 1.89 1.84 1.89 1.84 1.89 1.84 1.79 1.70 1.70 1.70 1.70 1.70 1.70 <th< td=""><td>4.29</td><td>3.47</td><td>3.07</td><td>78.6</td><td>8</td><td>9.62</td><td>9.49</td><td>9.42</td><td>2.37</td><td>2.32</td><td>2.25</td><td>2.18</td><td>2.10</td><td>2.05</td><td>2.01</td><td>1.96</td><td>1.92</td><td>1.87</td><td>1.81</td></th<>	4.29	3.47	3.07	78.6	8	9.62	9.49	9.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
3.42 3.63 2.64 2.63 2.44 2.37 2.32 2.27 2.20 2.13 2.06 2.01 1.96 1.91 1.96 1.91 1.86 1.81 1.91 1.86 1.81 1.91 1.86 1.81 1.91 1.86 1.81 1.91 1.86 1.81 1.91 1.86 1.81 1.79 1.79 1.79 1.79 1.79 1.77 1.79 1.77 1.71 1.72 <th< td=""><td>4.30</td><td>3.44</td><td>30.5</td><td>60.6</td><td>8.6</td><td>2.55</td><td>2.46</td><td>2.40</td><td>2:34</td><td>2:30</td><td>2.23</td><td>2.16</td><td>2.07</td><td>2.03</td><td>1.98</td><td>1.94</td><td>1.89</td><td>1.84</td><td>1.78</td></th<>	4.30	3.44	30.5	60.6	8.6	2.55	2.46	2.40	2:34	2:30	2.23	2.16	2.07	2.03	1.98	1.94	1.89	1.84	1.78
3.40 3.01 2.78 2.62 2.61 2.42 2.30 2.25 2.18 2.11 2.03 1.98 1.94 1.89 1.84 1.79 1 3.39 2.99 2.76 2.60 2.47 2.39 2.24 2.24 2.26 2.07 1.99 1.96 1.92 1.87 1.82 1.77 1 3.37 2.98 2.74 2.66 2.46 2.37 2.21 2.22 2.15 2.07 1.99 1.96 1.90 1.87 1.82 1.77 1 3.34 2.96 2.77 2.46 2.94 2.91 2.02 2.06 1.97 1.93 1.88 1.84 1.79 1.77 1 3.34 2.96 2.77 2.26 2.24 2.91 2.02 2.04 1.94 1.90 1.87 1.71 1.71 1.71 1.71 1.71 1.71 1.71 1.71 1.71 1.71 1.71 1.71 1	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.06	2.01	1.98	1.91	1.86	1.81	1.76
3.39 2.99 2.74 2.60 2.40 2.40 2.94 2.24 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.94 1.99 1.96 1.96 1.96 1.96 1.96 1.96 1.96 1.96 1.96 1.96 1.96 1.97 1.77 1.71 1.72 1.72 1.72 <th< td=""><td>4.26</td><td>3.40</td><td>3.01</td><td>2.78</td><td>2.62</td><td>2.61</td><td>2.42</td><td>2.36</td><td>2.30</td><td>2.25</td><td>2.18</td><td>2.11</td><td>2.03</td><td>1.98</td><td>1.94</td><td>1.89</td><td>1.84</td><td>1.79</td><td>1.73</td></th<>	4.26	3.40	3.01	2.78	2.62	2.61	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
3.37 2.98 2.74 2.59 2.47 2.29 2.27 2.25 2.16 2.07 1.99 1.95 1.90 1.95 1.90 1.95 1.90 1.95 1.90 1.75 1.75 1.71 1.72 1.72 1.72 1.72 1.72 1.72 1.72 1.72 1.72 <th< td=""><td>4.94</td><td>3.39</td><td>66.6</td><td>2.78</td><td>2.60</td><td>2.49</td><td>2.40</td><td>2.34</td><td>2.28</td><td>2.24</td><td>2.16</td><td>2.09</td><td>2.01</td><td>1.96</td><td>1.92</td><td>1.87</td><td>1.82</td><td>1.77</td><td>1.71</td></th<>	4.94	3.39	66.6	2.78	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
3.35 2.96 2.73 2.57 2.24 2.25 2.20 2.13 2.06 1.97 1.93 1.88 1.84 1.79 1.73 1 3.34 2.96 2.71 2.66 2.46 2.29 2.24 2.19 2.10 2.04 1.96 1.91 1.87 1.87 1.77 1.71 1 3.33 2.97 2.46 2.29 2.24 2.19 2.04 1.96 1.90 1.81 1.70 1.71 1 3.20 2.92 2.66 2.64 2.04 1.96 1.96 1.90 1.84 1.70 1.74 1.70 1.71 1 1 1.70 1.74 1.68 1 1.70 1.74 1.68 1 1.90 1.91 1.84 1.76 1.74 1.68 1 1 1.74 1.68 1 1.91 1.74 1.69 1.74 1.68 1 1.92 1.90 1.92 1.93 1.92 <	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
3.34 2.96 2.71 2.66 2.45 2.36 2.24 2.19 2.12 2.04 1.96 1.91 1.87 1.82 1.77 1.71 1.72 <td< td=""><td>4.21</td><td>3.35</td><td>2.96</td><td>2.73</td><td>2.57</td><td>2.46</td><td>2.37</td><td>2.31</td><td>2.25</td><td>2.20</td><td>2.13</td><td>2.08</td><td>1.97</td><td>1.93</td><td>1.88</td><td>1.84</td><td>1.79</td><td>1.73</td><td>1.67</td></td<>	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.08	1.97	1.93	1.88	1.84	1.79	1.73	1.67
3.32 2.92 2.64 2.63 2.42 2.25 2.18 2.10 2.03 1.94 1.90 1.85 1.81 1.75 1.70 1 3.32 2.92 2.69 2.62 2.12 2.16 2.09 2.01 1.94 1.90 1.84 1.79 1.74 1.68 1 3.22 2.84 2.61 2.45 2.25 2.18 2.12 2.08 2.01 1.92 1.84 1.79 1.74 1.69 1.64 1.68 1 3.16 2.04 2.04 1.99 1.92 1.84 1.75 1.74 1.69 1.64 1.68 1 3.77 2.68 2.46 2.90 2.04 1.99 1.92 1.84 1.75 1.76 1.67 1.69 1.69 1.86 1.86 1.91 1.67 1.67 1.61 1.68 1.81 1.81 1.83 1.76 1.67 1.67 1.67 1.61 1.81 1	4.90	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
3.32 2.92 2.64 2.65 2.74 2.75 2.71 2.71 2.71 2.72 2.72 2.72 2.73 2.74 2.74 2.75 <th< td=""><td>4.18</td><td>3.33</td><td>2.93</td><td>2.70</td><td>2.55</td><td>2.43</td><td>2.35</td><td>2.28</td><td>2.22</td><td>2.18</td><td>2.10</td><td>2.03</td><td>1.94</td><td>1.90</td><td>1.85</td><td>1.81</td><td>1.75</td><td>1.70</td><td>1.64</td></th<>	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
3.23 2.84 2.61 2.45 2.34 2.25 2.16 2.12 2.08 2.00 1.92 1.84 1.79 1.74 1.69 1.64 1.68 1.69 1.64 1.68 1.69 1.64 1.68 1.69 1.64 1.68 1.61 1.76 1.74 1.74 1.69 1.64 1.68 1.61 1.65 1.76 1.61 1.65 1.69 1.64 1.68 1.92 1.84 1.75 1.67 1.76 1.76 1.76 1.67 1.69 1.47 1.36 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32 <th< td=""><td>4.17</td><td>3.39</td><td>9.06</td><td>9.60</td><td>9.53</td><td>9.49</td><td>9.33</td><td>2.62</td><td>2.21</td><td>2.16</td><td>5.09</td><td>2.01</td><td>1.93</td><td>1.89</td><td>1.84</td><td>1.79</td><td>1.74</td><td>1.68</td><td>1.62</td></th<>	4.17	3.39	9.06	9.60	9.53	9.49	9.33	2.62	2.21	2.16	5.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
3.16 2.76 2.76 2.53 2.37 2.26 2.17 2.16 1.99 1.92 1.92 1.92 1.92 1.93 1.76 1.76 1.76 1.66 1.61 1.65 1.63 1.47 1 3.07 2.68 2.45 2.29 2.17 2.09 2.02 1.96 1.91 1.83 1.76 1.66 1.61 1.65 1.65 1.63 1.36 1.36 3.00 2.60 2.21 2.01 1.94 1.88 1.83 1.75 1.67 1.67 1.64 1.39 1.22 1	7.00	2.03	78.6	9.6	4.6	9.34	9.6	2.6	9.13	80.8	3.00	1.92	1.84	1.79	1.74	1.69	1.64	1.68	1.51
3.07 2.68 2.45 2.29 2.17 2.09 2.02 1.96 1.91 1.83 1.75 1.66 1.61 1.65 1.65 1.50 1.43 1.35 1.22 3.00 2.60 2.87 2.21 2.10 2.01 1.94 1.88 1.83 1.75 1.67 1.67 1.67 1.62 1.46 1.39 1.32 1.22 1.22	4.0	3.50	9.76	2.53	2.37	2.52	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
3.00 2.60 2.37 2.21 2.10 2.01 1.94 1.88 1.83 1.75 1.67 1.67 1.62 1.46 1.39 1.32 1.22 1	3.92	3.02	2.68	2.45	2.29	2.17	5.09	20.0	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.32	1.25
	3.84	6	9.6	2.37	2.21	2.10	20.0	1.94	1.88	1.83	1.76	1.67	1.67	1.62	1.46	1.39	1.32	1.22	1.00

SOURCE: Pearson and Hartley [1958]. Reprinted from Biometrika Tables for Statisticians, Vol. I, with the permission of the Biometrika Trustees.

Acknowledgments

My editors, Steve Fienberg and Ingram Olkin, are to be thanked for not only their useful comments on earlier drafts of this book, but also for their encouragement in seeing that this enterprise reached its conclusion. Michael Cohen and Diane Lambert contributed immeasurably with their detailed critical reading of an earlier draft of this book. The extent to which they do not recognize this version is almost wholely attributable to my response to their comments. Chapter 8 benefitted from the extensive comments of the "four most" experts in the field, Steve Fienberg, Zvi Gilula, Leo Goodman, and Shelby Haberman. Evelyn Shropshire typed each of the drafts of this book, always with a smile and a willingness to push on and get it out, and this made my job so much easier. Finally, I would like to express my appreciation to each of my students who suffered through the various versions of this book and my effort to "debug" it.

Chicago, Illinois June 1987 A. M.