



Subtle structures with not-so-subtle functions: A data set of arthropod constructs and their host plants

Cássio Cardoso Pereira, Samuel Novais, Milton Barbosa, Daniel Negreiros, Thiago Gonçalves-souza, Tomas Roslin, Robert Marquis, Nicholas Marino, Vojtech Novotny, Jerome Orivel, et al.

► To cite this version:

Cássio Cardoso Pereira, Samuel Novais, Milton Barbosa, Daniel Negreiros, Thiago Gonçalves-souza, et al.. Subtle structures with not-so-subtle functions: A data set of arthropod constructs and their host plants. *Ecology*, 2022, 103, pp.e3639. 10.1002/ecy.3639 . hal-03813747

HAL Id: hal-03813747

<https://hal.science/hal-03813747>

Submitted on 13 Oct 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Pereira Cássio Cardoso (Orcid ID: 0000-0002-6017-4083)
 Novais Samuel (Orcid ID: 0000-0003-3863-0860)
 Roslin Tomas (Orcid ID: 0000-0002-2957-4791)
 Antoniazzi Reuber (Orcid ID: 0000-0003-0052-3867)
 Dáttilo Wesley (Orcid ID: 0000-0002-4758-4379)
 Gibb Heloise (Orcid ID: 0000-0001-7194-0620)
 Knapp Michal (Orcid ID: 0000-0003-4487-7317)
 Kratina Pavel (Orcid ID: 0000-0002-9144-7937)
 Cristóbal-Perez Jacob (Orcid ID: 0000-0002-9391-4017)
 Quesada Mauricio (Orcid ID: 0000-0002-7776-9286)
 Srivastava Diane S. (Orcid ID: 0000-0003-4541-5595)
 Szpryngiel Scarlett (Orcid ID: 0000-0003-2965-2873)
 Fernandes G. Wilson (Orcid ID: 0000-0003-1559-6049)
 Romero Gustavo Q. (Orcid ID: 0000-0003-3736-4759)
 Cornelissen Tatiana (Orcid ID: 0000-0002-2721-7010)

Journal: Ecology

Manuscript type: Data Paper

Subtle structures with not-so-subtle functions: A data set of arthropod constructs and their host plants

Cássio Cardoso Pereira¹, Samuel Novais², Milton Barbosa³, Daniel Negreiros³, Thiago Gonçalves-Souza⁴, Tomas Roslin⁵, Robert Marquis⁶, Nicholas Marino⁷, Vojtech Novotny⁸, Jerome Orivel⁹, Shen Sui¹⁰, Gustavo Aires⁴, Reuber Antoniazzi¹¹, Wesley Dáttilo¹², Crasso Breviglieri¹³, Annika Busse¹⁴, Heloise Gibb¹⁵, Thiago Izzo¹⁶, Tomas Kadlec¹⁷, Victoria Kemp¹⁸, Monica Kersch-Becker¹⁹, Michal Knapp¹⁷, Pavel Kratina¹⁸, Rebecca Luke²⁰, Stefan Majnarić²¹, Robin Maritz²², Paulo Mateus Martins^{4,23}, Esayas Mendesil²⁴, Jaroslav Michalko²⁵, Anna Mrazova⁸, Mirela Sertić Perić²¹, Jana Petermann²⁶, Sérvio Ribeiro²⁷, Katerina Sam⁸, M. Kurtis Trzcinski²⁸, Camila Vieira²⁹, Natalie Westwood³⁰, Maria Bernaschini³¹, Valentina Carvajal³², Ezequiel González¹⁷, Mariana Jausoro³³, Stanis Kaensin¹⁰, Fabiola Ospina³⁴, Jacob Cristóbal Pérez³⁵, Mauricio Quesada³⁵, Pierre Rogy³⁰, Diane S. Srivastava³⁰, Scarlett Szpryngiel³⁶, Ayco J. M. Tack³⁷, Tiit Teder^{17,38}, Martin Videla³¹, Mari-Liis Viljur³⁹, Julia Koricheva²⁰, G. Wilson Fernandes³, Gustavo Q. Romero¹³, Tatiana Cornelissen^{1*}

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process which may lead to differences between this version and the [Version of Record](https://doi.org/10.1002/ecy.3639). Please cite this article as doi: [10.1002/ecy.3639](https://doi.org/10.1002/ecy.3639)

This article is protected by copyright. All rights reserved.

¹Programa de Pós-Graduação em Ecologia, Conservação e Manejo da Vida Silvestre, Centro de Síntese Ecológica e Conservação, Instituto de Ciências Biológicas, Universidade Federal de Minas Gerais (UFMG), Belo Horizonte, Minas Gerais, Brazil.

²Red de Interacciones Multitróficas, Instituto de Ecología A.C., Carretera Antigua a Coatepec 351, El Haya, Xalapa, Veracruz, 91070, Mexico.

³Universidade Federal de Minas Gerais (UFMG), Laboratório de Ecologia Evolutiva e Biodiversidade, Instituto de Ciências Biológicas, Belo Horizonte, MG, Brazil.

⁴Laboratory of Ecological Synthesis and Biodiversity Conservation, Department of Biology, Federal Rural University of Pernambuco (UFRPE), 50710-000, Recife-PE, Brazil.

⁵Spatial Foodweb Ecology Group, Department of Ecology, Swedish University of Agricultural Sciences, Uppsala, Sweden.

⁶Whitney R. Harris World Ecology Center and Department of Biology, University of Missouri-St. Louis, 1 University Boulevard, St. Louis, MO 63121, United States.

⁷Programa de Pós-Graduação em Ecologia, Universidade Federal do Rio de Janeiro, Rio de Janeiro, RJ, Brazil.

⁸Biology Centre, Czech Academy of Sciences, Institute of Entomology, Branisovska 31, 37005 Ceske Budejovice, Czech Republic; and Faculty of Science, University of South Bohemia, Branisovska 1760, 37005 Ceske Budejovice, Czech Republic.

⁹CNRS, UMR Ecologie des Forêts de Guyane (EcoFoG), AgroParisTech, CIRAD, INRA, Université de Guyane, Université des Antilles, Campus agronomique, BP 316, 97379, Kourou cedex, France.

¹⁰New Guinea Binatang Research Center, PO Box 604, Nagada Harbour, Madang, Papua New Guinea.

¹¹Arthur Temple College of Forestry and Agriculture, Stephen F. Austin State University, 419 East College St., 75962, Nacogdoches, Texas, United States.

¹²*Red de Ecoetología, Instituto de Ecología A.C., CP 91070, Xalapa, Veracruz, Mexico.*

¹³*Laboratory of Multitrophic Interactions and Biodiversity, Department of Animal Biology, Institute of Biology, University of Campinas (Unicamp), 13083-862, Campinas, São Paulo, Brazil.*

¹⁴*Bavarian Forest National Park, Department of Nature Conservation and Research, Freyunger Str. 2, 94481 Grafenau, Germany.*

¹⁵*Department of Ecology, Environment and Evolution, La Trobe University, Melbourne 3086, Victoria, Australia.*

¹⁶*Universidade Federal de Mato Grosso, Departamento de Botânica e Ecologia, Cuiabá, MT 78068-900, Brazil.*

¹⁷*Department of Ecology, Faculty of Environmental Sciences, Czech University of Life Sciences Prague, Kamýcká 129, Prague - Suchbát, 165 00, Czech Republic.*

¹⁸*School of Biological and Behavioural Sciences, Queen Mary University of London, Mile End Road, London E1 4NS, United Kingdom.*

¹⁹*Department of Biological Sciences, University of Alabama, Tuscaloosa, 35487, AL, United States.*

²⁰*Department of Biological Sciences, Royal Holloway University of London, Egham, Surrey TW20 0EX, United Kingdom.*

²¹*University of Zagreb, Faculty of Science, Department of biology, Rooseveltov trg 6, 10 000 Zagreb, Croatia.*

²²*Department of Biodiversity and Conservation Biology, University of the Western Cape, Robert Sobukwe Road, Bellville, 7535, South Africa.*

²³*Programa de Pós-graduação em Etnobiologia e Conservação da Natureza, Universidade Federal Rural de Pernambuco, 50710-000, Recife-PE, Brazil; and Department of Zoology, University of Otago, Dunedin 9054, New Zealand.*

²⁴Department of Horticulture and Plant Sciences, Jimma University, P.O. Box 307, Jimma, Ethiopia.

²⁵The Biofood Center, Faculty of Biotechnology and Food Sciences, Slovak University of Agriculture in Nitra, Tr. A. Hlinku 2, 949 76 Nitra, Slovakia; and Mlynany Arboretum, Institute of Forest Ecology, Slovak Academy of Sciences, Vieska nad Zitavou 178, 951 52 Slepčany, Slovakia.

²⁶Department of Biosciences, University of Salzburg, Hellbrunner Str. 34, A - 5020 Salzburg, Austria.

²⁷Laboratory of Ecohealth, Ecology of Canopy Insects and Natural Succession, Nupeb-Ufop, Universidade Federal de Ouro Preto, Campus Morro do Cruzeiro, Ouro Preto, Minas Gerais, Brazil.

²⁸Department of Forest & Conservation Sciences, University of British Columbia, 3041 - 2424 Main Mall, Vancouver, BC, V6T 1Z4, Canada.

²⁹Pós-graduação em Ecologia e Conservação de Recursos Naturais, Universidade Federal de Uberlândia, Uberlândia, MG, Brazil.

³⁰Dept. of Zoology and Biodiversity Research Centre, University of British Columbia, 6270 University Boulevard, Vancouver, British Columbia, V6T 1Z4, Canada.

³¹Instituto Multidisciplinario de Biología Vegetal (CONICET-Universidad Nacional de Córdoba), Av. Vélez Sarsfield 1611-(X5016GCA), Córdoba, Argentina.

³²Laboratorio de Ecología, Grupo de Investigación en Ecosistemas Tropicales, Facultad de Ciencias Exactas y Naturales, Universidad de Caldas, Calle 65 # 26-10, A.A 275, Manizales, Colombia.

³³Departamento de Ciencias Básicas, Universidad Nacional de Chilecito, Ruta Los Peregrinos s7n, CP: 111 5360, Chilecito, Argentina.

³⁴*Departamento de Ciencias Biológicas, Facultad de Ciencias Exactas y Naturales, Universidad de Caldas, Calle 65 # 26-10, Manizales, Colombia.*

⁵⁶*Laboratorio Nacional de Análisis y Síntesis Ecológica (LANASE), Escuela Nacional de Estudios Superiores Unidad Morelia; and Instituto de Investigaciones en Ecosistemas y Sustentabilidad, Universidad Nacional Autónoma de México, Morelia, Michoacán, 58089, Mexico.*

³⁶*Department of Zoology, The Swedish Museum of Natural History, P. O. Box 50007 SE-10405 Stockholm, Sweden.*

³⁷*Department of Ecology, Environment and Plant Sciences, Stockholm University, SE-106 91 Stockholm, Sweden.*

³⁸*Department of Zoology, Institute of Ecology and Earth Sciences, University of Tartu, Vanemuise 46, EE-51003 Tartu, Estonia.*

³⁹*Field Station Fabrikshleichach, Department of Animal Ecology and Tropical Biology (Zoology III), Julius Maximilians University Würzburg, Glashüttenstraße 5, 96181 Rauhenegrab, Germany; and Department of Zoology, Institute of Ecology and Earth Sciences, University of Tartu, Vanemuise 46, EE-51003 Tartu, Estonia.*

*Corresponding Author. E-mail: taticornelissen@gmail.com

Abstract

The construction of shelters on plants by arthropods might influence other organisms via changes in colonization, community richness, species composition and functionality. Arthropods, including beetles, caterpillars, sawflies, spiders, and wasps often interact with host plants via the construction of shelters, building a variety of structures such as leaf ties, tents, rolls, and bags; leaf and stem galls, and hollowed out stems. Such constructs might have both

Accepted Article

an adaptive value in terms of protection (i.e., serve as shelters) but may also exert a strong influence on terrestrial community diversity in the engineered and neighboring hosts via colonization by secondary occupants. While different traits of the host plant (e.g., physical, chemical and architectural features) may affect the potential for ecosystem engineering by insects, such effects have been, to a certain degree, overlooked. Further analyses of how plant traits affect the occurrence of shelters may thus enrich our understanding of the organizing principles of plant-based communities. This data set includes more than a thousand unique records of ecosystem engineering by arthropods, in the form of structures built on plants. All records have been published in the literature, and span both natural structures (90.6% of the records) and structures artificially created by researchers (9% of the records). The data were gathered between 1932 and 2021, across more than 50 countries and several ecosystems, ranging from polar to tropical zones. Besides data on host plants and engineers, we aggregated data on the type of constructs and the identity of inquilines using these structures. This data set highlights the importance of these subtle structures for the organization of terrestrial arthropod communities, enabling hypotheses testing in ecological studies addressing ecosystem engineering and facilitation mediated by constructs. There are no copyright restrictions and please cite this paper when using the data in publications.

Keywords: arthropods, caterpillars, ecosystem engineering, inquilines, insects, leaf galls, leaf rolls, leaf tents, leaf ties, plant constructs, shelters

Received 12 July 2021; revised 18 October 2021; accepted 26 October 2021.

Corresponding Editor: William K. Michener

Open Research: Data are available as Supporting Information and are also available on

Figshare at <https://doi.org/10.6084/m9.figshare.16879135>

Accepted Article