

ADDENDUM TO REVISED LIST OF THE FLORA OF NATAL.

BY J. MEDLEY WOOD.

(Read June 19, 1912.)

PREFACE.

In January, 1910, a Supplement to the "Revised List of the Flora of Natal" was published by the Royal Society of South Africa, the Revised List having been published in Part 2 of Vol. XVIII., 1908, of the *Transactions of the South African Philosophical Society*. Since that time a number of names has been added to that List, chiefly by the publication of the Parts of the "Flora Capensis," a few of our more recent collections, and a larger number of the collection of Mr. H. Rudatis, who has been for some time living in a district which has evidently not been much frequented by botanists. Mr. Rudatis very kindly allowed my assistant and myself to look over his collections, and further lent to us some of the newer or more critical species. I therefore think that the time has come to compile a list in the form of an Addendum, hoping that these rather disconnected Lists may be found useful in future when a more complete List of the Natal Flora with descriptions and Keys may be published by some one who may be in a better position than myself to undertake the work.

My very hearty thanks are due to Mr. Rudatis for the specimens which he has given to the Herbarium, and which are much appreciated, and also to Miss Franks who has assisted me in preparing this List.

J. M. W.

ANONACEÆ.

Popowia Buchanani Engl. and Diels. Fairfield, Alexandra County, Rudatis, 807. January.

BIXACEÆ.

Aberia tristis Sond. Normandine, T. R. Sim.

MALVACEÆ.

Hibiscus verrucosus G. and P. Ifafa, 1,800 feet alt., *Rudatis*, 380. Probably a variety of **H. cannabinus**. Not seen by us.

STERCULIACEÆ.

Hermannia velutina DC. Malvern, 600 feet alt., *Wood*, 11846.

GERANIACEÆ.

Impatiens Flanaganæ Hemsley. Umtwalumi, 1,500 feet alt., *Rudatis*, 1277.

Pelargonium Woodii N. E. Brown. Slopes of Drakensberg, 5–6,000 feet alt., *Wood*, January, 1886; similar situations, *Wylie*. Cultivated in Botanic Gardens, Durban. Evidently closely related to **P. Bowkeri**, though the mature leaves are very different. (See "Natal Plants," vol. vi., pl. 583, 584).

MELIACEÆ.

Trichilia umbellata (C.) DC. Umtwalumi, 2,500 feet alt., October, *Rudatis*, 120.

ILICINEÆ.

Ilex mitis (L.) Rad. Alexandra County, 1,800 feet alt., November, *Rudatis*, 471.

RHAMNEÆ.

Rhamnus Zeyheri Sond. Lower Umzimkulu, 100 feet alt., *Bazley*; Camperdown, 2,000 feet alt., *Miss Franks*. This tree yields the "Red Ivory Wood" of the colonists. (See "Natal Plants," vol. vi., pl. 590).

Noltea natalensis Schltr. Umtwalumi, 3,000 feet alt., December, *Rudatis*, 584.

AMPELIDEÆ.

Cissus connivens Lam. Ellesmere, Alexandra County, December, *Rudatis*, 562. According to the Index Kewensis a native of Madagascar.

ANACARDIACEÆ.

Rhus villosissima Engl. Ellesmere, 2,000 feet alt., November, *Rudatis*, 507.

LEGUMINOSÆ.

Argyrolobium pauciflorum E. and Z. Camperdown, 2,000 feet alt., October, *Miss Franks* in Herb. *Wood*, 11758; also in Cape Colony.

Indigofera corniculata E. M. Sydenham, near Durban, 3–500 feet alt., *Wood*, 11409; also between Umtata and Umzimvubu, *Drege*.

Glycine Wilmsii Harms. Alexandra County, 1,800 feet alt., December, *Rudatis*, 520.

Acacia eriadenia Bth. Near Durban, 150 feet alt., October, *Wood*, 7188. Not uncommon in coast districts.

Dolichos nodiflora L. Alexandra County, April, *Rudatis*, 636. Not in Index Kewensis nor known to us; we have not seen the specimen.

CRASSULACEÆ.

Kalanchoe paniculata Harv. Ifafa, 150 feet alt., April, *Rudatis*, 349; also Vetriver, *Burke* and *Zeyher*.

DROSERACEÆ.

Drosera natalensis Diels. Jolivet, 3,000 feet alt., October, *Rudatis*, 138.

LYTHRARIÆ.

Nesæa Woodii Koehne. Fort Yolland, Zululand, March, *Wood*, 8986.

ONAGRARIÆ.

Epilobium natalense Haussk. Only known to us from a drawing, without information.

SAMYDACEÆ.

Casearia Junodii Schinz. 'Nkandhla, 4-5,000 feet alt., March, *Wood*, 8987.

FICOIDEÆ.

Mesembryanthemum cordifolium L.f. Camperdown, 2,000 feet alt., April, *Miss Franks* in Herb. *Wood*, 11811.

2. **M. Flanaganii** Kensit. In Botanic Garden, Durban, the plant brought from Inchanga, 2,100 feet alt., April, *Wood*, 11805.

UMBELLIFEREÆ.

Alepidea Baurii O. Kuntze, forma pusilla. Summit of Amawaqua, 6-7,000 feet alt., March, *Wood*, 4587.

2. **A. concinna** Dummer, sp. nov. ined. Inanda, 1,800 feet alt., October, *Wood*, 251.

3. **A. Jacobzii** Dummer, sp. nov. ined. Hoffenthal, Weenen County, 4-5,000 feet alt., January, *Wood*, 3502.

4. **A. longifolia** E. M. Var. **angusta** Dummer, ined. Van Reenen, 5-6,000 feet alt., *Wood*, 5735; Noodsberg, 2-3,000 feet alt., March, *Wood*, 5315.

5. **A. Thodei** Dummer, sp. nov. ined. Mont Aux Sources, Drakensberg, February, *Thode* in Natal Herbarium, 10770; also in Cape Colony.

Peucedanum araliaceum Bth. and Hk. Ellesmere, 2,000 feet alt., January, *Rudatis*, 611; also in Tropical Africa.

2. **P. Wilmsianum** Walff. Alexandra County, 1,800 feet alt., January, *Rudatis*, 812.

RUBIACEÆ.

Psychotria Bachmannii Krause. Ellesmere, 2,000 feet alt., September, *Rudatis*, 418.

DIPSACEÆ.

Cephalaria Bachmannii Engl. Alexandra County, 1,800 feet alt., September, *Rudatis*, 423.

COMPOSITÆ.

Adenostemma viscosum Forst. Alexandra County, 1,800 feet alt., February, *Rudatis*, 276.

Helichrysum adenocaulon DC. Van Reenen's Pass, 5-6,000 feet alt., March, *Penther*, 1432; 1438.

2. **H. calocephalum** Schltr. Dumisa, Alexandra County, October, *Rudatis*; Liddesdale, 4,000 feet alt., *Wood*, 4251; Hilton Road, 3,700 feet alt., *Wood*, 9937; Umvoti, 3-4,000 feet alt., *Natal Herbarium*, 10801; Zwaartkop, 4,000 feet alt., *Wood*, 10142.

3. **H. dasycephalum** O. Hoff. Van Reenen's Pass, 5-6,000 feet alt., March, *Krook* (*Penther*, 1437).

4. **H. petiolatum** L. Insizwa, Umzimkulu, *Krook* (*Penther*, 1278); also in Cape Colony.

Ambrosia artemisæfolia L. Camperdown, 2,000 feet alt., *Miss Franks* in *Herbarium Wood*, 11660.

Tagetes patulus L. Umgeni, *Krook*, February (*Penther*, 1351). A native of Central America. Introduced into Natal.

Chrysanthemum nodosum Thb. Mt. Insiswa, Umzimkulwana, *Krook* (*Penther*, 1034); also in Cape Colony and Namaqualand.

Senecio adenophyton Schltr. and Musshler. Alexandra County, 1,800 feet alt., November, *Rudatis*, 455.

2. **S. longifolius** DC. Umkomanzi, February, *Krook* (*Penther*, 1456); also in Cape Colony.

3. **S. nudiusculus** DC. Van Reenen's Pass, 5-6,000 feet alt., March, *Krook* (*Penther*, 993); also in Cape Colony.

4. **S. oblongoideus** DC. Alexandra County, 1,800 feet alt., September, *Rudatis*, 711.

5. **S. Rudatisii** Schlechter and Musshler. Alexandra County, August, *Rudatis*, 687.

Euryops natalensis Schltr. and Musshler. Alexandra County, 1,800 feet alt., October, *Rudatis*, 449.

Dimorphotheca nudicaulis DC. Var. **latifolia** H. Van Reenen's Pass, 5-6,000 feet alt., March, *Krook* (*Penther*, 994).

Gazania Rudatisii Schltr. and Musshler. Alexandra County, October, *Rudatis* in *Herb. Wood*, 11962.

2. **G. subulata** R. Br. Fairfield, Alexandra County, 2,800 feet alt., *Rudatis*, 93.

Berkheya amplexicaulis O. Hoffm. Ixopo, February, *Krook* (*Penther*, 1385).

2. **B. onobromoides** DC. Between Estcourt and Colenso, February, *Krook* (*Penther*, 1051).

3. **B. stobeoides** Harv. and Sond. Van Reenen's Pass, 5-6,000 feet alt., March, *Krook* (*Penther*, 1441); also in Cape Colony, *Zeyher*, 982.

CAMPANULACEÆ.

Lobelia Ottoniana A. DC. Jolivet, 3,000 feet alt., October, *Rudatis*, 141.

Cyphia linarioides E. and Z. Alexandra County, 1,800 feet alt., October, *Rudatis*, 447; also in Cape Colony, February and March.

ERICACEÆ.

Erica Wyliei Bolus. Giant's Castle, Drakensberg, 9-10,000 feet alt., October, *Wylie* in *Herbarium Wood*, 10660.

SAPOTACEÆ.

Chrysophyllum viridifolium Wood and Franks. Berea, near Durban, 150-300 feet alt., January, *Wood*, 11636. A tree 30-50 feet high, not uncommon in woods near Durban, fruit $1\frac{1}{4}$ inch diam. not eatable. Wood hard and good.

OLEACEÆ.

Jasminium Wyliei N. E. B. 'Nkandhla, 4-5,000 feet alt., *Herb. Wood*, 8860. A large flowering species well worth cultivation.

APOCYNACEÆ.

Adenium swazicum Stapf. Swaziland, *Mrs. Rathbone* in *Herbarium Bolus*, 6208; Natal, Lebombo Mts., Zululand, *H. D. Jameson*. The plant was presented to the Botanic Gardens, Durban, by Mr. Jameson, where it flowered in January, 1912. (See "Natal Plants," vol. vi., pl. 600).

ASCLEPIADACEÆ.

Xysmalobium prunelloides Turcz. Jolivet, 3,000 feet alt., *Rudatis*, 139, October.

Schizoglossum decipiens N. E. B. Var. **flavum** N. E. B. Bushman's River Valley, 6,000 feet alt., *Wylie* in *Herb. Wood*, 11206.

Asclepias involucrata Schltr. Alexandra County, 1,800 feet alt., November, *Rudatis*, 458.

2. **A. reflexa** Schltr. Ellesmere, Alexandra County, 2,000 feet alt., November, *Rudatis*, 481.

3. **A. rivularis** Schltr. Ifafa, 2,500 feet alt., December, *Rudatis*, 191.

Sisyranthus compacta N. E. B. Alexandra County, 1,800 feet alt., December, *Rudatis*, 507.

2. **S. Franksæ** N. E. B. Amatikulu, Zululand, 2-400 feet alt., November, *Wood*, 11208.

Brachystelma Barberiæ Harv. Cedara, 3,500 feet alt., *Fisher* in Herb. *Wood*.

GENTIANACEÆ.

Chironia humilis Gilg. Var. **zuluense** Prain. Ginginhlovu, Zululand, in Herb. *Wood*, 11355.

SCROPHULARIACEÆ.

Nemesia anfracta Hiern. Mt. Insiswa, *Krook* (*Penther*, 3004); Umgeni, January, February, *Krook* (*Penther*, 3005).

Halleria ovata Bth. Fairfield, Alexandra County, 2,800 feet alt., *Rudatis*, 24.

Sutera polyantha O. Kuntze. Van Reenen's Pass, 5-6,000 feet alt., March, *Krook* (*Penther*, 3024).

Limosella tenuifolia, Nutt. Van Reenen's Pass, 5-6,000 feet alt., March, *Krook* (*Penther*, 1883).

Rhamphicarpa serrata Klotsch. Alexandra County, 1,800 feet alt., January, *Rudatis*, 236.

Hyobanche sp. nov. Sea-beach, Karridene, August, *Wylie* in Herb. *Wood*, 11,002.

Scoparia dulcis L. Alexandra County, January, *Rudatis*, 614. A tropical plant introduced into Natal.

ACANTHACEÆ.

Thunbergia xanthotricha Lindau. Alexandra County, 1,800 feet alt., September, *Rudatis*, 707.

Dyschoriste trichocalyx Lindau. Alexandra County, 1,800 feet alt., September, *Rudatis*, 697.

Siphonoglossa sp., near **S. tubulosa**. 'Nkandhla, 4-5,000 feet alt., March, *Wylie* in Herb. *Wood*, 8875.

SELAGINEÆ.

Walafrida tenuifolia Rolfe. Colenso, 3-4,000 feet alt., *Krook* (*Penther*, 3079); Umgeni, February, *Krook* (*Penther*, 3080).

Selago Dielsii Rolfe. Alexandra County, 1,800 feet alt., April, *Rudatis*, 353.

2. **S. lepidioides** Rolfe. Ifafa, 2,500 feet alt., December, *Rudatis*, 182.

VERBENACEÆ.

Verbena Bonariensis L. Near Richmond, 3–4,000 feet alt., December. Introduced. Native of Brazil.

2. **V. tenera** Spreng. Edendale, November, *T. R. Sim.* Abundant according to Mr. Sim. Native of Argentine Republic.

LABIATÆ.

Becium obovatum N. E. B. Is **Ocimum obovatum** of former list.

Orthosiphon Bolusii N. E. B. Giant's Castle, Drakensberg, 9,000 feet alt., *Bolus* in Herb. *Guthrie*, 4894.

2. **O. Gerrardi** N. E. B. Rocky ground near Ingoma, *Gerrard*, 1239.

3. **O. latidens** N. E. B. Umvoti district, *Gerrard*, 1233.

4. **O. macrophyllus** N. E. B. Ingagane, Drakensberg, *Rehmann*, 7016; between Ingogo and Charlestown, 4–5,000 feet alt., *Wood*, 6398.

5. **O. Pretoriæ** Guerke. Near Newcastle, *Schlechter*, 3420; Glencoe, 4–5,000 feet alt., *Wood*, 4756; Zululand, *Gerrard*, 1219.

6. **O. teucრიifolium** N. E. B. Table Mountain, *Krauss*, 448; grassy hill, Illovo, *Wood*, 1877; Curry's Post, 3–4,000 feet alt., *Wood*, 3567, December; Entumeni, Zululand, 2–3,000 feet alt., April, *Wood*, 3964.

7. **O. Wilmsii** Guerke. Near Durban, *Wood*, 8538; Pietermaritzburg, *Wilms*, 2189. This species is identical with **O. concinnus**, which is now a synonym.

Syncolostemon argenteus N. E. B. Inyezane, Zululand, May, *Wood*, 3875. This species is common as soon as the Tugela is crossed; not seen by us on the Natal side of the river.

Plectranthus Bolusii S. Cooke. Weenen County, April, *Wood*, 4488.

2. **P. Cooperi** S. Cooke. Byrne, 3,000 feet alt., in woods, April, *Wood*, 1843; without precise locality, *Gerrard*, 1673.

3. **P. densiflorus** S. Cooke. Mooi River, 3–4,000 feet alt., April, *Wood*, 4475.

4. **P. fruticosus** L'Herit. Edge of wood, 'Ngoya, Zululand, 1–2,000 feet alt., April, *Wylie* in Herb. *Wood*, 5751.

5. **P. Krookii** Guerke. Eisdumbini, 1–2,000 feet alt., April, *Wood*, 5398.

6. **P. nummularis** Briq. Indulindi, Zululand, 1,000 feet alt., April, *Wood*, 3980; 3981.

7. **P. pachyphyllus** Guerke. Without precise locality, *Rehmann*, 7878.

8. **P. Pegleræ** S. Cooke, Zululand, *Gerrard*, 1235.

9. **P. transvaalensis** Briq. South Downs, Weenen County, 5,000 feet alt., December, *Wood*, 4378.

10. **P. Tysoni** Guerke. Dumisa, Alexandra County, *Rudatis*, 262.

11. **P. villosus** S. Cooke. Entumeni, 1–2,000 feet alt., April, *Wood*, 3955.

12. **P. Zuluensis** S. Cooke. *Gerrard*, 1675.

Coleus Pantheri Guerke. Byrne, 2–3,000 feet alt., March, *Wood*, 3199; "Thorns," Mooi River, 2–3,000 feet alt., April, *Wood*, 4340; without precise locality, *Gerrard*, 1237.

2. **C. sp.** Ungoye, Zululand, April, 1–2,000 feet alt., *Wood*, 5638. Cultivated by the natives.

3. **C. sp.** Camperdown, October, *Wood*, 5457; same locality, *Miss Franks* in *Herb. Wood*, 12011.

Salvia Cooperi Skan. *Cooper*, 1279; Southdowns, 4–5,000 feet alt., *Evans*, 389.

2. **S. Galpini** Skan. Southdowns, 4–5,000 feet alt., *Evans*, 391.

3. **S. monticola** Bth. Without precise locality, *Cooper*, 2888.

4. **S. repens** Burch. Buffalo Valley, 4–5,000 feet alt., January; Charlestown, 5–6,000 feet alt., November, *Wood*, 6245. In former list *Wood's* 5187 appears as **S. natalensis**, and *Wood's* 6245 as **S. triangularis**. Both these names must be erased, and those now given be retained.

5. **S. rudis** Bth. Between Umzimkulu and Umkomanzi Rivers, *Drege*, 4748.

7. **S. sisymbrifolia** Skan. Colenso, 3,300 feet alt., October, *Wood*, 4042; Ingoma, *Gerrard*, 1227.

8. **S. Tysoni** Skan. Drakensberg, near Charlestown, 5–6,000 feet alt., *Wood*, 7883; Zululand, *Gerrard*, 2031.

Acrotome hispida Bth. Without precise locality, *Gerrard*, 1229.

Stachys albiflora N. E. B. Drakensberg, 6–7,000 feet alt., *Evans*, 395.

2. **S. cymbalaria** Briq. Var. **alba** Skan. Near Richmond, 3,000 feet alt., *Wood*, 1846.

3. **S. erectiuscula** Guerke. Var. **natalensis** Skan. Newcastle, 3–4,000 feet alt., December, *Wood*, 6349; same locality, January, *Wood*, 6795.

4. **S. Galpini** Briq. Near Durban, *Grant*, *Peddie*; Weenen County, *Sutherland*.

5. **S. obtusifolia** McOwan. De Beer's Pass, 5–6,000 feet alt., March, *Wood*, 6029.

6. **S. parilis** N. E. B. Tiger Cave Valley, Drakensberg, *Evans*, 387.

7. **S. Rudatisii** Skan. Dumisa, Alexandra County, 2,000 feet alt., *Rudatis*, 405.

Leonotis dyssophylla Bth. Between Tugela and Klip Rivers, *Gerrard*, 393; Drakensberg, near Ladysmith, *Wilms*, 2111; Camperdown, 2,000 feet alt., *Rehmann*, 7750; Howick, 3–4,000 feet alt., *Junod*; *Drege*.

2. **L. intermedia**, Ldl. Var. **natalensis** Skan. Near Durban, *Peddie*; *Grant*; *Williamson*; Bushman's River, *Gerrard*, 362.

PLANTAGINEÆ.

Plantago longissima Dene. Inanda, 1,800 feet alt., *Wood*, 1078.
P. Dregeana of former list.

2. **P. remota** Lam. Damp ground, Mooi River, 3-4,000 feet alt.,
 October, *Wood*, 4049.

NYCTAGINEÆ.

Boerhaavia bracteata S. Cooke. Natal, *Gerrard*, 1787 bis.

AMARANTACEÆ.

Achyranthes robusta C. H. Wright. Near Durban, *Wood*, 7202;
 Inanda, 1,800 feet alt., *Wood*, 4; without precise locality, *Gerrard*, 544.

CHENOPODIACEÆ.

Salicornia natalensis Bunge. Durban Bay, *Drege*.

POLYGONACEÆ.

Oxygonum alatum Burch. Near Maritzburg, 2,000 feet alt., *Bolus*,
 10884.

2. **O. natalense** Schltr. Fairfield, Alexandra County, 2,400 feet alt.,
 December, August, *Rudatis*, 1150; 74.

3. **O. subulatum** Baker. Fairfield, Alexandra County, 2,800 feet alt.,
Rudatis, 77.

Polygonum acuminatum Kth. Alexandra County, 1,800 feet alt.,
 March, *Rudatis*, 330.

2. **P. strigosum** R. Br. Natal, *Dummer*; also in Tropical Africa and
 Australia.

Rumex Dregeanus Meisn. Near Durban, *Drege*.

2. **R. natalensis** U. Dam., sp. nov. Alexandra County, 1,800 feet alt.,
 September, *Rudatis*, 722.

PIPERACEÆ.

Piper borbonense A. DC. Without precise locality, *Gueinzus*; also
 in Mascarene Islands.

Peperomia reflexa A. Dietr. Var. **capensis** C. DC. Without precise
 locality, *Gueinzus*.

2. **P. retusa** A. Dietr. Without precise locality, *Gerrard*, 1518.

LAURINEÆ.

Cryptocarya myrtifolia Stapf., sp. nov. Inanda, 1,800 feet alt.,
Wood, 1402; *Gerrard*, 1657. A large tree.

2. **C. Sutherlandii** Stapf., sp. nov. Bevaan River, 1–2,000 feet alt. July, *Wood*, 3388; stony places near Murchison (fruit only), April, *Wood*, 3033. The number 3083 in “*Flora Capensis*” is incorrect.

3. **C.** sp. nov. In former list is now **C. Wyliei** Stapf.

PROTEACEÆ.

Protea Flanaganii Phillips. Polela, *F. C. Fernando* in Natal Herbarium, 9615; Karkloof, *Dr. Dimock Brown* in Natal Herbarium, 7537.

2. **P. multibracteata** Phillips. Near Durban, *Krauss*; Drakensberg, *Cooper*, 951.

3. **P. simplex** Phillips, sp. nov. *Sutherland*; without precise locality, *Gerrard*, 721.

4. **P. subvestita** N. E. B. Van Reenen, 5–6,000 feet alt., *Wood*, 5631; Mawahqua Mt., *Thode*, 47.

Leucospermum Gerrardi Stapf. Without precise locality, *Gerrard*, 721.

THYMELIACEÆ.

Gnidia calocephala Gilg. Alexandra County, 1,800 feet alt., September, *Rudatis*, 420.

LORANTHACEÆ.

Loranthus oleifolius Ch. and Schl. Ifafa, 1,500 feet alt., December, *Rudatis*, 537.

SANTALACEÆ.

Thesium racemosum Bernh. Alexandra County, 1,800 feet alt., November, *Rudatis*, 472.

EUPHORBIACEÆ.

Phyllanthus Gueinzii Mull. Arg. Glencoe, 4–5,000 feet alt., December, *Wood*, 5177.

Cluytia cordata Bernh. Fairfield, Alexandra County, 2,800 feet alt., *Rudatis*, 76.

Erythrococca berberidea Prain. Near Durban, 1–200 feet alt., *Wood*, 9489.

2. **E. natalensis** Prain. Mount Moreland, 50–100 feet alt.; Mount Edgecombe, 1–200 feet alt., November, *Wood*, 1089.

Macaranga Bachmannii Pax. Alexandra County, 1,800 feet alt., October, *Rudatis*, 746.

URTICACEÆ.

Celtis Soyauxii Engler. Near Durban, 2–300 feet alt., December *Wood*, 11726.

1. **Ficus dammarensis** Engl.

2. **F. Durbanii** Warb. Durban, July, *J. B. Davy* in Natal Herbarium, 12852.
3. **F. integrifolia** Sim. Bluff near Durban, *J. B. Davy* in Natal Herbarium, 12845.
4. **F. palustris** Sim. Durban, 50 feet alt., *J. B. Davy* in Natal Herbarium, 12848.
5. **F. Sonderi** Moq. Inanda, 1,800 feet alt., August, *Wood*, 1361 ; without precise locality, *Gerrard* and *McKen*, 1577.
6. **F. utilis** Sim. Near Durban, 100 feet alt., July, *J. B. Davy* in Natal Herbarium, 12846.

MYRICACEÆ.

- Myrica conifera** Burm. f. Alexandra County, 1,800 feet alt., May, *Rudatis*, 399.

MONOCOTYLEDONS.

ORCHIDACEÆ.

- Eulophia acuminata** Rolfe. Near Estcourt, 3-4,000 feet alt., December, *Wood*, 3428.
2. **E. Durbanensis** Rolfe. Near Durban, 100-200 feet alt., January, *Wood*, 11755.
 3. **E. elegantula** Rolfe. Gillitts, 2,000 feet alt., September, *Wood*, 11789.
 4. **E. foliosa** Bolus. Glencoe, 4,300, December, *Wood*, 5370 ; 263.
 5. **E. gladioloides** Rolfe. Lidgetton, 3-4,000 feet alt., January, *Wood*.
 6. **E. Haygarthii** Rolfe. Camperdown, 2,000 feet alt., January, *Wood*, 1960.
 7. **E. Huttoni** Rolfe. Liddesdale, 5,000 feet alt., *Wood*, 4259 ; also without precise locality, *Wood*, 4202.
 8. **E. inandensis** Rolfe. Indwedwe, 2,000 feet alt., July, *Wood*, 976.
 9. **E. micrantha** Ldl. Umhlali, 30-50 feet alt., September, *Wood*, 11919.
 10. **E. papillosa** Schltr. Near Verulam, 1,500 feet alt. (**E. chrysanth** Schltr. of former list).
 11. **E. pergracilis** Rolfe. Near Howick, 3,400 feet alt., November, *Wood*, 11807.
 12. **E. platypetala** Ldl. Alexandra County, 1,800 feet alt., *Rudatis*, 810.
 13. **E. purpurascens** Rolfe. Tongaat, December, *Wood*, 434 ; Howick, 3,500 feet alt., Natal Herbarium, 700, *Wood*, 787.
 14. **E. Saundersiæ** Rolfe.
 15. **E. tenella** R. Br. Fairfield, Alexandra County, 2,000 feet alt., November, *Rudatis*, 172.

16. **E. triloba** Rolfe. Ginginhlovu, December, *Wood*, 11785.
 17. **E. Wyliei** Rolfe. Ginginhlovu, December, *Wood*, 11783.
 18. **E. Zeyheri** Hk. f. Ginginhlovu, December, *Wood*, 11780;
 Lidgetton, 4,000 feet alt., *Wood*, 7921; Inanda, 1,800 feet alt., *Wood*, 1070.
Angræcum pusillum Sw. Fairfield, Alexandra County, 2,800 feet alt.,
Rudatis, 31.
Nervilea purpurata Schltr. Ifafa, 1,800 feet alt., September,
Rudatis, 714.
Platanthera bulbinella Schltr. Alexandra County, 3,000 feet alt.,
 September, *Rudatis*, 577.
 2. **P. ovata** Schltr. Fairfield, Alexandra County, *Rudatis*. **Brachy-**
corythis ovata of former list.
 3. **P. tenuior** Schlechter. **Habenaria tenuior** of former list.
 4. **P. Zeyheri** Schltr. *Rudatis*. **Schizochilus Zeyheri** of former list.
Pterygodium nigricans Schltr. Alexandra County, 1,800 feet alt.,
 November, *Rudatis*, 463. **Corycium nigricans** of former list.
Neobolusia Tysoni Schltr. Boston, February, *Wood*, 5373.

SCITAMINEÆ.

- Siphonochilus natalensis** Wood and Franks. Inanda, 1,800 feet alt.,
Wood, 544; Zululand, 2–3,000 feet alt., *Wylie* in Herbarium *Wood*, 11723.
 Flowered in Botanic Gardens, Durban, December, 1910. (**Kæmpferia**
natalensis of former list. "Natal Plants," vol. vi., pl. 560, 561).

IRIDEÆ.

- Gladiolus Tysoni** Baker. Alexandra County, 1,800 feet alt.,
Rudatis, 803.
Hesperantha leucantha Baker. Ifafa, 1,500 feet alt., December,
Rudatis, 539.
Tritonia cinnabarinea Pax. Ifafa, 1,500 feet alt., February,
Rudatis, 270.

AMARYLLIDEÆ.

- Hæmanthus albiflos** Jacq. Umtwalumi, 2,800 feet alt., March,
Rudatis, 218.

LILIACEÆ.

- Asparagus lilacinus** Burch. Ginginhlovu, 1–200 feet alt., March,
Wood, 9001.
Kniphofia Wyliei N. E. B. Entumeni, 2–3,000 feet alt., *Wylie* in
 Herb. *Wood*, 8996.
Aloe Marlothii A. Berg. Zululand, *Wood*.
Anthericum triflorum Ait. Alexandra County, 1,800 feet alt.,
 November, *Rudatis*, 456.

LEMNACEÆ.

Wolffia denticulata Hegelm. Near Durban, probably in Umlaas River. Not seen by us.

CYPERACEÆ.

Cyperus macranthus Baeck. Alexandra County, 1,800 feet alt., September, *Rudatis*, 702.

2. **C. Papyrus** L. Zululand, September, *Stayner*.

Mariscus capensis Schrad. Cedara, 3,500, *Fisher*.

INDEX.

	PAGE		PAGE
Aberia	47	Celtis	56
Acacia	49	Cephalaria	50
Acanthaceæ	52	Chenopodiaceæ	55
Achyranthes	55	Chironia	52
Acrotome	54	Chrysanthemum	50
Adenium	51	Chrysophyllum	51
Adenostemma	50	Cissus	48
Alepidea	49	Cluytia	56
Aloe	58	Coleus	54
Amarantaceæ	55	Compositæ	50
Amaryllideæ	58	Crassulaceæ	49
Ambrosia	50	Cryptocarya	55
Ampelideæ	48	Cyperaceæ	59
Anacardiaceæ	48	Cyperus	59
Angræcum	58	Cyphia	51
Anonaceæ	47		
Apocynaceæ	51	Dimorphotheca	50
Argyrolobium	48	Dolichos	49
Asclepias	51	Dipsaceæ	50
Asclepiadeæ	51	Droseraceæ	49
Asparagus	58	Drosera	49
		Dyschoriste	52
Becium	53		
Berkheya	51	Epilobium	49
Bixaceæ	47	Ericaceæ	51
Boerhaavia	55	Erica	51
Brachystelma	52	Erythrococca	56
		Eulophia	57
Campanulaceæ	51	Euphorbiaceæ	56
Casearia	49	Euryops	50

	PAGE		PAGE
Ficoideæ	49	Pelargonium	48
Ficus	56	Peperomia	55
Gazania	50	Peucedanum	49
Gentianeæ	52	Phyllanthus	56
Geraniaceæ	48	Piper	55
Gladiolus	58	Piperaceæ	55
Glycine	48	Plantagineæ	55
Gnidia	56	Plantago	55
Hæmanthus	58	Platanthera	58
Halleria	52	Plectranthus	53
Helichrysum	50	Polygonaceæ	55
Hermannia	48	Polygonum	55
Hesperantha	58	Popowia	47
Hibiscus	48	Protea	56
Hyobanche	52	Proteaceæ	56
Ilicineæ	48	Psychotria	50
Ilex	48	Pterygodium	58
Impatiens	48	Rhamnaceæ	48
Indigofera	48	Rhamnus	48
Irideæ	58	Rhamphicarpa	52
Jasminium	51	Rhus	48
Kalanchoe	49	Rubiaceæ	50
Kniphofia	58	Rumex	55
Labiata	53	Salicornia	55
Laurineæ	55	Salvia	54
Leguminosæ	48	Samydaceæ	49
Lemnaceæ	59	Santalaceæ	56
Leucospermum	56	Sapotaceæ	51
Leonotis	54	Schizoglossum	51
Liliaceæ	58	Scitamineæ	58
Limosella	52	Scoparia	52
Lobelia	51	Scrophulariaceæ	52
Loranthaceæ	56	Selagineæ	52
Loranthus	56	Selago	52
Lythrarieæ	49	Senecio	50
Macaranga	56	Siphonoglossa	52
Malvaceæ	48	Siphonochilus	58
Mariscus	59	Sisyranthus	52
Meliaceæ	48	Stachys	54
Mesembryanthemum	49	Sterculiaceæ	48
Myrica	57	Sutera	52
Myricaceæ	57	Syncolostemon	53
Nemesia	52	Tagetes	50
Neobolusia	58	Thesium	56
Nervilea	58	Thunbergia	52
Nesæa	49	Thymeliaceæ	56
Noltea	48	Trichilia	48
Nyctagineæ	55	Tritonia	58
Oleaceæ	51	Umbellifereæ	49
Onagrariæ	49	Urticææ	56
Orchideæ	57	Verbenaceæ	53
Orthosiphon	53	Verbena	53
Oxygonum	55	Walafrida	52
		Wolfia	59
		Xysmalobium	51



Wood, John Medley. 1913. "ADDENDUM TO REVISED LIST OF THE FLORA OF NATAL." *Transactions of the Royal Society of South Africa* 3, 47–60.

<https://doi.org/10.1080/00359191309519680>.

View This Item Online: <https://www.biodiversitylibrary.org/item/182860>

DOI: <https://doi.org/10.1080/00359191309519680>

Permalink: <https://www.biodiversitylibrary.org/partpdf/175507>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Not in copyright. The BHL knows of no copyright restrictions on this item.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.