Product development activities over technology life-cycles in different generations

Marzieh Shahmarichatghieh, Janne Härkönen, Harri Haapasalo, Arto Tolonen

Industrial Engineering and Management, Faculty of Technology, University of Oulu, P. O. Box 4610, FI-90014, Finland

<u>Marzieh.shahmari@oulu.fi</u> She is doctoral student in department of industrial engineering and management in University of Oulu.

Janne.harkonen@oulu.fi

Post-Doctoral Research Fellow in Industrial Engineering and management department of University of Oulu.

Harri.haapasalo@oulu.fi

Professor and head of Industrial engineering and management department, dean of research in faculty of technology in University of Oulu.

Arto.tolonen@oulu.fi

Doctoral Student in department of Industrial Engineering and management.

Abstract

This study aims to capture changes and priorities in product development activities over technology lifecycles. The product development activities are observed through the targets of *performance maximising*, *cost reduction* and *customisation*. Seven models of technology life-cycles are considered to keep track of technology changes over time by following patterns for product development activities. The empirical part of the study is based on analysing a high-tech infrastructure provider on four technology generations. This study depicts different trends of product development activities over technology life-cycles. Different technology generations can have positive and negative interactions which can be strategically beneficial. The managerial implications of this study include comprehensive insights of concurrent technology generations in the context of technology life-cycles which can be beneficial for companies product development planning.

Key words: Product development, Technology Life-Cycle, cost, customisation, technology generations, growth, maturity, declining technology, embryonic, technology gap, high technology

1 Introduction

In recent years, different new industries have been emerging based on different new technologies. Simultaneously many start-ups have not been successful in offering their technologies to major markets. Also many large companies have disappeared along the appearance of new technologies (Assouroko et al., 2014). Hence, studying the ups and downs of recent technologies especially in the high-tech industry is beneficial for both established companies and start-ups. In this study we begin with understanding the concept of technology life-cycle from the product development perspective. Seven different life-cycles (Khalil, 2000; Little, 1981; Abernathy and Utterback, 1978; Ford and Ryan, 1981; Anderson and Tushman, 1990; Rogers, 2010; Moore, 2002) are discussed to give concrete but wide insight on technologies. Also, the fluctuation of product development activities over technology life-cycles is studied from the literature viewpoint.

An infrastructure manufacturer in high-tech industry is chosen to study the life-cycle of different technology generations: A, B, C and D. By studying different technology generations in a single company, the interactions among the technologies can be analysed, moreover, the product development strategies from one generation to the other can illustrate the evolution of the market and the company's insight. Accordingly, product development activities are studied in the life-cycle of each technology generation and mapped by three different focus areas of product development: *performance maximisation, cost reduction,* and *customisation.*

Previous studies try to draw the structure of technology patterns from various perspectives under the name of technology life-cycle (Albert et al., 2015; Khalil, 2000), while studying technology from the generation perspective. However, there are different technology generations that exist concurrently and their interactions with each other are not studied widely. Additionally, different researchers have tried to formulate technology maturity levels and product development activities, yet they are mostly abstract as for example Abernathy and Utterback (1978), or they are more market based such as Moore (2002). Therefore, this study is based on technology life-cycles and product development activities from the technical viewpoint.

Product development activities have been classified in different ways; according to their degree of newness (Wheelwright and Clark, 1992), or core vs. context impact (Moore, 2002), or as strategic/nonstrategic (Hambrick et al., 1982). Hence in this study product development is viewed through insights in *cost reduction, performance maximisation and customisation* which are more aligned with technology life-cycle perspectives. Consequently, as mentioned, determining technologies both from the generation viewpoint and their actual interactions have not been widely studied in the literature, although many researches have discussed concepts such as cannibalisation (Cravens et al., 2002), and other impacts of new technologies on older ones (Chandy and Tellis, 1998). Nevertheless, these have not been studied over technology life-cycles, and the existence of the older technologies have not been seen as a potential trump card for companies to quickly attack the market via new technologies.

In this study, the trend of each focus area of product development activities are analysed. Additionally, the positive and negative interactions of different technology generations in different life-cycle stages are noted, which potentially is the most novel part of the study.

The research questions are formulated as:

RQ1: How product development activities can be mapped over technology life-cycles?

RQ2: How do concurrent technology generations interact with each other over technology life-cycles?

RQ 3 What are the priorities in product development activities over technology life-cycles?

2 Objectives and Methodology

The aim of the study is to capture product development activities over technology life-cycles (TLC) and investigate the changes of product development activities by the level of technology maturity. The first step is introducing TLC, as there are different TLCs discussed in previous studies. The TLCs introduce various patterns of technologies over their life time. Initially, seven different TLCs were selected, those that are more related to product development area. In chapter 3.1 these TLCs and their essence are briefly discussed to form basis for mapping the product development activities. Additionally, different stages of TLC's are considered by cross analysing their criteria. The stages of the discussed seven TLCs are merged to ease data collection and analysis, and to increase the accuracy of the results. This way the milestones from TLCs still support the different stages. Product development over TLC from the perspective of competitive impact and degree of newness are discussed in chapter 3.2. Product development activities are studied by three focus areas: *performance maximisation, cost reduction,* and *customisation.*

The empirical part of the study is based on analysing a high-tech infrastructure provider and their data on four technology generations (A, B, C and D). The company has been one of the leaders in its own industry from the very beginning of the industry appearance since 1990s, with over 12 billion Euro net sales in 2015. The company operates in business-to-business markets, even though the current company name was also linked to related consumer products in the near past. The qualitative data was collected by nine semi-structured interviews (Merton et al., 1990) with R&D managers who have been working for different technology generations, and by the means of four group meetings with high-level R&D directors whom have been influential in strategic decisions and are aware of market and technology fluctuations in the industry. Also, some company confidential material such as reports and presentations have been used to support the analysis. The Interviews were conducted informally, in a qualitative manner to allow the interviewees to explain and clarify the cases and topics as entities. All the interviews were transcribed for the purpose of the analysis. The data contained detailed information about the different technology generations, their differences, and all meaningful events, occurrences and developments along the technology life-cycle. This includes the particular development focus areas at different times, and the underlying motivations behind made decisions. The proportional shares of product development activities belonging to the three focus areas were also assessed based on available numerical data and related documentation, exact data however cannot be revealed. The results of these assessments and the relating analysis have been confirmed by the interviewees. The data is as accurate as the company documents can provide and as how far the interviewees can possibly recall. Number of informants providing similar information, can also be seen to support the accuracy of the data.

The high-tech industry seems a proper case industry for analysing *product development activities* further *based on technology life-cycles* due to the industry pace. Additionally, the case company has been active from the very beginning of the industry's emergence; it has been one of the leaders in the industry so they have the information from the past to the present day. Moreover, as they have been one of the most effective companies in their industry, their product development could be seen as one of the most thoughtful ones as they have made meaningful moves throughout the life-cycles. The research process of this study is presented in Figure 1. Literature review on TLCs and product development formed the basis for the interviews. The case company was selected based on the opportunity to have an access to an internationally well-known company whose technology has undergone several generations and was therefore a suitable object for research.

[Please insert figure 1 here]

Section four presents the results of the empirical study. Due to the confidentiality of the strategic information, different portions of product development activities are presented in percentages which, however, should not unnecessarily weaken the creditability of the study. This study is qualitative in nature and aims to understand studied phenomena. This means clarifying the meaning and significance of the analysed phenomenon. The samples utilised by qualitative research are typically discretionary to the researcher. Research objects may not be high in numbers, but are studied thoroughly, emphasising the quality of input material. The size of the sample must however be adequate enough for the type of analysis and interpretations (Patton, 2002; Siggelkow, 2007).

3 Literature Review

3.1 TLC orientation

When a company is implementing any technologies, platforms, or even new products based on new technologies, it is important that they recognise if the technology is growing or disappearing, or if there are any trade-offs with regards the technology's future (McCarthy, 2003; Burgelman et al., 2004; Gao et al., 2013). Also, there is a strong bond between product life-cycle and technology life-cycle. Product life-cycle can be seen as fluctuations of market (Klepper, 1997) or sales (Cox, 1967) during the products' existence in the market area. The Product life-cycle management area takes care of single products or groups of similar products (Saaksvuori and Immonen, 2008). Product life-cycle management have lots of strategic interaction with the business strategy of a company (Anderson and Zeithaml, 1984) and even product portfolio management (Tolonen et al., 2015). As a result, product life-cycle management theories are helpful for technical and business forecasting (Rink and Swan, 1979). In essence, product life-cycle can be seen as more detailed than technology life-cycle, while technology life-cycle studies can provide influential data for product life-cycle management, Although the definitions in the area are sometimes

blurry and not concrete enough (Pinquié et al., 2015). Even Cooper (1983) indicates normative modes for proper product development with seven stages which is similar to the product life-cycle and technology life-cycle, and is in line with product life-cycle management concepts as well.

Technology life-cycle is in some sense a pattern of technology performance over time (Albert et al., 2015, Khalil, 2000). Ideally a company has a different mixture of product development as both "defender of the current technology" and "attacker of the new technology" (O'Reilly and Tushman, 2013; Wheelwright and Clark, 1992). Although the inertia of staying in the market with the current profitable technology is a powerful incentive for managers (Asthana, 1995), the managers should design the technology and product development portfolio in a way that it guarantees not only short term success but also long term victory for the company (Burgelman et al, 2004; Albert et al, 2015). Therefore companies must evaluate the future situation of each technology and the respective probabilities of success (McCarthy, 2003).

There are different technology life-cycles with different stages for various aspects (e.g. Ford and Ryan, 1981; Abernathy and Utterback, 1978; Anderson and Tushman, 1990; Little, 1981;; Erickson et al., 1990; Achilladelis, 1993; Achilladelis et al., 1990; Watts and Porter, 1997; Khalil, 2000; Linden and Fenn, 2003; Rogers, 2010; Moore and Adamson, 2011, Routley et al., 2013). In this study seven different technology life-cycles form the basis of the product development structure (Table1). Each of the seven TLCs investigate technology maturity from various perspectives to ease the evaluation of product development activities based on technology maturity. These Technology life-cycles are selected due to their relevance to product development area. In addition, there are much more defined TLCs which can be found, similar to the mentioned ones but are out of the scope of this study.

The most generic technology life-cycle belongs to Khalil (2000) although the model originated from Fisher and Pry (1971) who aimed to introduce a technology forecasting method. The TLC by Khalil (2000) is based on technology performance patterns and contains four stages: embryonic, growth, maturity, and aging. Even though Khalil's model is one of the most utilised technology life-cycle models, some studies criticise it due to insufficiency of performance parameters to illustrate economical and technical tendencies (e.g. Murmann and Frenken, 2006; Gao et al., 2013; Ernst, 1997; Lee and Nakisenovic, 1989; Asthana, 1995).

The second model, one by Little (1981) seems to resemble Khalil's TLC, tough the ordinates of the model are integration and competitive impact. Little's model is based on different studies on strategic innovation and business planning (e.g. Albert et al., 2015; Gao et al., 2013; Reinders, 2006 and Erickson et al., 1990). The model by Little (1981) concludes the technology transformation into four stages: embryonic, pacing technology, key technology and basic technology. Little's model and derivative studies (Reinders, 2006 and Erickson et al., 1990; Shahmarichatghieh, 2015) describe the characteristics of technology in each part of technology life-cycle and suggest strategies accordingly.

The third studied technology life-cycle is a model by Abernathy and Utterback (1978). The model tries to observe innovative activities' trend over time. Abernathy and Utterback (1978) define three different

areas in technology life-cycle; in the beginning companies try to provide new technology with the best performance and application to fulfil the needs of new adopters and convince conservatives to buy the technology, also referred to as "performance maximising". Then, producing more derivatives and variations gain better market share because the competitors are trying hard (sales maximising). Subsequently, standardisation, modularisation and other techniques can provide acceptable market for the technology in the latter part of the TLC (cost minimising). As the model encompasses many aspects, different studies have modified and utilised it for various industrial purposes since (Boudreau and Lakhani, 2015; De Massis et al., 2015)

The fourth TLC model comes from Ford and Ryan (1981) who consider the TLC from the viewpoint of *original manufacturer*, therefore each stage evaluation tries to find opportunities and pros and cons of selling, licencing, or other technological strategies from technology owner's perspective. As the model gives useful insight on technology situation against competitiveness and strategic conflicts, other researchers have been working to complete and apply the model in different strategic areas (Thudiom, 2015; Krcmar, 2015). Ford and Ryan's TLC model starts with the first technology development idea, followed by technology application; hence it is the time that technology could be applied in product development and companies encounter the product cost issue. Moreover, the possible applications could become clearer and the uncertainties reduced compared with previous stages. The third stage of the model, application launch matches with "performance maximising" stage of Abernathy and Utterback (1978) while the following application growth stage corresponds with "sales maximisation of Abernathy and Utterback's model. Finally, the technology reaches maturity and becomes degraded (Ford and Ryan, 1981).

The fifth model by Anderson and Tushman (1990) built a technology cycle based on *sociocultural* factors from product design and creation perspective. The technology cycle starts with technology discontinuity when the developers compete against each other, work with the new born technology to find solutions to substitute older technologies and fight against market inertia to use the current technologies. By the time that the players find a dominant design, the technology and development activities tend to incline towards incremental changes and elaboration of dominant design (Christensen and Rosenbloom, 1995). The era of incremental changes would be continued until a new technology discontinuity comes into the market.

The sixth TLC is Rogers's (2010) diffusion model. The aim of the diffusion model is to estimate the penetration rate of a new technology into markets and acknowledge the fact that a new technology would not be quickly accepted by the market. The diffusion model introduces five different groups of customers, each of which is a symbol of market needs and proper product specifications for the market. Rogers recognises innovators 2.5%, early adopters 13.5%, early majority 34%, late majority 34%, and laggards 16% in percentages of the whole technology market; while each group can be absorbed by different strategies. The diffusion model is the basis of technology adoption life-cycle (Park et al., 2015). Technology adoption life-cycle is the first stage of Market development life-cycle model by Moore (2002) which is mapped in accordance with technology penetration.

The seventh model by Moore (1998; 2002; 2004; 2005; 2011) is basically a marketing model while it illustrates different technology situations in the market area and give hints for proper product development strategies. Firstly, as Moore's model is market based, it does not have the introduction or embryonic phase and starts with the first appearance of technology into the market. Secondly, it has watersheds such as *the chasm, bowling alley* and *tornado* which suggest special strategies based on generic market behaviour towards the new technology. Therefore, having Moore's model in addition to other TLC models adds value; lots of innovation and strategic planning studies are done based on the model, not only for big organisations (Kim et al, 2015; Gudfinnsson et al, 2015) but also in small and medium enterprises area as well (Newby et al., 2014).

Table 1. Product development structure based on technology life-cycles

	Basis					Stages					
Khalil (2000)	Performance	Introd	uction	Growth						turity	Saturation
Little (1981); Erickson et al. (1990); Albert et al. (2015), Gao et al. (2013)	Competitive impact and integration	Embi	yonic	Pacing technology					Key technology		Basic technology
Abernathy and Utterback (1978)	Innovative activities		laximising		Sales Maximising				Co	ost Minimising	
Ford and Ryan (1981)	Technology diffusion	Technology Development	Technology application	Applicatio	on Launch	Application Growth			Technology Maturity		Degraded technology
Anderson and Tushman (1990)	Product development and manufacturing	Era of F	Ferment (design con	petition, substitu	tion)	Era of incremental cha			ange		New Technology arrival
Rogers (2010)	Adopters			Innovators	Early Adopters		Early majority	y	Late 1	najority	Laggards
Moore (2004)	Market			Te	chnology Adop	tion Life-cycle	2	Growth			
	manot			Early Market Chasm		Bowling Tornado Alley		Market	Matur	e Market	Declining Market
	After concept identification After concept identification produced two produce develop The first of The first of	n. the lectmology goes to b opment Ford and Byon, 19 opment Ford and Byon, 19 permane of technology in permane of technology in The early market custom The early market custom oner the main market	still be marked (Gao et al. 2017 and Ryan, 1081, Moore, 20 and Ryan, 2	D2 D2 D2 D2 D2 D0 D0 D0 D0 D0 D0 D0 D0 D0 D0	a a a a a a a a a a a a a a	ende p action action policies po	d conservatives start d conservatives start gecomes a key techno per a key technology god the technology de the technology de the technology de the technology de the technology de the technology de	to be absorbed to pologi Little, 1981 pologi Little, 1981 prore aged (Apert prore aged (Apert prore aged (Apert prore aged (Apert prore aged (Apert prore aged (Apert prove age)) (Apert prove aged (Apert prove a	atty and Utter atty and Utter e zone (Roger hime the rection the borizon (J the borizon (J segerds are sti	back. 5,2110 5,2110 bogical boundar logical boundar neceson and Pro-	ites (Hanpetal. ites (Hanpetal. shman, Rogers, 2010) shuers (Rogers, 2011) shuers (Rogers, 2011)

3.2 Product Development activities in Technology Life-cycle

In this section product development activities are discussed in different stages of TLC. The TLC used here is an amalgam of all the seven TLCs discussed in the previous section (table. 1). The transition of the stages are shown up as milestones as sometimes the borders of different life-cycle stages are not clear enough to draw an exact line, however in most cases there is an approximate territory for each stage.

In table 2 the degree of newness and competitive advances of product development activities are discussed to form a foundation for discussing product development activities. Classifying product development activities in accordance with the degree of newness is not a new challenge and it has been considered for decades by different studies theoretically and by different companies empirically (Wheelwright and Clark, 1992; Garud et al., 2015; Petro and Gardiner, 2015) while it is not only an important issue for strategic allocation of a company's resources but a pivotal subject for operating product development activities (Salerno et al., 2015). Different studies have suggested product development activities in line with the technology maturity by their degree of newness (Table 2). Consequently, table 3 illustrates how product development activities are allocated in the literature between the three different focus areas of *performance maximisation, cost reduction*, and *customisation* in accordance with their situation in the TLC.

Degree of newnes	s and competitive advantage	s)		arly market		sales maximising	Transition of t	echnology	
	Technology Development transition into Technology Application (Ford and Ryan (1981)	Introduction transition int application Lau (Little (1981	to "Gap" l unch market (1 1; Calle	e Chasm" or efore major Moore, 2002 on, 1980; nathy an d	r 1978) and app 2; (Ford and Ryan development	athy and Utterback, ication growth start i, 1981) and product it trend is mostly anges (Anderson &	into Mature pha 2000) and en major custome market (Moore,	ase (Khalil, Transition of Sales trance of maximising into rs into the Cost minimising , 2004), the strategy	Transition of mature / key technology into saturation stage (Khali, 2000; Little, 1981)
	Introduction	Khalil, 2000; F and Ryan, GB		ack, 197 8 a		nan, 19Growth I	Key technolog I 1981	Maturity ^{tterback, 1978)}	Decline
Product development Degree of newness		al App ne teck cal but e (Albert brea cson et 2000 The mode infr (Fo Pro to id	plications for the hnology have been fou t still there are many eakthroughs (Haupt et a 07). e technology should be odified with current rastructure or products ord and Ryan, 1981). oduct innovations wide identify market needs bernathy and Utterbacl	Pro nd dec <i>Pro</i> il., <i>Ma</i> (Ma The own <i>art</i> one ly man (Ab	oduct developmer cisions go from <i>oduct centric</i> to <i>rrket Centric</i> oore, 2002). e winner is not th ner of the <i>state o</i> , <i>technology</i> but th e who knows rket needs benathy and erback, 1978)	t Better usage technology i result in more variations or components not only for process (Ab	of advanced n the products re product r new . Innovations products but the ernathy and 978). th is not cause it c ustomers	Product centric incremental development (Albert et al., 2015). Variation, customisation (Anderson and Tushman, 1990) and cost reduction (Abernathy and Utterback, 1978) are the keys for product development activities by newness level.	Small changes, cost reduction (Ford and Ryan, 1981). Process modifications to new technologies (Abernathy and Utterback, 1978). Some customisation (Hofer, 1975).
Product development Competitive advantages	The best design and performan (Anderson and Tushman, 1990 Also, time-to-market can be se important (O'Reilly and Tus 2013) especially when the pro development team is looking f external funding or partnershi (Linden and Fenn, 2003)	nce Tin 0). imp een Tus hman, In t duct whe for reli. p eno (esp inte care tech with tech pro 200 Ear eag app	ne-to-market is portant (O'Reilly and shman, 2013). the beginning of TLC en the products are no iable and applicable ough, integration pecially internal egration) can be a trun d, means newer hnologies can be mixe th reliable older hnologies in a single oduct (Christensen et a	p p Pro bec , app d 200 , app Pro bec , app mai con ial prel curr and	e company should through <i>blication and</i> <i>tomer centric</i> duct development tead of <i>Innovatio</i> <i>tric</i> product velopment. bducts should some ready for th w market (Moore.)2). chnology blication in the rket, or the npany itself, fers to improve the rent integration I then release (Fo I Ryan, 1981)	viewpoint, the should provi solution to the niche. There a whole produ- team (Moore More compe- differentiation designs (Ab- Utterback, 1 The demand therefore tim- should decre- production r value of tech and Ryan, 19 Cost, efficie	ide the best he selected fore proper on and providing <i>duct</i> are the titive strategies ct development e, 2002). etition based on on and dominant ernathy and 978). l is high ne-to-market pase. Delay in means losing the mology (Ford 981). ncy, incremental O'Reilly and	Competition is High (Albert et al., 2015). Mostly established companies (Asthana, 1995). The number of companies in the ecosystem increase by the technology maturity (O'Reilly and Tushman, 2013). Whole product +1 product development strategy at maturity stage (Moore, 1998)	The new Technology is in bowling alley and the current technology is in decline market, the target is divesting the capabilities and platform in addition to satisfying customers. Therefore the product should be cheap and available. Moreover, as the customers in the markets are mostly laggards who are not very happy using technology, simplicity and user friendly interfaces can be aspects of competitiveness (Moore, 1998).

Table 2. Degree of newness and competitive advances of product development in the literature (Familiarising with product development changes in TLC by

In order to provide samples of products and technologies, as table 2 illustrates, introduction phase of Khalil's (2000) model has a transition in accordance with Ford and Ryan's (1981) model, where the development transfers from defining concepts into productising applications. Probably the best example of the transition is the first application of 5th technology generation (5G) of mobile telecommunication in 2005 by NASA in Machine-to-Machine Intelligence (Bluck, 2006). Nevertheless, the introduced products should be prepared to meet more conservative customers than the early adopters with more reliable functioning and more reasonable prices, which leads to transition into Growth phase (Little 1981; Khalil, 2000; Ford and Ryan, 1981). One of the best examples of growth phase transition is the introduction of Lotus 1-2-3 spreadsheet introduced to the market by IBM. The spreadsheet was easier, faster and more reliable compared to previous spreadsheets and became a trump card for IBM for some time (Gandal, 1994). Although Lotus 1-2-3 was the best version of spreadsheets compared to its competitors such as VisiCalc developed by Apple for Apple II, it stood in the chasm due to lack of reliability and speed (Grad, 2007). Passing the market and technology gap and entering the sales growth is the next phase, where the iPhone introduction by Apple is among the best examples of being born from the chasm ashes of another company, the simplicity and user friendly interface of iPhone made it the market success which caused other companies to copy the idea with pride (West and Mace, 2010). Eventually, technologies transform into mature technologies with incremental changes and the existence of major customers. Although the transition to the decline phase is the time that a technology is getting aged, companies are still trying to enjoy the cash cow situation, and for sure investing in newer technologies may prove beneficial as for example how Nokia did in the 1980s, when they were earlier well known in the pulp and paper industry and in the rubber production. Simultaneously with enormous amounts of cash coming from mature technologies, Nokia looked forward and invested heavily into mobile phone technology in the 1990s (Moore, 2007) resulting in significant success, and the story still continuing.

Competitive advantage is a crucial issue that changes along technology penetration and can affect product development activities (Harrigan, 2015; West et al., 2015; Murray, 2014). This was described in Table 2 as an introduction to Table 3 which allocates different product development activities into the TLC.

Table 3. Allocation of product development activities between *performance maximisation*, cost reduction, and customisation vs. Technology Life-Cycle

		Introduction	Growth I	Gap	Growth II	Maturity	Decline
Product Development	Performance Maximisation	Important task for the stage (O'Reilly and Tushman, 2013), while there is no products in the beginning (Ford and Ryan, 1981). The created applications and products are difficult to use (Linden and Fenn (2003), moreover no standards or processes exist (Abernathy and Utterback, 1978)	New technology performance level is low (Albert et al., 2015; Christensen et al., 2001) In the beginning when the products functionality is not ideal, companies compete on the performance level (Christensen et al. 2001)	Not proven technology (Ford and Ryan, 1981) Business risk, identification of competitors, and low customer satisfaction due to low performance level of the technology (Asthana, 1995)	As producers and users gain experience, the uncertainty decreases, while even at this point technology performance improvement should be evident to the customers and high performance could be a competitive strategy (Abernathy and Utterback, 1978; Prajogo, 2015)	Technology performance level is acceptable and constant while the competition goes through cost and customisation (Albert et al., 2015; Christensen, 1992)	The performance levels are the highest, and performance capacity has been reached (Ford and Ryan, 1981). The process efficiency and productivity goes high but flexibility and innovation goes down (Abernathy and Utterback, 1978)
	Cost Reduction	The critical target in the stage is finding out best performance while cost efficiency is important for crossing the chasm (Moore, 2002; Ford and Ryan, 1981) though it is not taken as important as performance creation (Albert et al., 2015)	Cost reduction priority in growth stage is lower than performance maximisation Albert et al., (2015). The standards are created to ease Product Development (Fenn and Linden, 2003). In the beginning cost is not the priority of any new adopter customer groups, they demand only for new technologies with the best performance level to make a difference (Moore, 2002)	At this point the new technology is not only unreliable but also expensive (Ford and Ryan, 1981). This, even if the technology itself has reasonable price due to high uncertainty and related costs of infrastructure. (Park et al., 2015). The pragmatists do not tend to enter to the market (Moore, 2002)	The cost reduction is the target in this stage. (Moore, 1998) More technology applications and standardisation are the product development strategies here (Ford and Ryan, 1981; Albert et al., 2015; Haupt et al., 2007; Ford and Ryan, 1981; Villalba- Diez, and Ordieres-Mere, 2015). Abernathy and Utterback, (1978) call this stage <i>cost</i> <i>reduction</i> stage. O'Reilly and Tushman, (2013) argue that the competition is basically against price in this stage	The known strategy in this market situation is <i>Whole Product+1</i> , where the "+1" can be cost (Moore, 1998). The customers expect complete product with cheap prices, the reference of the price is not industry leader but the followers (Moore et al., 1998; Lilischkis, 2013)	Cost reduction is the ultimate expectation of the laggards and conservatives (Moore, 2002)
	Customisation	Customisation possible with two targets: Sponsorship, by big companies for small start-ups make the beneficial ideas come out (Linden and Fenn, 2003; O'Reilly and Tushman, 2013). Pioneering: big companies ask to have allies with the developer company to be pioneer in its own industry (Moore, 2002).	Growth Market customisation will be done mostly for the niche buyers. The customer feedback can map the strategic development and repair the bugs (Moore, 2002). Mass customisation is the strategy that can add value at this stage (Mueller-Heumann, 1992, Shoham Paun., 2015)	Customisation is the next competitive strategy if the technology performance gets reliable (Christensen et al. 2001) Segmentation and customisation a solution to cross <i>the chasm</i> (Moore, 2004) Recently Kitajima (2015) studied success of customisation in 3D printer market.	Segmentation is the strategy to cross the chasm and begin to penetrate the growth market (Moore, 2002; 1998). Standardisation and process improvement in the late growth stage when the technology goes into <i>Tornado</i> watershed (Moore, 1998) A controversial area (Cedillo- Campos, 2013) Smart customisation in growth market (Oliver et al., 2004)	Customisation, mass customisation and segmentation are known and highly recommended strategies in maturity stage (Parrish et al., 2006; Cedillo- Campos, 2013; Tseng, 2014)	Customisation for bigger customers (Utterback,1996)

4 Empirical results

The empirical part first discusses product development activities in TLCs, followed by discussing product development efforts in terms of performance maximisation, cost reduction, and customisation.

4.1 Product development activities in technology life-cycles

The studied technology generations in the case company are: A, B, C and D. The analysed generations are mostly in different stages of the technology life-cycle, whilst A and B have passed all the stages (Figure 2).

[Please insert figure 2 here]

The generation A idea creation phase might have started in other companies at different times, while the case company tried to develop its knowledge capabilities in the first known standard of the A in the European union countries and in some other countries in year 1987. The generation A technology was more capable in many ways. Moreover, it resulted in introducing smaller and cheaper products due to less power needs as an interviewee indicates "the new generation products were so compact in comparison with previous generation that providing more efficient services became possible, and power usage was less, therefore implementing them was not only sufficient for end users but also from the power point of view they were more economical for service providers" The most obvious factors of technology A compared to previous generation was new functionalities for end customers.

The first technology A based product was sold to the customers in 1991. The products were similar to previous generations with high efficiency levels, hence the customers were familiar with the whole idea of the technology. Thus the reason of the *chasm* at the point was due to additional functionalities of the technology. There were no end customer devices for using the new features at the time, and in fact customers did not even know about the features until 1994. An R&D manager stated: "we had the technology of the infrastructure but the end user devices were not in the market yet, while after the first end user product introduction the infrastructure products were selling like hell".

In 1994, when the first devise with the exciting new capabilities was introduced to the market, the *tornado* of the generation A started. In couple of months the product sales sky rocketed and the case company's strategy became just to keep up with the big demand of the market area, and to find an increasing number of new suppliers to install as many new products as possible. The generation A was not only producing more efficient infrastructure, but also emitting less power, therefore, not only infra-structure equipment were smaller but also the end user devices were becoming smaller and cheaper. Thus the emergence of A and derivative evolutional products resulted in a revolution for the industry, while average people found having related products useful. One of the R&D directors described the situation as: *"The end user devices had big new functionalities that most of the end users were fond of, therefore the service providers were eager to implement it in their systems"*.

In 1995, the technology entered maturity phase, at the time the sales volumes were still growing rapidly. Simultaneously, the concept definition and product development activities of the generation B were started. The first product family of the generation B was sold to the customers in 2001. Although the integration levels were not yet ideal and the devises utilising the B were not there until 2005. Therefore, the generation B experienced *the chasm* from 2001 to 2006, during which the integrated devices were low in sales and very expensive. In 2005, when more applicable integrated products were introduced to the market the demand for the new generation escalated. This was particularly due to the new features of the generation B products and new applications which brought a completely new horizon for the industry. *One of the R&D directors stated: "The new functionality changed not only the concept of end user devices, but also the life-style of the end users, therefore buying the new generation products was a must for all our customers to perfectly satisfy their own customers, now the question was buying the new sold as much as we planned to sell in 5 years". The high demand continued to escalate until 2007 with a high trend as a <i>tornado*.

In 2007, while the market volume was still growing, the technology B generation moved into its maturity phase, and continued with a lower growth trend until 2014. Noteworthy is that the generation A was in the maturity phase until 2010, for about 15 years due to its special specifications. The aging stage of the A started in 2010, while it is still selling in the present day due to the high integration, cheaper prices and special applications and is currently used for example in traffic lights. *An interviewee described this as: "We cannot kill the technology products, because it still has its own customers and huge amounts of cash is still coming to the company with low levels of internal costs".*

The generation C was born in 2006 as a child of product development activities conducted for the previous generations. The C had higher capacity. The first product utilising generation C technology was ready in 2011 enabling the customers to enjoy the better performance, whilst the customers were unable to use the improved performance yet. "Our product development teams were not looking for a new generation but improving the previous one, eventually generation C was born with capacities far above generation B and lots of new functionalities" as one of the R&D directors stated. Therefore, the technology was in the chasm until 2013 because of low devices integration. Likewise, C infrastructures were not fully functionalised and they were too expensive. It was only in 2014 when more integrated products were sold to the market, the technology encountered the high demands of the tornado only for a year. From the beginning of 2015 C technology reached the maturity phase.

According to the interviewees, the generation D technology which has been in the concept definition since 2013 is still in the *introduction* phase and so far no actual products have been built. "All the leaders in the industry are trying to collaborate in concept definition process with huge amounts of funds for their internal R&D units or external organisations to be part of standards of the new coming generation" as one of the R&D managers described.

Based on the analysis, it is evident that each stage duration of technology life-cycle varies by different technology generations, which is in line with the potential of each of them. Moreover, as *the chasm* and *tornado* are seen as important watersheds within the TLC, greatly influencing the success of technologies and products, it is important to learn from the experience. According to the interviewees *the chasm* situation occurred mostly due to the low integration of user's interfaces, low technical capabilities of the technology, and the price.

Hence, for the next generations the best practice would be initiating parallel activities between device and infrastructure producers to keep *the chasm* situations as short as possible. Additionally, the *tornado* phase occurred in the latter parts of the growth phase for all the generations, and the technologies entered the maturity phase after the tornado. Fast transformation of the technology into *maturity* stage just after *tornado* might be a result of the long duration of the chasm. Based on the empirical work, when the company had a ready product and low customer demands because of low integration, they found the technologies transferring into maturity phase immediately after tornado form the technological boundaries viewpoint.

4.1.1 Product development focus areas: Performance Maximisation, Cost Reduction, and Customisation

Based on the interviewee comments it appears that, product development activities can have three drivers: either small or big enhancements to improve the performance of the products, cost reduction, and customisation. The customisation activities are seen to cover a bigger portion of product development activities compared to other sectors due to the company operating in business-to-business markets where the number of customers is somewhat limited. Therefore, Product development activities of each technology generation stage can be classified into three focus areas: *performance maximisation, cost reduction* and *customisation*. These three focus areas of product development activities have different impacts in different phases of the technology life-cycles in line with the strategic situation of the technology. Each of these three are defined in a way that all the product development activities are included.

Performance maximisation can be seen as all the product development activities that try to improve any aspects of products or technology quality. Both technical and appearance viewpoints are covered by the quality considerations. The integrations and modifications that aim to connect the technology into previous generations, or the following ones are also known as performance maximisation. However, those modifications and integrations that aim to catch customer infrastructure specifications, or special needs, are seen to belong to the customisation focus areas. The performance maximisation that contains not only increasing reliability and also internal integration of various technology generations has a pivotal role in the company products and customer satisfaction as one interviewee described: *"Our customers' customers should have the possibility of using the products, therefore the products that are providing services for two or more technology generations are more successful and they can provide services for more financial customer segmentations".*

Performance maximising in all the first three generations had descending trend over the TLCs (Figure 3). Obviously, performance maximising activities trend is descending during life-cycles. The amount of work for performance enhancement in B and A were the same in the introduction phase; while in C, the performance maximising activities reduced by 20% in introduction and around 25% in growth phase. The percentage for C in terms of maturity phase is not available due to recently entering the phase, the same applies for B for aging. Noteworthy is that there had been an emphasis shift in product development when C was introduced, a shift that is visible when comparing performance maximising to cost reduction and customisation efforts in later figures. The shift can be explained by there being different players in the industry, and the company was trying to introduce a new generation to the market with more reasonable prices to avoid long duration of *the chasm*. Additionally, timing wise, C came into the market during the maturity phase of A and B. As C had better functionalities but was expensive, some amount of B's performance enhancement could go into cost reduction efforts to not to let C win the market in some segments.

[Please insert figure 3 here]

Cost reduction means all the product development activities that have the target of cost reduction from standardisation and modularisation to other cost efficiency activities. As the scope of this study is product development, the cost reduction activities relevant to processes and the supply chain are not included. However, the product development activities in the aging phases that try to generate standard components, or software for products with aging technology to make them functional with newer products and reduce costs in their production using an old line is included in the cost reduction category. The following interviewee comment exemplifies the importance of cost reduction: "*Cost minimisation is a big incentive especially in the beginning of the technology introduction to the market as our customers are service providers, the cost differences can be huge*".

The cost reduction based activities had an ascending trend over all the discussed technology life-cycles (Figure 4). It can be seen how the company's strategy in C, opposed to the way with previous generations, was reducing costs from the very beginning to not to stay in the trap of *the chasm* for a long time. In contrast to performance maximisation, cost reduction activities have ascending trend over technology the life-cycle as cost reduction activities were seen as more crucial for the generation C. In the growth phase of C, half of the product development activities were assigned to cost reduction.

[Please insert figure 4 here]

The percentage share of cost reduction activities for B escalated in the maturity phase compared to A, where the trend had been almost constant over time. The reason for this can be quite simple, the major customers did not trust B until 2006 for an integrated product being able to be produced with the capability of providing both A and B services. Also, before 2007 when B went into maturity phase, the market and the industry expected to see A going into aging phase and dying after the tornado of B. This was a huge misunderstanding. Beside the fact that A technology infrastructure were more reliable in some ways, A products and integrated products for end users, including cell phones have been cheaper than B. Therefore B not only cannibalised technology A but also was expected to become cheaper in the maturity phase and convince sceptics and conservative customers. The exact percentage information for B in terms of aging phase is not available due to recently entering the phase, while the same applies for C for maturity.

Customisation can be both the customisation according to customer requests in project based product development, and customisation and modifications based on market segmentation plans, or other customer relationship programs and demands. The company's customers have their own criteria in various parts of the world where the products are being sold with high levels of customisation possibility, as an interviewee described: "some products and generations which have not been utilised in some parts of the world, have high market possibilities in other parts of the world with special specifications, therefore our market has high level of customisation possibility".

The customisation focus area have had different trends along the generations (Figure 5), which shows the powerful impact of other factors than the technology maturity level (see Figure 4). In contrast with two previously discussed categories, *customisation* area of product development activities trend have not been sustainable. All the three generations have had fluctuations over time in this focus area, they did

not even have harmonised fluctuations with each other. The chaotic ups and down of customisation percentages illustrate the fact that customisation is dependent on lots of other factors. Technology B started it life-cycle by a customised project: according to the interviewees, the zero model of B was customised for a specific customer. During growth and maturity phases the customers were still demanding customisation, however, there were no big differences between different stages of product development with regards the customisation target. The percentage information for B in terms of aging phase, and for C for maturity are not available due to recently entering the phases.

[Please insert figure 5 here]

5 Discussion

This study illustrates the evolution of different technology generations with a specific focus on product development. The scientific implications of this study include emphasising the importance of product development focus areas in terms of performance maximisation, cost reduction and customisation during TLCs. The targets of any company when developing new technologies involve maximising the performance of the technology to transform it into applicable products. When a company wishes to build a business on a technology, cost issues become crucial. Also, the customers become sensitive about the cost at some point. In addition, in the analysed industry one way of adding value has been customisation. This study provides new contribution to the TLC discussion by focusing particularly on product development targets together through the TLC, and hence this approach provides new contribution. This study analysed the trend of product development activities along TLCs.

All technologies have limitations, for this reason as time goes by less *performance maximising* product development activities can take place. The results of this study are in line with the literature on the limitations of technologies (Sahal, 1981), and the work discussing performance maximising development activities (Albert et al., 2015; Christensen et al., 2001).

During the later parts of TLC, particularly from the maturity phase onwards, also the competitors are capable of producing similar products with *similar performance*. The results of this study indicate that less efforts are put into performance maximisation at this stage and *cost reduction* efforts become more important for product development. The results are hence in line with the previous literature on the competition going into "whole product +1" mode (Moore, 1998), and that that price should become either reasonable or cheaper (Moore, 1998; Lilischkis, 2013).

The results of this study indicate that *customisation* can be a tool for crossing *the chasm*, where the difficulty lies in finding customers for the products, when either they are still too expensive, there are still issues with integration, or the market does not yet fully support the products. Also this is in line with the previous literature discussing strategies for facing the chasm situation (Moore, 202; Christensen et al. 2001).

Apparently, *Chasm* should be avoided by all companies and product development teams, the three reasons of chasm identified in this study are price, technical reliability and integration. Price and technical reliability can be solved by time, while integration problem of end user devices with infrastructures can be solved by preventive strategic decisions of having allies or partnerships. All these three reasons are discussed in the previous literature (Asthana, 1995; Ford and Ryan, 1981; Park et al., 2015) and the findings of this study are in line with previous studies. However, the previous studies mostly focus on external integration, this study provides new contribution by emphasising the internal integration that is not discussed widely in the previous literature. The internal integration was possible to analyse by studying different generations of a single company. The previous old reliable technology were introduced by a single product which caused the shorter chasm duration for technology B and C. The previous literature often views the interaction of different technology generations as a negative thing such as cannibalisation (Cravens et al., 2002; Pan and Yu, 2015). Opposed to previous literature, this study sees possibilities in the interaction of different technology generations, for example the reputation of previous generations can benefit later generations which come with added features by presenting an integrated product.

6 Conclusions

In this study technology life-cycle is observed from seven most popular viewpoints (Khalil, 2000; Little, 1981; Ford and Ryan 1981; Abernathy and Utterback, 1978; Andersson and Tushman 1981; Rogers, 2010; Moore, 2002) to keep track of technology changes over time by following different patterns. The aim was to support decision making criteria in product development. This study analyses the direction of three high-tech generations with product development insights. The product development activities were observed through the targets of; *performance maximising, cost reduction* and *customisation* as product development focus areas. Each of the focus areas have different strategic implications along the technology life-cycle stages.

It seems that product development activities can be mapped over technology life-cycles based on analysing the trend of each analysed focus area. Product development can potentially help to determine competitive advantage of the company for the market based on the technology that can differ based on technology maturity. Product development strategies based on degree of newness can be various in different stages of technology life-cycles based on different technology maturity and market needs.

Concurrent technology generations seem to interact with each other over technology life-cycles both constructively and negatively. Naturally there can be negative interaction in the form of cannibalisation especially when the newer technology proves its reliability. The positive interaction can emerge in the form of smoother technology introduction to the market, in the form of mixing newer and older technologies within a single product so that services can be provided according to the previous reliable technology while introducing something new. This is based on the market trust on the earlier technology generations. This piggy bag approach can be mediated by for example integrated products.

The trend of product development activities prioritisation can be analysed in different ways. This study grouped the product development activities into three target based groups. The trend of performance

maximising and cost reduction priorities remained the same through all the analysed technology generations. However, the trend of customisation has been more chaotic. The trend of performance maximisation activities priority was descending while the cost reduction ascended. Therefore, it seems that the length of the chasm situation can be somewhat influenced by the focus of the product development efforts. For example, the case company intentionally increased the product development efforts in cost reduction in comparison to performance maximisation to influence the chasm situation.

The managerial implications of this study include pointing out how seeing product development activities in the big picture in the context of technology life-cycle can help in analysing the technology life-cycles of those technologies that are currently being worked on. This can also enable companies to map product development activities more efficiently and to obtain new insights by taking into account the interactions of different technologies the company is working with. Product performance maximisation should have more priority during the early stages and on cost reduction during the later stages of TLC. Also, companies tend to have different teams for different technologies, this study indicates that something is needed to obtain a comprehensive insights across the different technology generations. These insights can support managing the product development activities.

The limitations of this study include analysing the different technology generations of a single company in the high-tech sector. Also, as the study focused on product development, while process development activities are not included in the analyses. The analyses are conducted against selected technology lifecycle descriptions and any other descriptions are ignored. Hence, in addition to addressing the limitations, the future research topics could include further analysing the role of customisation as a product development strategy against the technology life-cycles. This could include focusing on different factors of customisation in accordance with technology maturity levels. Future studies could also implement technology life-cycles and product life-cycle in a unified context to better empower product life-cycle management methodologies.

7 References

- Abernathy, W.J. & Utterback, J.M. 1978, "Patterns of industrial innovation", *Journal Title: Technology review.* vol. 80, no. 7, pp. 254-228.
- Achilladelis, B. 1993, "The dynamics of technological innovation: The sector of antibacterial medicines", *Research Policy*, vol. 22, no. 4, pp. 279-308.
- Achilladelis, B., Schwarzkopf, A. & Cines, M. 1990, "The dynamics of technological innovation: the case of the chemical industry", *Research Policy*, vol. 19, no. 1, pp. 1-34.
- Albert, T., Moehrle, M.G. & Meyer, S. 2015, "Technology maturity assessment based on blog analysis", *Technological Forecasting and Social Change*, vol. 92, pp. 196-209.
- Anderson, P. & Tushman, M.L. 1990, "Technological discontinuities and dominant designs: A cyclical model of technological change", *Administrative Science Quarterly*, vol. 35, no. 4, pp. 604-633.
- Anderson, C.R. & Zeithaml, C.P. 1984, "Stage of the product life cycle, business strategy, and business performance", *Academy of Management journal*, vol. 27, no. 1, pp. 5-24.

Assouroko, I., Ducellier, G., Boutinaud, P., & Eynard, B. 2014, "Knowledge management and reuse in collaborative product development–a semantic relationship management-based approach". *International Journal of Product Lifecycle Management*, vol.7, no. 1, pp.54-74.

Asthana, P. 1995, "Jumping the technology S-curve", Spectrum, IEEE, vol. 32, no. 6, pp. 49-54.

- Bluck, J., 2006, NASA and M2Mi Corp. to Develop 'Automated M2M Intelligence', http://www.nasa.gov/centers/ames/news/releases/2006/06_72AR.html
- Boudreau, K.J. & Lakhani, K.R. 2015, ""Open" disclosure of innovations, incentives and follow-on reuse: Theory on processes of cumulative innovation and a field experiment in computational biology", *Research Policy*, vol. 44, no. 1, pp. 4-19.
- Burgelman, R.A., Christensen, C.M. and Wheelwright, S.C. 2004. *Strategic Management of Technology and Innovation*, 4th edition. New York: McGraw Hill/Irwin.
- Callon, M. 1980, "The state and technical innovation: a case study of the electrical vehicle in France", *Research policy*, vol. 9, no. 4, pp. 358-376.
- Cedillo-Campos, M. & Sánchez-Ramírez, C. 2013, "Dynamic self-assessment of supply chains performance: an emerging market approach", *Journal of Applied Research and Technology*, vol. 11, no. 3, pp. 338-347.
- Chandy, R.K. & Tellis, G.J. 1998, "Organizing for radical product innovation: The overlooked role of willingness to cannibalize", *Journal of Marketing Research*, vol. 35, no. 4, pp. 474-487.
- Christensen, C.M. 1992, "Exploring the limits of the technology S-curve. Part I: component technologies", *Production and Operations Management*, vol. 1, no. 4, pp. 334-357.
- Christensen, C.M., Raynor, M. & Verlinden, M. 2001, "Skate to where the money will be", *Harvard business review*, vol. 79, no. 10, pp. 72-83.
- Christensen, C.M. & Rosenbloom, R.S. 1995, "Explaining the attacker's advantage: Technological paradigms, organizational dynamics, and the value network", *Research Policy*, vol. 24, no. 2, pp. 233-257.
- Cooper, R.G. 1983, "A process model for industrial new product development", *IEEE Transactions on Engineering Management,* Vol. 30, no. 1, pp. 2-11.
- Cravens, D.W., Piercy, N.F. & Low, G.S. 2002, "The innovation challenges of proactive cannibalisation and discontinuous technology", *European Business Review*, vol. 14, no. 4, pp. 257-267.
- De Massis, A., Frattini, F., Pizzurno, E. & Cassia, L. 2015, "Product innovation in family versus nonfamily firms: an exploratory analysis", *Journal of Small Business Management*, vol. 53, no. 1, pp. 1-36.
- Erickson, T.J., Magee, J.F., Roussel, P.A. & Saad, K.N. 1990, "Managing technology as a business strategy", *MIT Sloan Management Review*, vol. 31, no. 3, pp. 73.
- Ernst, H. 1997, "The use of patent data for technological forecasting: the diffusion of CNC-technology in the machine tool industry", *Small Business Economics*, vol. 9, no. 4, pp. 361-381.
- Fisher, J. & Pry, R. 1971, "Technolog. Forecast", Soc. Change, vol. 3, no. 1, pp. 75-88.
- Ford, D. & Ryan, C. 1981, "Taking technology to market", *Harvard Business Review, vol.* 59, no. 2, pp. 117-126.

- Gandal, N. 1994, "Hedonic price indexes for spreadsheets and an empirical test for network externalities", *The Rand journal of economics*, vol. 25, no. 1, pp. 160-170.
- Gao, L., Porter, A.L., Wang, J., Fang, S., Zhang, X., Ma, T., Wang, W. & Huang, L. 2013, "Technology life cycle analysis method based on patent documents", *Technological Forecasting and Social Change*, vol. 80, no. 3, pp. 398-407.
- Garud, R., Tuertscher, P. & Van de Ven, Andrew H 2015, "18 Business Innovation Processes", *The Oxford Handbook of Creativity, Innovation, and Entrepreneurship,* pp. 339.
- Grad, B. 2007, "The creation and the demise of VisiCalc", *IEEE Annals of the History of Computing*, vol. 29, no. 3, pp. 0020-31.
- Gudfinnsson, K., Strand, M. & Berndtsson, M. 2015, "Analyzing business intelligence maturity", *Journal of Decision Systems*, vol. 24, no. 1, pp. 37-54.
- Hambrick, D.C., MacMillan, I.C. & Day, D.L. 1982, "Strategic Attributes and Performance in the BCG Matrix— A PIMS-Based Analysis of Industrial Product Businesses1", *Academy of Management Journal*, vol. 25, no. 3, pp. 510-531.
- Harrigan, K.R. 2015, "Strategic alliances as agents of competitive change", *Collaborative strategy a guide to strategic alliances, Elgar Book Series,* Cheltenham.
- Haupt, R., Kloyer, M. & Lange, M. 2007, "Patent indicators for the technology life cycle development", *Research Policy*, vol. 36, no. 3, pp. 387-398.
- Hofer, C.W. 1975, "Toward a contingency theory of business strategy", *Academy of Management Journal*, vol. 18, no. 4, pp. 784-810.
- Khalil, T.M. 2000, *Management of technology: The key to competitiveness and wealth creation,* McGraw-Hill Science, Engineering & Mathematics, Boston.
- Kim, J., Kim, S. & Park, H. 2015, "Factors affecting product innovation performance according to dynamics of environment: evidence from Korean high-tech enterprises in manufacturing sector", *International Journal of Technology Management*, vol. 67, no. 2-4, pp. 269-288.
- Krcmar, H. 2015, "Management der Informations-und Kommunikationstechnik" in *Informationsmanagement* Springer, Berlin Heidelberg, pp. 315-391.
- Lee, T. & Nakicenovic, N. 1989, "Life cycle of technology and commercial policy", *Science & Technology Review*, vol. 1, pp. 38-43.
- Lilischkis, S. 2013, "Policies for High Growth Innovative Enterprises", *Report on the 2013 ERAC Mutual Learning Seminar on Research and Innovation Policies*, Brussel.
- Linden, A. & Fenn, J. 2003, "Understanding Gartner's hype cycles", Strategic Analysis Report Nº R-20.
- *Little A.D.,* 1981, The strategic management of technology European Management Forum, Davos.Gartner, Inc.
- McCarthy, I.P. 2003, "Technology management–a complex adaptive systems approach", *International Journal of Technology Management*, vol. 25, no. 8, pp. 728-745.
- Merton, R., Fiske, M. and Kendall, P. (1990) 'the Focused Interview: A Manual of Problems and Procedures', 2nd ed. New York: The Free Press.

Moore, G.A. 2005, "Dealing with Darwin", New York: Pinguin Group,

Moore, G. 2002, crossing the chasm. Harper Business, New York.

Moore, G.A. 1998, Inside the tornado, Harper Business, New York

- Moore, G.A. & Adamson, and R. 2011, Escape velocity: Free your company's future from the pull of the past, Harper Business, New York.
- Moore, G.A. 2004, "Darwin and the demon: innovating within established enterprises", *Harvard business review*, vol. 82, no. 7-8, pp. 86-92.
- Mueller-Heumann, G. 1992, "Market and technology shifts in the 1990s: Market fragmentation and mass customization", *Journal of Marketing Management*, vol. 8, no. 4, pp. 303-314.
- Murmann, J.P. & Frenken, K. 2006, "Toward a systematic framework for research on dominant designs, technological innovations, and industrial change", *Research Policy*, vol. 35, no. 7, pp. 925-952.
- Murray, Peter A. (2014) the nature and sources of competitive advantage. In: Contemporary strategic management: an Australasian perspective, 2nd ed. John Wiley & Sons Australia, Ltd., Milton, Queensland, pp. 187-221.
- Newby, M., H. Nguyen, T. & S. Waring, T. 2014, "Understanding customer relationship management technology adoption in small and medium-sized enterprises: An empirical study in the USA", *Journal of Enterprise Information Management*, vol. 27, no. 5, pp. 541-560.
- Oliver, K., Moeller, L.H. & Lakenan, B. 2004, "Smart customization: Profitable growth through tailored business streams", *strategy business*, vol. 34, no. 34, pp. 34-45.
- O'Reilly, C.A. & Tushman, M.L. 2013, "Organizational ambidexterity: Past, present, and future", *The Academy of Management Perspectives*, vol. 27, no. 4, pp. 324-338.
- Pan, Y. & Yu, Q. 2015, "Research on Impact Mechanism willingness to cannibalize on Industry Technology innovation", 2015 International Conference on Education Technology, Management and Humanities Science (ETMHS 2015) Atlantis Press.
- Park, H., Sung, T. & Kim, S. 2015, "Strategic Implications of Technology Life Cycle on Technology Commercialization", International Association for Management of Technology, IAMOT 2015 Conference Proceedings.
- Parrish, E.D., Cassill, N.L. & Oxenham, W. 2006, "Niche market strategy for a mature marketplace", *Marketing Intelligence & Planning*, vol. 24, no. 7, pp. 694-707.
- Patton, M.Q. 2002, *Qualitative Research and Evaluation Methods*, 3rd edition, Thousand Oaks, Sage Publications, p.598.
- Petro, Y. & Gardiner, P. 2015, "An investigation of the influence of organizational design on project portfolio success, effectiveness and business efficiency for project-based organizations", *International Journal of Project Management*, Vol. 33, No. 8, pp. 1717-1729.
- Pinquié, R., Rivest, L., Segonds, F. & Véron, P. 2015, "An illustrated glossary of ambiguous PLM terms used in discrete manufacturing", *International Journal of Product Lifecycle Management*, vol. 8, no. 2, pp. 142-171.

- Reinders, A. 2006, "Industrial design methods for product integrated PEM fuel cells", NHA Annual Hydrogen Conference.
- Rink, D.R. & Swan, J.E. 1979, "Product life cycle research: A literature review", *Journal of business Research*, vol. 7, no. 3, pp. 219-242.
- Rogers, E.M. 2010, Diffusion of innovations, Free press, New York.
- Routley, M., Phaal, R. & Probert, D. 2013, "Exploring industry dynamics and interactions", *Technological Forecasting and Social Change*, vol. 80, no. 6, pp. 1147-1161.
- Sahal, D. 1981, "Alternative conceptions of technology", Research Policy, vol. 10, no. 1, pp. 2-24.
- Saaksvuori, A. & Immonen, A. 2008, Product lifecycle management, Springer Science & Business Media.
- Salerno, M.S., de Vasconcelos Gomes, Leonardo Augusto, da Silva, D.O., Bagno, R.B. & Freitas, Simone Lara Teixeira Uchôa 2015, "Innovation processes: Which process for which project?", *Technovation*, vol. 35, pp. 59-70.
- Shahmarichatghieh, M., Tolonen, A. & Haapasalo, H. "Product Life Cycle, Technology Life Cycle and Market Life Cycle; Similarities, Differences and Applications", Make learn and TIIM Joint conference 2015.
- Shoham, A. & Paun, D. 2015, "Small Business Marketing Strategies: A Call for Customization", *Proceedings* of the 1993 Academy of Marketing Science (AMS) Annual Conference Springer, pp. 553.
- Siggelkow, N. 2007, "Persuasion with case studies", *Academy of Management Journal*, vol. 50, no. 1, pp. 20-24.
- Thudium, T. 2015, Technologieorientiertes strategisches Marketing: die Entwicklung eines neuen Bezugsrahmens zur Generierung von Marketingstrategien für technologieorientierte Unternehmen, Springer-Verlag.
- Tolonen, A., Harkonen, J., Verkasalo, M. & Haapasalo, H. 2015, "Product portfolio management process over horizontal and vertical portfolios", *International Journal of Product Lifecycle Management*, vol. 8, no. 3, pp. 189-215.
- Tseng, M.M. & Hu, S.J. 2014, "Mass customization" in *CIRP Encyclopedia of Production Engineering* Springer, Berlin, Heidelberg, pp. 836-843.
- Villalba-Diez, J. & Ordieres-Mere, J. 2015, "Improving Manufacturing Performance by Standardization of Interprocess Communication", *IEEE Transactions on Engineering Management*, vol. 62, no. 3, pp. 351-360.
- Utterback, J.M. 1996, mastering the dynamics of innovation, Harvard Business Press. Boston.
- Watts, R.J. & Porter, A.L. 1997, "Innovation forecasting", *Technological Forecasting and Social Change*, Vol. 56, no. 1, pp. 25-47.
- West, D., Ford, J. & Ibrahim, E. 2015, *Strategic marketing: creating competitive advantage,* Oxford University Press, Oxford.
- Wheelwright, S.C. & Clark, K.B. 1992, Revolutionizing product development: quantum leaps in speed, efficiency, and quality, Free Press, New York.




Figure 1: Reasearch process of the study

19	987 Introduction 1	1991 Growth I	1994 Growth II	1995	Maturity		2010	Aging	
Generation A									
	Performance emprovement with high importance of <i>time-to-market</i> and being a part of industry standards The strategic targets: Digitalical efficient natural	The Chasm Increasing level of integration to attract customers Adding features for customers Cost reduction is still not an issue	are introduced with new features for end users, infrastructure	Cost reduction was no Performance and capa - Bigger capacity resu	not important because the efficier pacity improvement especially du sulted in cost efficiency	-		Cost reduction is the primary issu the product development Performance and efficiency impr of cost reduction	
	Smaller and cheaper products	d cheaper products Time is important	technology goes into Tornado Generation B	s Introduction	2001 Growth I	Growth II 2005 2006 200	07	Maturity	2014 Aging
				The performance of the technology should have been completed As the hardware had been ready for years the company software development got customised Time-to-market was the competitive strategy	The integration was low for the capabilities of the	d products with generation B developed, the chasm ended and in 2007 end- users devices introduced to the market that caused Tornado Generation C	Low rate of customisat products were reducing	ation and 65% of cost reduction whi ag customers cost indirectly products as much as possible was th 2011 Growth I 2 <i>The Chasm</i> Not prepared technically (too	implement installed infrastruct products 2013 Growth II Maturity Tornado: New integrated end-user devices introduction, range of more reasonable capabilities costs and more reliable technology Introduction
									In concept definition phase Competition is on the amount of share in standard structure Time is important

Figure 2: generations TLCs and targets of product development activities




Figure 3: Performance maximisation in percentages of product development activities




Figure 4: Cost Reduction in Percentages of product development activities




Figure 5: Customisation Percentages in of Product Development Activities