

Research Article

Common Expression Quantitative Trait Loci Shared by Histone Genes

Hanseol Kim, Yujin Suh, and Chaeyoung Lee

Department of Bioinformatics and Life Science, Soongsil University, Seoul, Republic of Korea

Correspondence should be addressed to Chaeyoung Lee; clee@ssu.ac.kr

Received 29 May 2017; Revised 26 July 2017; Accepted 2 August 2017; Published 27 August 2017

Academic Editor: Marco Gerdol

Copyright © 2017 Hanseol Kim et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

A genome-wide association study (GWAS) was conducted to examine expression quantitative trait loci (eQTLs) for histone genes. We examined common eQTLs for multiple histone genes in 373 European lymphoblastoid cell lines (LCLs). A linear regression model was employed to identify single-nucleotide polymorphisms (SNPs) associated with expression of the histone genes, and the number of eQTLs was determined by linkage disequilibrium analysis. Additional associations of the identified eQTLs with other genes were also examined. We identified 31 eQTLs for 29 histone genes through genome-wide analysis using 29 histone genes ($P < 2.97 \times 10^{-10}$). Among them, 12 eQTLs were associated with the expression of multiple histone genes. Transcriptome-wide association analysis using the identified eQTLs showed their associations with additional 80 genes ($P < 4.75 \times 10^{-6}$). In particular, expression of RPPH1, SCARNA2, and SCARNA7 genes was associated with 26, 25, and 23 eQTLs, respectively. This study suggests that histone genes shared 12 common eQTLs that might regulate cell cycle-dependent transcription of histone and other genes. Further investigations are needed to elucidate the transcriptional mechanisms of these genes.

1. Introduction

Histone mRNA transcripts and proteins are important for packing DNA into chromatin and are thus tightly regulated in most human cells [1]. In humans, the genes encoding histones are gathered on chromosomes 1 and 6. It has been suspected that the clustered structure of genes can provide a manageable unit for coordinating transcription [1]. Recently, genome-wide chromatin interaction analysis with paired-end-tag sequencing (ChIA-PET) has shown that some histone genes can share promoters [2].

While many efforts have been made to understand the mechanisms for the transcription of histone genes, they have not yet been well defined. Nuclear protein of the ataxia-telangiectasia-mutated locus (NPAT), which promotes the transcription of histone genes, is located near the Cajal body [1]. Clusters of histone genes are also located near the Cajal body [3]. The positions of histone gene clusters near the Cajal body have been observed between the restriction point (R-point) and the G1/S transition (S-point) during the cell cycle [4]. The objective

of this study was to select simultaneously expressed histone genes, identify their expression quantitative trait loci (eQTLs), and examine the functions of those eQTLs.

2. Material and Methods

2.1. Subjects and Data. The subjects of this study were 373 Europeans including 95 Finnish in Finland, 94 British in England and Scotland, 93 Tuscans from Italy, and 91 Utah residents with Northern and Western European ancestry from the CEPH collection. Their genotypic data were derived from the phase 1 dataset produced by the 1000 Genomes Project [5] (<http://www.internationalgenome.org/>). This study utilized genotypic data at 5,796,145 SNPs after filtering out the SNPs with minor allele frequency < 0.05 , with missing rate > 0.05 , or in Hardy-Weinberg disequilibrium with $P < 0.001$.

Transcriptional data on 10,518 human genes were obtained in lymphoblastoid cells of the subjects by the Geuvadis RNA sequencing project (<http://www.geuvadis.org/web/geuvadis/rnaseq-project>). The unit used for the mRNA expression level was reads per kilobase per million mapped




FIGURE 1: Pearson's correlation (r) between expressions of histone genes using the ellipse visualization method. The correlation estimate without significance ($P > 0.05$) is marked with “X.”

reads (RPKM). Outliers were removed based on sample similarity, which was estimated by the Spearman rank correlation between RPKMs and the exon counts of the samples [6]. Sample swaps or contaminated samples were excluded based on allele-specific expression analysis [6]. For details on the quality control process, see t Hoen et al. [7].

2.2. Statistical Methods. We selected histone genes that were expressed simultaneously. Pairwise gene expression relationships were estimated using Pearson's correlation coefficient (r). The significance of the correlation was determined by $P < 0.05$.

We investigated genome-wide associations of the expression of the selected histone genes. A regression model was employed to identify SNPs associated with expressions of histone genes using PLINK [8]. The Bonferroni correction was applied as a multiple testing, and the significance was determined by $P < 2.97 \times 10^{-10}$.

Linkage disequilibrium (LD) between the identified SNPs was estimated using the HaploView program [9]. The LD block was determined according to the 95% confidence interval of the D' value for pairwise LD between the nucleotide variants with minor allele frequency > 0.05 [10].

TABLE 1: Genome-wide associations of SNPs with expression of histone genes.

SNP ^a	Gene	Effect ^b	Location ^c	A1 ^d	A2 ^d	MAF	Genetic associations	Beta	P
rs10919229	SELE (2Kb upstream)		1:169735986	T	A	0.05	HIST1H4B	1.035	2.51E-10
rs191508159	Intergenic		2:35957035	T	C	0.06	HIST1H4A	0.466	3.41E-11
rs79103588	Intergenic		2:48891009	A	T	0.05	HIST1H4B	1.045	1.02E-10
rs10490124	Intergenic		2:48897335	G	A	0.06	HIST1H4B	1.023	1.65E-10
rs7562208	Intergenic		2:48898231	C	T	0.06	HIST1H4B	1.023	1.65E-10
rs12468670	Intergenic		2:48902054	T	G	0.06	HIST1H4B	1.023	1.65E-10
rs7563070	Intergenic		2:48902202	T	C	0.06	HIST1H4B	1.023	1.65E-10
rs7563889	Intergenic	CTCF	2:48902751	T	G	0.06	HIST1H4B	1.023	1.65E-10
rs115071514	Intergenic		2:48902928	T	C	0.06	HIST1H4B	1.023	1.65E-10
rs7600883	Intergenic		2:48905331	G	A	0.06	HIST1H4B	1.023	1.65E-10
rs10170423	Intergenic		2:48906784	G	A	0.06	HIST1H4B	1.023	1.65E-10
rs10208418	Intergenic		2:48912244	A	T	0.05	HIST1H4B	1.079	3.82E-11
rs10208981	Intergenic		2:48912890	G	T	0.05	HIST1H4B	1.049	8.60E-11
rs79335804	Intergenic		2:48915424	T	C	0.05	HIST1H4B	1.079	3.82E-11
rs13430743	Intergenic		2:48916396	T	G	0.05	HIST1H4B	1.079	3.82E-11
rs13429699	Intergenic		2:48921530	G	C	0.05	HIST1H4B	1.049	8.60E-11
rs13432631	Intergenic		2:48921948	A	C	0.05	HIST1H4B	1.108	1.78E-11
rs13385591	Intergenic		2:48923227	T	C	0.05	HIST1H4B	1.079	3.82E-11
rs7602404	Intergenic		2:48923414	A	G	0.05	HIST1H4B	1.049	8.60E-11
rs142402253	Intergenic		2:48924921	A	G	0.05	HIST1H4B	1.049	8.60E-11
							HIST1H4B	0.995	2.99E-12
							HIST1H1B	2.319	2.91E-11
rs189340111	Intergenic		2:68450091	G	A	0.06	HIST1H1E	2.044	6.90E-11
							HIST1H3J	1.044	8.17E-11
							HIST1H2AH	0.745	2.34E-10
							HIST1H2BM	1.027	2.58E-10
							HIST1H2BM	1.268	6.19E-12
rs75372391	LRP1B (intron 2)		2:141415941	G	A	0.05	HIST1H4B	1.102	1.39E-11
							HIST1H1B	2.645	2.92E-11
							HIST1H3B	2.016	2.00E-10
							HIST1H2BM	1.268	6.19E-12
rs79503131	LRP1B (intron 2)		2:141417401	T	C	0.05	HIST1H4B	1.102	1.39E-11
							HIST1H1B	2.645	2.92E-11
							HIST1H3B	2.016	2.00E-10
							HIST1H2BM	1.268	6.19E-12
rs76908315	LRP1B (intron 2)		2:141428575	G	A	0.05	HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.590	4.75E-11
							HIST1H2BM	1.246	9.09E-12
							HIST1H4B	1.080	2.15E-11
rs75358328	LRP1B (intron 2)		2:141435763	C	T	0.05	HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.590	4.75E-11
							HIST1H2BM	1.246	9.09E-12
							HIST1H1B	2.590	4.75E-11
rs79931187	LRP1B (intron 2)		2:141440679	C	T	0.05	HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.590	4.75E-11
							HIST1H2BM	1.246	9.09E-12
							HIST1H4B	1.080	2.15E-11
rs114273249	LRP1B (intron 2)		2:141441139	T	C	0.05	HIST1H1B	2.590	4.75E-11
							HIST1H4B	1.080	2.15E-11

TABLE 1: Continued.

SNP ^a	Gene	Effect ^b	Location ^c	A1 ^d	A2 ^d	MAF	Genetic associations	Beta	P
rs74871811	LRP1B (intron 2)		2:141441981	T	A	0.05	HIST1H2BM	1.246	9.09E-12
							HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.590	4.75E-11
rs114288750	LRP1B (intron 2)		2:141442588	A	C	0.05	HIST1H2BM	1.246	9.09E-12
							HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.590	4.75E-11
rs137985802	LRP1B (intron 2)		2:141442673	T	C	0.05	HIST1H2BM	1.246	9.09E-12
							HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.590	4.75E-11
rs114372180	LRP1B (intron 2)		2:141442782	A	G	0.05	HIST1H2BM	1.246	9.09E-12
							HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.590	4.75E-11
rs75148923	LRP1B (intron 2)		2:141454893	T	C	0.05	HIST1H2BM	1.236	1.33E-11
							HIST1H4B	1.080	2.15E-11
							HIST1H1B	2.588	4.96E-11
rs72853591	LRP1B (intron 2)	OC	2:141557777	C	T	0.06	HIST1H4B	1.015	9.68E-11
							HIST1H1B	2.975	1.62E-14
							HIST1H2BM	1.369	3.12E-14
							HIST1H3B	2.277	1.75E-13
							HIST1H4B	1.154	4.90E-13
							HIST1H2AB	0.310	8.94E-13
							HIST1H3J	1.273	1.28E-12
							HIST1H1E	2.439	3.33E-12
							HIST1H2AJ	1.711	4.01E-12
							HIST1H2AL	0.552	9.35E-12
rs73963540	LRP1B (intron 2)		2:141710041	T	C	0.05	HIST2H2AB	0.263	1.43E-11
							HIST2H3C	0.609	4.10E-11
							HIST1H4K	1.649	4.54E-11
							HIST1H4J	2.204	4.67E-11
							HIST1H3H	1.277	5.05E-11
							HIST1H3I	0.574	6.66E-11
							HIST3H2BB	0.268	6.82E-11
							HIST1H4A	0.474	1.04E-10
							HIST1H1B	2.975	1.62E-14
							HIST1H2BM	1.369	3.12E-14
rs17801458	LRP1B (intron 2)		2:141710903	T	C	0.05	HIST1H3B	2.277	1.75E-13
							HIST1H4B	1.154	4.90E-13
							HIST1H2AB	0.310	8.94E-13
							HIST1H3J	1.273	1.28E-12
							HIST1H1E	2.439	3.33E-12
							HIST1H2AJ	1.711	4.01E-12
							HIST1H2AL	0.552	9.35E-12
							HIST2H2AB	0.263	1.43E-11
							HIST2H3C	0.609	4.10E-11
							HIST1H4K	1.649	4.54E-11
							HIST1H4J	2.204	4.67E-11
							HIST1H3H	1.277	5.05E-11

TABLE 1: Continued.

TABLE 1: Continued.

SNP ^a	Gene	Effect ^b	Location ^c	A1 ^d	A2 ^d	MAF	Genetic associations	Beta	P
rs71560740	Intergenic		7:85896218	C	T	0.06	HIST1H2AJ HIST1H3A	1.491 0.228	1.48E-10 2.41E-10
							HIST1H3J HIST1H4A HIST1H2BM HIST1H2AJ HIST1H3B HIST1H1B HIST1H1E	1.234 0.494 1.222 1.648 2.052 2.540 2.269	8.16E-13 1.89E-12 2.40E-12 3.64E-12 6.16E-12 1.39E-11 1.78E-11
rs118052517	Intergenic		7:153287269	C	T	0.06	HIST1H2AB HIST1H4K HIST1H4J HIST1H3I HIST1H3H	0.270 1.532 2.039 0.534 1.180	1.16E-10 2.14E-10 2.62E-10 2.77E-10 2.95E-10
rs77957383	Intergenic		9:1715766	T	C	0.07	HIST1H4B	0.894	1.85E-10
rs113936625	Intergenic		10:111124417	C	G	0.05	HIST1H4B	1.056	2.76E-10
							HIST1H2BM	1.092	1.45E-11
rs75201173	Intergenic	CTCF	11:1062030	C	A	0.07	HIST2H3C HIST1H1B HIST1H3B	0.529 2.227 1.766	1.22E-10 1.75E-10 1.94E-10
							HIST1H2BM	1.092	1.45E-11
rs11245920	Intergenic	CTCF	11:1062519	C	T	0.07	HIST2H3C HIST1H1B HIST1H3B	0.529 2.227 1.766	1.22E-10 1.75E-10 1.94E-10
							HIST1H2BM	1.092	1.45E-11
rs111452409	Intergenic		11:1064929	G	A	0.07	HIST2H3C HIST1H1B HIST1H3B	0.529 2.227 1.766	1.22E-10 1.75E-10 1.94E-10
rs113659777	MUC2 (intron 2)		11:1088149	A	G	0.07	HIST1H2BM HIST1H4B	1.101 0.951	2.89E-11 8.17E-11
							HIST1H2BM	1.262	1.56E-12
rs184239416	MUC2 (intron 2)		11:1088154	G	A	0.06	HIST1H4B HIST1H1B HIST1H1E HIST3H2BB	1.077 2.566 2.206 0.257	9.13E-12 2.84E-11 2.06E-10 2.37E-10
							HIST1H2BM	1.068	4.19E-11
rs41392245	MUC2 (intron 2)		11:1089095	T	C	0.07	HIST2H3C HIST1H3B HIST1H1B	0.528 1.761 2.201	1.34E-10 2.23E-10 2.90E-10
							HIST1H2AJ	1.711	2.53E-13
rs11033879	MMP26 (intron 1)		11:4786997	G	A	0.05	HIST1H1E HIST1H3B HIST2H2AB HIST1H1B HIST1H4A	2.374 2.102 0.263 2.635 0.490	9.71E-13 9.80E-13 1.12E-12 1.18E-12 1.62E-12

TABLE 1: Continued.

SNP ^a	Gene	Effect ^b	Location ^c	A1 ^d	A2 ^d	MAF	Genetic associations	Beta	P
							HIST1H2BM	1.195	4.53E-12
							HIST2H3C	0.594	1.15E-11
							HIST1H3J	1.148	2.08E-11
							HIST1H4K	1.593	2.16E-11
							HIST1H2AB	0.275	3.14E-11
							HIST1H4J	2.095	4.85E-11
							HIST1H3I	0.544	7.46E-11
							HIST1H3H	1.190	1.28E-10
							HIST1H2AH	0.793	2.70E-10
rs80143982	Intergenic		11:110990257	A	G	0.05	HIST1H4A	0.482	2.65E-10
rs75349221	Intergenic		14:44176974	T	A	0.05	HIST1H4A	0.471	2.75E-10
rs72846811	RBFOX3 (intron 3)		17:79231229	A	G	0.06	HIST1H4A	0.489	1.90E-11
rs183898825	TAF4B (intron 9)		18:26303160	C	A	0.05	HIST1H4A	0.466	2.60E-10
rs57185274	CACNA1A (intron 3)		19:13406972	A	T	0.05	HIST1H4B	1.034	2.04E-10

^aSNP in bold indicates the representative variant in each linkage disequilibrium block. SNP with superscript “#” was associated with autism in a Chinese population [15]. ^bThe effects were predicted using Ensembl Variant Effect Predictor program [11]. OC: open chromatin region; CTCF: CTCF binding site.

^aChromosome: base pair position from GRCh38.p2. ^bA1: minor allele; A2: major allele. SNP: single-nucleotide polymorphism; MAF: minor allele frequency.




FIGURE 2: Number of histone genes with expression associated with SNPs. The figure in parentheses following the SNPs indicates the chromosomal number.

The identified eQTLs were further analyzed for their associations with the expression of nonhistone genes throughout the genome. The Bonferroni multiple testing based on *t*-statistic was also applied with a significance threshold value of $P = 4.75 \times 10^{-6}$.

The functions of identified SNPs were examined using the Ensembl Variant Effect Predictor program [11] and RegulomeDB [12] (e.g., the motif of DNA footprinting assay, chromatin structure by DNA-seq, and protein binding by ChIP-seq).

3. Results

We observed numerous correlations amid the expression of the histone genes investigated in the current study (Figure 1). In particular, the expression of 29 genes showed correlations significantly ($P < 0.05$). Genome-

wide association analysis showed that 74 SNPs were associated with the expression of the 29 histone genes ($P < 2.97 \times 10^{-10}$; Table 1). Among them, 26 SNPs were simultaneously associated with the expression of multiple histone genes, and 5 out of 26 SNPs were associated with the expression of more than 10 histone genes (Figure 2). Thirty-one LD blocks were constructed covering the identified SNPs (Figure 3). The eQTLs corresponded to functional sites provided by various functional search sites. The rs79335804 had the most probable function with a RegulomeDB score of 2b (Table S1 available online at <https://doi.org/10.1155/2017/6202567>).

Transcriptome-wide association analysis revealed 80 additional genes associated with the 31 identified eQTLs ($P < 4.75 \times 10^{-6}$; Table 2). The genes encoding ribonuclease P RNA component H1 (RPPH1) and some small Cajal




FIGURE 3: Linkage disequilibrium (LD) blocks of SNPs associated with the expression of histone genes. (a) 4 LD blocks in chromosome 2 (48891009-48924921, 141415941-141454893, 141710041-141714131, and 205737518-205744540), (b) 1 LD block in chromosome 5 (14080602-14101222), and (c) 1 LD block in chromosome 11 (1062030-1064929). No LD blocks were observed in chromosomes 6 and 7.

body-specific RNAs (scRNAs), in particular, were associated with more than half of the eQTLs (>15 eQTLs; Table 2).

4. Discussion

We analyzed the eQTLs for simultaneously expressed histone genes. We found significant correlations amid the expression of 29 histone genes, which were all clustered in chromosome 1 or 6. This clustered structure of the genes may serve to control simultaneous transcription, and this is supported by the observation that the expression of other histone genes not located on chromosome 1 or 6, including H1FX and H2A family members, was not correlated with those of the 29 selected genes. Furthermore, correlation estimates showed two subgroups nested within the large group (one with 21 genes and the other with 10 genes; with strong correlation coefficients of $r > 0.7$), which likely provide a manageable unit for coordinating transcription.

The genome-wide eQTL analysis revealed that 12 loci were associated with the expression of multiple histone genes. The eQTLs were located on chromosomes 2, 7, and 11. Since 29 histone genes were all located on chromosome 1 or 6, we suspect that the identified eQTLs were transacting. This suggests that many histone genes are simultaneously transcribed by remote regulators.

Functional analysis of the identified eQTLs suggests that they are very important for transcription. For example,

rs79335804, an SNP within an eQTL on chromosome 2, was the binding motif for Kruppel-like factor 4 (Klf4) protein in various cells including LCLs. Klf4 was associated with chromosomal aberrations and can prevent cell proliferation by acting as a transcription factor [13]. The aberrant chromatin formation could be caused by overproduction of a histone dimer set (H2A-H2B or H3-H4) [14]. Thus, we suspect that there is an association between the chromosomal aberrations by Klf4 and histone gene mRNA expression. Rs849578 within another eQTL on chromosome 2 was associated with autism in the Chinese Han population [15]. It is located in an intron of neuropilin 2 (NRP2) which may be an effector of apoptosis, proliferation, and neuronal development [16]. Histones are known to be related to developmental regulation [17], but additional study is required to elucidate underlying mechanism of the relationship between histones and NRP2.

Transcriptome-wide association analysis revealed that many nonhistone genes were also associated with the identified eQTLs. In particular, some genes were associated with 23 or more eQTLs. One was RPPH1, an RNA component of RNase P, which may assist in the cell cycle-dependent transcription of ribosomal RNAs (rRNAs) by associating with chromatin [18]. The expression of rRNAs increased from G1 to S and peaked at G2 [18]. The transcription of histone genes rapidly increased before the S phase of the cell cycle and decreased shortly thereafter [1]. Thus, many eQTLs

TABLE 2: Associations of the identified eQTLs with expression of histone and nonhistone genes all over the human genome.

eQTL	Gene	P	Gene	P	Gene	P	Gene	P
rs10919229	HIST1H4B (6)	2.51E-10	HIST1H3J (6)	3.40E-08	HIST1H3H (6)	2.02E-07	SASH3 (X)	2.89E-06
	HIST1H2BM (6)	4.38E-09	HIST1H3B (6)	4.64E-08	HIST1H1E (6)	2.50E-07	HIST1H2AH (6)	4.61E-06
	HIST1H1B (6)	1.81E-08	RPPH1 (14)	5.82E-08	HIST1H2AB (6)	2.54E-07		
	SCARNA13 (14)	3.38E-08	SCARNA12 (12)	1.22E-07	HIST1H2AM (6)	9.76E-07		
rs191508159	SNORA53 (12)	4.38E-13	SCARNA2 (1)	5.28E-08	HIST2H3C (1)	1.41E-07	HIST1H3H (6)	5.46E-07
	HIST1H4A (6)	3.41E-11	HIST1H1E (6)	7.02E-08	HIST1H2AL (6)	1.99E-07	G3BP2 (4)	5.51E-07
	HIST1H2AJ (6)	5.72E-09	HIST2H2AB (1)	7.35E-08	HIST1H1B (6)	2.67E-07	HIST1H2AH (6)	3.21E-06
	HIST1H3J (6)	3.33E-08	HIST1H2AB (6)	1.02E-07	HIST1H4K (6)	2.99E-07	HIST1H3A (6)	4.06E-06
rs13432631	HIST1H4J (6)	4.63E-08	HIST1H3B (6)	1.14E-07	HIST1H3I (6)	5.12E-07	HIST1H2BM (6)	4.73E-06
	HIST1H4B (6)	1.78E-11	HIST1H3B (6)	1.13E-08	HIST1H2AJ (6)	1.86E-07	HIST1H2AH (6)	6.84E-07
	SCARNA12 (12)	1.70E-10	HIST1H2AB (6)	2.83E-08	HIST3H2BB (1)	1.91E-07	RPPH1 (14)	7.69E-07
	HIST1H2BM (6)	1.95E-09	HIST1H3I (6)	1.01E-07	HIST1H3H (6)	2.56E-07	HIST1H3A (6)	2.10E-06
rs189340111	HIST1H1B (6)	3.33E-09	SCARNA13 (14)	1.23E-07	HIST1H4K (6)	3.45E-07	HIST1H4J (6)	2.48E-06
	HIST1H3J (6)	1.11E-08	HIST1H1E (6)	1.74E-07	HIST2H2AB (1)	6.28E-07	HIST1H4A (6)	2.81E-06
	HIST1H4B (6)	2.99E-12	HIST1H3I (6)	1.73E-09	HIST1H4J (6)	3.30E-08	SCARNA2 (1)	4.27E-07
	HIST1H1B (6)	2.91E-11	HIST2H2AB (1)	1.78E-09	HIST1H3A (6)	3.60E-08	PIGF (2)	6.15E-07
rs75372391	HIST1H1E (6)	6.90E-11	HIST1H2AJ (6)	2.58E-09	HIST1H4A (6)	7.70E-08	SCARNA13 (14)	1.55E-06
	HIST1H3J (6)	8.17E-11	HIST1H3H (6)	3.93E-09	HIST1H2AM (6)	1.00E-07	RPPH1 (14)	1.91E-06
	HIST1H2AH (6)	2.34E-10	HIST1H4K (6)	9.71E-09	SCARNA12 (12)	1.05E-07	HIST1H2AL (6)	2.40E-06
	HIST1H2BM (6)	2.58E-10	HIST1H2AB (6)	1.81E-08	SCARNA7 (3)	1.81E-07		
rs72853591	HIST1H3B (6)	4.62E-10	HIST3H2BB (1)	3.14E-08	HIST2H3C (1)	2.90E-07		
	HIST1H2BM (6)	6.19E-12	HIST1H3I (6)	5.56E-09	HIST1H4A (6)	3.57E-08	HIST1H2AG (6)	1.77E-07
	HIST1H4B (6)	1.39E-11	HIST1H2AJ (6)	6.33E-09	HIST1H2AH (6)	5.13E-08	HIST1H2AK (6)	6.45E-07
	HIST1H1B (6)	2.92E-11	HIST1H2AB (6)	7.88E-09	HIST1H2AM (6)	5.45E-08	SCARNA7 (3)	1.95E-06
rs17801458	RPPH1 (14)	1.53E-10	HIST3H2BB (1)	9.94E-09	HIST1H4J (6)	5.90E-08	HIST1H3A (6)	2.31E-06
	HIST1H3B (6)	2.00E-10	HIST1H3H (6)	1.10E-08	HIST2H3C (1)	9.35E-08	SCARNA2 (1)	2.85E-06
	HIST1H1E (6)	6.26E-10	HIST2H2AB (1)	2.33E-08	SCARNA12 (12)	9.42E-08		
	HIST1H3J (6)	1.15E-09	HIST1H4K (6)	3.21E-08	HIST1H2AL (6)	1.09E-07		
rs11684178	HIST1H4B (6)	9.68E-11	SCARNA13 (14)	1.03E-08	SCARNA12 (12)	2.12E-07	HIST1H2AH (6)	2.69E-06
	HIST1H1B (6)	5.88E-10	HIST1H3J (6)	1.17E-08	HIST2H2AB (1)	4.57E-07	HIST1H2AL (6)	2.72E-06
	HIST1H2BM (6)	6.02E-10	HIST1H1E (6)	1.88E-08	HIST1H4A (6)	1.16E-06	HIST1H4J (6)	3.52E-06
	RPPH1 (14)	1.96E-09	HIST1H3H (6)	1.56E-07	HIST1H4K (6)	1.57E-06	HIST1H3A (6)	4.33E-06
rs11684178	HIST1H3B (6)	4.11E-09	HIST1H2AJ (6)	1.74E-07	SNORD17 (20)	1.66E-06	HIST2H3C (1)	4.67E-06
	HIST1H3I (6)	8.43E-09	HIST1H2AB (6)	1.84E-07	SCARNA2 (1)	2.24E-06		
	RPPH1 (14)	1.31E-15	HIST1H2AL (6)	9.35E-12	SCARNA2 (1)	9.35E-10	HIST1H2AK (6)	1.75E-06
	HIST1H1B (6)	1.62E-14	HIST2H2AB (1)	1.43E-11	HIST1H3A (6)	5.23E-09	VGLL4 (3)	1.88E-06
rs11684178	HIST1H2BM (6)	3.12E-14	HIST2H3C (1)	4.10E-11	HIST1H2AG (6)	6.96E-09	SNORA53 (12)	2.09E-06
	HIST1H3B (6)	1.75E-13	HIST1H4K (6)	4.54E-11	HIST1H2AH (6)	1.34E-08	WASF2 (1)	3.49E-06
	HIST1H4B (6)	4.90E-13	HIST1H4J (6)	4.67E-11	SNORD17 (20)	2.36E-08	UBE2R2 (9)	4.47E-06
	HIST1H2AB (6)	8.94E-13	HIST1H3H (6)	5.05E-11	SCARNA12 (12)	2.60E-08		
rs11684178	HIST1H3J (6)	1.28E-12	HIST1H3I (6)	6.66E-11	SCARNA7 (3)	1.91E-07		
	HIST1H1E (6)	3.33E-12	HIST3H2BB (1)	6.82E-11	SCARNA13 (14)	4.53E-07		
	HIST1H2AJ (6)	4.01E-12	HIST1H4A (6)	1.04E-10	HIST1H2AM (6)	1.16E-06		
	HIST1H2BM (6)	6.71E-12	HIST1H1E (6)	3.59E-10	HIST1H3A (6)	2.78E-09	NOL11 (17)	4.61E-07
rs11684178	RPPH1 (14)	7.92E-12	HIST1H4J (6)	3.64E-10	HIST2H3C (1)	3.55E-09	SCARNA12 (12)	8.16E-07
	HIST1H1B (6)	2.56E-11	HIST1H4B (6)	3.69E-10	HIST3H2BB (1)	9.84E-09	SCARNA13 (14)	1.09E-06
	HIST1H3B (6)	6.72E-11	HIST1H2AB (6)	4.40E-10	HIST1H4A (6)	2.03E-08	DDX17 (22)	1.32E-06

TABLE 2: Continued.

eQTL	Gene	P	Gene	P	Gene	P	Gene	P
rs6718590	HIST2H2AB (1)	1.04E-10	HIST1H2AH (6)	7.01E-10	HIST1H4K (6)	3.26E-08	MRPS24 (7)	3.22E-06
	HIST1H3J (6)	1.10E-10	HIST1H2AJ (6)	8.58E-10	SCARNA7 (3)	3.37E-08	FASTKD2 (2)	3.42E-06
	HIST1H2AL (6)	1.67E-10	HIST1H3H (6)	1.56E-09	HIST1H2AG (6)	3.80E-08	SNORD17 (20)	3.99E-06
	HIST1H3I (6)	3.41E-10	SCARNA2 (1)	2.47E-09	HIST1H2AK (6)	7.75E-08	EFTUD2 (17)	4.04E-06
	HIST1H2BM (6)	1.15E-10	HIST1H1E (6)	2.68E-09	HIST1H3H (6)	1.57E-08	NOL11 (17)	4.12E-07
	RPPH1 (14)	1.92E-10	HIST1H3I (6)	3.57E-09	HIST1H3A (6)	1.98E-08	SCARNA12 (12)	1.10E-06
	HIST1H1B (6)	3.63E-10	HIST1H4B (6)	4.90E-09	SCARNA2 (1)	2.30E-08	APPBP2 (17)	1.77E-06
	HIST1H2AL (6)	4.03E-10	HIST1H2AB (6)	6.23E-09	HIST1H2AG (6)	8.36E-08	ATP5A1 (18)	3.68E-06
rs111875224	HIST2H2AB (1)	5.83E-10	HIST1H2AH (6)	6.89E-09	HIST1H4A (6)	1.92E-07	PITPNB (22)	3.92E-06
	HIST1H3J (6)	9.78E-10	HIST1H4J (6)	9.48E-09	SCARNA7 (3)	2.51E-07		
	HIST3H2BB (1)	1.30E-09	HIST2H3C (1)	1.01E-08	HIST1H4K (6)	3.19E-07		
	HIST1H3B (6)	1.74E-09	HIST1H2AJ (6)	1.10E-08	HIST1H2AK (6)	3.22E-07		
	HIST1H2AM (6)	1.24E-11	SCARNA7 (3)	2.79E-08	HIST1H3H (6)	2.63E-07	GTF2E2 (8)	2.28E-06
	HIST1H4B (6)	8.51E-11	HIST3H2BB (1)	3.71E-08	SCARNA2 (1)	3.89E-07	C18orf32 (18)	2.68E-06
	HIST1H1B (6)	7.63E-10	HIST1H3J (6)	9.07E-08	HIST1H2AJ (6)	4.51E-07	CD63 (12)	2.80E-06
	HIST1H1E (6)	1.11E-09	SCARNA12 (12)	1.02E-07	SCARNA13 (14)	4.99E-07	SERINC1 (6)	3.24E-06
rs849577	HIST1H2BM (6)	1.41E-09	HIST1H3I (6)	1.14E-07	HIST1H3A (6)	9.59E-07		
	HIST1H3B (6)	1.41E-08	HIST1H2AB (6)	1.32E-07	HIST1H2AL (6)	1.60E-06		
	HIST1H2AH (6)	2.27E-08	HIST2H2AB (1)	1.38E-07	RPPH1 (14)	1.87E-06		
	HIST1H4A (6)	4.48E-11	HIST1H1E (6)	3.42E-08	HIST1H3I (6)	4.33E-07	HIST1H3A (6)	2.03E-06
	SNORA53 (12)	3.16E-10	HIST2H2AB (1)	4.00E-08	HIST1H1B (6)	5.65E-07	HIST1H3H (6)	2.06E-06
	HIST1H4J (6)	8.79E-10	HIST1H3B (6)	8.53E-08	HIST1H3J (6)	6.70E-07	RPPH1 (14)	3.22E-06
	SCARNA2 (1)	1.23E-09	HIST1H2AL (6)	1.35E-07	HIST1H2AH (6)	6.75E-07	HIST1H2BM (6)	4.42E-06
	HIST1H4K (6)	2.46E-09	HIST2H3C (1)	2.09E-07	SCARNA7 (3)	1.71E-06		
rs830612	HIST1H2AJ (6)	1.12E-08	HIST1H2AB (6)	3.52E-07	SNORD17 (20)	1.77E-06		
	HIST1H4B (6)	1.28E-10	HIST1H3B (6)	1.16E-08	SNORD17 (20)	1.52E-07	RPPH1 (14)	6.10E-07
	HIST1H1B (6)	6.19E-10	HIST1H3H (6)	1.67E-08	SASH3 (X)	1.74E-07	HIST1H2AJ (6)	6.67E-07
	HIST1H2BM (6)	2.66E-09	HIST1H1E (6)	2.00E-08	HIST1H2AH (6)	2.54E-07	SCARNA7 (3)	1.56E-06
	HIST1H3J (6)	1.05E-08	HIST1H3I (6)	4.17E-08	HIST1H3A (6)	3.80E-07	HIST1H2AB (6)	3.15E-06
	HIST1H4A (6)	8.77E-11	HIST1H1B (6)	4.03E-09	HIST1H4K (6)	3.84E-08	HIST2H2AB (1)	4.70E-07
	HIST1H3J (6)	3.41E-10	SCARNA2 (1)	6.96E-09	HIST1H3H (6)	4.81E-08	SCARNA7 (3)	5.49E-07
	HIST1H2AJ (6)	3.78E-10	HIST1H2AH (6)	1.72E-08	HIST1H3I (6)	1.01E-07	HIST1H3A (6)	1.04E-06
rs150958961	HIST1H2AB (6)	3.81E-10	HIST1H2AL (6)	1.86E-08	HIST1H4B (6)	1.38E-07	SNORA57 (11)	1.66E-06
	HIST1H3B (6)	4.54E-10	HIST1H2BM (6)	2.30E-08	HIST3H2BB (1)	1.62E-07	HIST1H2AG (6)	2.46E-06
	RPPH1 (14)	7.11E-10	HIST1H4J (6)	2.31E-08	SNORA53 (12)	4.22E-07		
	HIST1H1E (6)	1.80E-09	HIST2H3C (1)	2.57E-08	SNORD17 (20)	4.60E-07		
	HIST1H4B (6)	4.81E-11	HIST1H3H (6)	6.81E-08	HIST1H2AJ (6)	1.23E-06	PPM1G (2)	2.97E-06
	RPPH1 (14)	3.50E-09	HIST1H1E (6)	1.11E-07	HIST1H3I (6)	1.33E-06	THRAP3 (1)	3.14E-06
	HIST1H1B (6)	4.92E-09	HIST1H2AH (6)	1.66E-07	SNORD17 (20)	1.52E-06	SUPT5H (19)	3.91E-06
	HIST1H3J (6)	5.46E-09	DDX28 (16)	5.22E-07	SCARNA12 (12)	1.68E-06	ZNF207 (17)	4.48E-06
rs148619316	HIST1H3B (6)	9.95E-09	HIST1H2AB (6)	6.80E-07	HIST1H2AK (6)	1.69E-06		
	HIST1H2BM (6)	1.70E-08	HIST2H2AB (1)	1.14E-06	C20orf11 (20)	2.61E-06		
	SASH3 (X)	3.00E-08	HIST3H2BB (1)	1.22E-06	SCARNA7 (3)	2.67E-06		
	HIST1H3J (6)	2.75E-10	HIST1H4J (6)	1.67E-08	HIST1H3I (6)	7.68E-08	HIST1H2AK (6)	1.18E-06
	HIST1H3B (6)	4.30E-09	HIST1H1E (6)	2.30E-08	HIST1H2AB (6)	1.38E-07	HIST2H2AB (1)	1.32E-06
	HIST1H4B (6)	4.44E-09	HIST1H4K (6)	3.40E-08	SCARNA2 (1)	1.55E-07	SCARNA7 (3)	2.25E-06
	HIST1H2BM (6)	7.98E-09	HIST1H2AH (6)	3.78E-08	HIST1H4A (6)	1.55E-07	SNORD17 (20)	2.57E-06

TABLE 2: Continued.

eQTL	Gene	P	Gene	P	Gene	P	Gene	P
rs61564830	HIST1H1B (6)	1.04E-08	HIST1H3H (6)	4.52E-08	SASH3 (X)	4.33E-07	HIST1H2AL (6)	4.34E-06
	RPPH1 (14)	1.11E-08	HIST1H2AJ (6)	5.09E-08	HIST1H3A (6)	8.63E-07		
	HIST1H3J (6)	2.62E-10	SCARNA2 (1)	5.85E-09	HIST1H3I (6)	3.37E-08	HIST1H2AB (6)	2.54E-06
	HIST1H2AH (6)	8.25E-10	HIST1H1B (6)	6.35E-09	HIST1H2BM (6)	3.45E-08	HIST1H2AL (6)	2.85E-06
	HIST1H1E (6)	9.74E-10	HIST1H2AJ (6)	1.00E-08	SCARNA13 (14)	1.68E-07	UBE2R2 (9)	4.53E-06
	HIST1H3B (6)	1.50E-09	SNORD17 (20)	1.23E-08	RPPH1 (14)	3.47E-07		
rs144499291	HIST1H3H (6)	1.58E-09	SCARNA7 (3)	2.46E-08	HIST2H2AB (1)	2.23E-06		
	HIST1H4B (6)	2.05E-09	HIST1H4A (6)	2.75E-08	MRPS31 (13)	2.36E-06		
	HIST1H4A (6)	2.88E-10	HIST1H2AK (6)	4.16E-09	HIST1H4K (6)	9.65E-08	FAM122A (9)	2.05E-06
	HIST1H1B (6)	4.57E-10	HIST1H3H (6)	5.46E-09	KPNB1 (17)	1.48E-07	RPPH1 (14)	3.45E-06
	HIST1H2AJ (6)	7.99E-10	HIST1H3I (6)	1.06E-08	SNORD17 (20)	1.49E-07	HIST3H2BB (1)	4.06E-06
	HIST1H1E (6)	9.23E-10	HIST1H2AB (6)	1.12E-08	HIST2H3C (1)	2.10E-07		
rs71560740	HIST1H2BM (6)	1.15E-09	HIST2H2AB (1)	3.99E-08	HIST1H4J (6)	2.73E-07		
	HIST1H3J (6)	2.45E-09	HIST1H4B (6)	4.58E-08	SCARNA7 (3)	2.83E-07		
	HIST1H3B (6)	2.85E-09	SCARNA2 (1)	5.61E-08	HIST1H2AL (6)	4.25E-07		
	HIST1H2AH (6)	4.05E-09	SNORA53 (12)	9.55E-08	HIST1H3A (6)	5.03E-07		
	HIST1H2AJ (6)	1.48E-10	HIST1H3I (6)	6.75E-09	RPPH1 (14)	1.71E-08	HIST1H2AH (6)	4.57E-07
	HIST1H3A (6)	2.41E-10	HIST2H2AB (1)	9.23E-09	SNORA53 (12)	2.32E-08	HIST1H3H (6)	9.55E-07
rs118052517	HIST1H2AB (6)	8.54E-10	HIST1H4J (6)	9.80E-09	HIST1H3J (6)	2.54E-08	TDRD12 (19)	3.26E-06
	HIST2H3C (1)	1.32E-09	HIST1H2BM (6)	1.13E-08	HIST1H1E (6)	3.18E-08	HIST1H2AM (6)	3.74E-06
	HIST1H3B (6)	3.46E-09	HIST1H4A (6)	1.27E-08	HIST1H2AL (6)	7.54E-08	HIST1H4B (6)	3.78E-06
	HIST1H1B (6)	6.55E-09	HIST1H4K (6)	1.29E-08	SCARNA2 (1)	2.35E-07		
	HIST1H3J (6)	8.16E-13	HIST1H4K (6)	2.14E-10	HIST1H4B (6)	2.72E-09	HIST3H2BB (1)	3.49E-08
	HIST1H4A (6)	1.89E-12	SCARNA2 (1)	2.30E-10	HIST1H2AH (6)	2.81E-09	LOXL4 (10)	1.35E-06
rs77957383	HIST1H2BM (6)	2.40E-12	HIST1H4J (6)	2.62E-10	HIST2H3C (1)	6.12E-09	KRT8 (12)	1.53E-06
	HIST1H2AJ (6)	3.64E-12	HIST1H3I (6)	2.77E-10	SNORA53 (12)	8.62E-09	HIST1H2AM (6)	1.63E-06
	HIST1H3B (6)	6.16E-12	HIST1H3H (6)	2.95E-10	HIST1H3A (6)	1.04E-08	TRNP1 (1)	1.82E-06
	HIST1H1B (6)	1.39E-11	RPPH1 (14)	1.53E-09	HIST1H2AK (6)	1.27E-08	SCUBE2 (11)	4.20E-06
	HIST1H1E (6)	1.78E-11	HIST1H2AL (6)	1.73E-09	SNORD17 (20)	1.61E-08		
	HIST1H2AB (6)	1.16E-10	HIST2H2AB (1)	2.34E-09	SCARNA7 (3)	3.31E-08		
rs113936625	HIST1H4B (6)	1.85E-10	HIST3H2BB (1)	4.38E-09	SCARNA12 (12)	1.82E-07	CDC5L (6)	3.27E-06
	RPPH1 (14)	3.19E-10	HIST1H1E (6)	2.17E-08	SCARNA2 (1)	2.84E-07	HIST2H3C (1)	4.43E-06
	HIST1H2BM (6)	4.46E-10	HIST2H2AB (1)	2.20E-08	HIST1H3H (6)	7.97E-07		
	HIST1H3B (6)	1.04E-09	HIST1H2AJ (6)	2.95E-08	HIST1H2AK (6)	1.03E-06		
	HIST1H1B (6)	1.38E-09	SCARNA7 (3)	3.95E-08	HIST1H4A (6)	1.61E-06		
	HIST1H3J (6)	3.57E-09	HIST1H3I (6)	4.73E-08	SCARNA13 (14)	2.67E-06		
rs75201173	HIST1H2AB (6)	3.98E-09	HIST1H2AH (6)	1.49E-07	HIST1H2AL (6)	3.22E-06		
	HIST1H4B (6)	2.76E-10	SCARNA13 (14)	1.12E-07	HIST1H3H (6)	3.64E-07	RPPH1 (14)	2.97E-06
	HIST1H2BM (6)	2.29E-09	SCARNA12 (12)	1.20E-07	HIST1H2AJ (6)	9.36E-07	HIST1H2AL (6)	3.00E-06
	HIST1H1B (6)	8.82E-09	HIST1H3B (6)	1.36E-07	HIST2H2AB (1)	1.25E-06	HIST1H3A (6)	3.44E-06
	HIST1H2AM (6)	1.42E-08	HIST1H2AB (6)	1.79E-07	HIST1H3I (6)	1.41E-06	SNORD17 (20)	3.63E-06
	HIST1H3J (6)	3.32E-08	HIST1H1E (6)	2.11E-07	HIST1H2AH (6)	2.45E-06		
	HIST1H2BM (6)	1.45E-11	HIST1H2AK (6)	2.05E-09	STYX (14)	4.33E-07	HMHA1 (19)	2.49E-06
	RPPH1 (14)	6.79E-11	HIST1H2AB (6)	3.62E-09	PRKAR1A (17)	4.54E-07	OSBPL11 (3)	2.57E-06
	HIST2H3C (1)	1.22E-10	SCARNA2 (1)	1.15E-08	SMAD2 (18)	5.85E-07	FBXL12 (19)	2.73E-06
	HIST1H1B (6)	1.75E-10	HIST1H2AL (6)	1.56E-08	EFTUD2 (17)	6.59E-07	FNBP1 (9)	2.92E-06
	HIST1H3B (6)	1.94E-10	HIST2H2AB (1)	3.33E-08	ZFP91 (11)	8.19E-07	SLC44A2 (19)	3.26E-06

TABLE 2: Continued.

eQTL	Gene	P	Gene	P	Gene	P	Gene	P
rs113659777	HIST1H4B (6)	3.04E-10	HIST1H3I (6)	5.13E-08	GBF1 (10)	1.03E-06	SCARNA12 (12)	3.62E-06
	HIST1H3H (6)	6.76E-10	HIST1H2AH (6)	5.81E-08	APBA3 (19)	1.15E-06	SCARNA13 (14)	4.24E-06
	HIST1H2AJ (6)	6.95E-10	HIST1H2AG (6)	7.13E-08	COX15 (10)	1.90E-06	ACLY (17)	4.49E-06
	SCARNA7 (3)	1.45E-09	HIST1H4K (6)	1.46E-07	SERBP1 (1)	2.00E-06		
	HIST1H2AM (6)	1.61E-09	HIST3H2BB (1)	1.64E-07	HIST1H2BN (6)	2.09E-06		
	HIST1H1E (6)	1.79E-09	HIST1H4A (6)	3.81E-07	HIST1H3A (6)	2.19E-06		
	HIST1H3J (6)	1.92E-09	HIST1H4J (6)	4.30E-07	HIST1H2BO (6)	2.22E-06		
rs184239416	HIST1H2BM (6)	2.89E-11	HIST1H1E (6)	1.72E-09	SNORD17 (20)	1.14E-07	SCARNA12 (12)	1.62E-06
	RPPH1 (14)	7.27E-11	HIST1H4K (6)	3.31E-09	HIST3H2BB (1)	1.27E-07	HTATSF1 (X)	2.97E-06
	HIST1H4B (6)	8.17E-11	HIST1H2AJ (6)	5.31E-09	HIST1H2AK (6)	1.40E-07	AGGF1 (5)	3.52E-06
	HIST1H1B (6)	3.27E-10	HIST1H2AB (6)	7.80E-09	SCARNA13 (14)	2.84E-07	MTFMT (15)	3.89E-06
	HIST1H3B (6)	6.97E-10	HIST1H2AL (6)	1.05E-08	HIST1H4A (6)	3.39E-07		
	HIST2H2AB (1)	9.75E-10	SCARNA2 (1)	1.72E-08	HIST1H3I (6)	3.63E-07		
	HIST1H2AM (6)	9.86E-10	HIST1H4J (6)	4.06E-08	HIST1H2AG (6)	4.70E-07		
rs41392245	HIST1H3J (6)	1.08E-09	HIST1H2AH (6)	9.03E-08	HIST1H3A (6)	4.83E-07		
	HIST1H3H (6)	1.37E-09	HIST2H3C (1)	9.54E-08	SCARNA7 (3)	1.13E-06		
	HIST1H2BM (6)	1.56E-12	HIST2H2AB (1)	2.30E-09	SCARNA12 (12)	9.43E-08	HIST2H3C (1)	1.42E-06
	RPPH1 (14)	2.76E-12	HIST1H3H (6)	2.98E-09	HIST1H4A (6)	9.92E-08	GNAI3 (1)	1.60E-06
	HIST1H4B (6)	9.13E-12	HIST1H2AL (6)	3.09E-09	SCARNA13 (14)	1.11E-07	MAPRE1 (20)	1.73E-06
	HIST1H1B (6)	2.84E-11	HIST1H2AJ (6)	3.83E-09	HIST1H3I (6)	1.46E-07	RIOK3 (18)	2.38E-06
	HIST1H3J (6)	3.88E-11	HIST1H2AM (6)	8.62E-09	CAPZA1 (1)	1.84E-07	HIST1H2AK (6)	2.55E-06
rs11033879	HIST1H3B (6)	1.17E-10	HIST1H2AB (6)	1.50E-08	HIST1H2AG (6)	2.41E-07	AGGF1 (5)	2.75E-06
	HIST1H1E (6)	2.06E-10	SCARNA2 (1)	3.83E-08	HIST1H3A (6)	2.62E-07	ARL6IP6 (2)	3.00E-06
	HIST3H2BB (1)	2.37E-10	HIST1H2AH (6)	6.24E-08	HIST1H4K (6)	4.45E-07		
	SNORD17 (20)	1.19E-09	SCARNA7 (3)	6.81E-08	HIST1H4J (6)	4.76E-07		
	HIST1H2BM (6)	4.19E-11	HIST1H1E (6)	3.18E-09	HIST1H4K (6)	2.14E-07	HMHA1 (19)	2.79E-06
	RPPH1 (14)	1.07E-10	HIST1H2AB (6)	4.10E-09	PRKAR1A (17)	3.46E-07	FBXL12 (19)	3.05E-06
	HIST2H3C (1)	1.34E-10	HIST1H2AK (6)	1.08E-08	ZFP91 (11)	3.49E-07	SNORD17 (20)	3.06E-06
rs80143982	HIST1H3B (6)	2.23E-10	SCARNA2 (1)	1.47E-08	SCARNA12 (12)	4.21E-07	APBA3 (19)	3.07E-06
	HIST1H1B (6)	2.90E-10	HIST1H2AL (6)	1.89E-08	STYX (14)	7.62E-07	HIST1H2BN (6)	3.26E-06
	HIST1H4B (6)	3.59E-10	HIST2H2AB (1)	2.27E-08	HIST1H4J (6)	7.71E-07	RDH5 (12)	3.79E-06
	HIST1H3H (6)	1.08E-09	HIST1H2AG (6)	2.99E-08	HIST1H4A (6)	9.00E-07	ACLY (17)	4.07E-06
	HIST1H2AJ (6)	1.10E-09	HIST1H2AH (6)	4.46E-08	HIST1H2BO (6)	9.37E-07	ZNF622 (5)	4.27E-06
	SCARNA7 (3)	1.16E-09	HIST1H3I (6)	7.59E-08	SMAD2 (18)	1.58E-06		
	HIST1H2AM (6)	2.39E-09	HIST3H2BB (1)	1.42E-07	HIST1H3A (6)	1.82E-06		
rs80143982	HIST1H3J (6)	2.76E-09	COX15 (10)	1.96E-07	EFTUD2 (17)	2.57E-06		
	SNORA53 (12)	2.29E-13	HIST1H3J (6)	2.08E-11	HIST1H3A (6)	4.97E-10	HIST1H2AG (6)	2.23E-07
	HIST1H2AJ (6)	2.53E-13	HIST1H4K (6)	2.16E-11	RPPH1 (14)	1.18E-09	OBFC2B (12)	1.22E-06
	HIST1H1E (6)	9.71E-13	HIST1H2AB (6)	3.14E-11	HIST3H2BB (1)	1.51E-09	RUNDC1 (17)	1.82E-06
	HIST1H3B (6)	9.80E-13	HIST1H4J (6)	4.85E-11	HIST1H4B (6)	2.07E-09	NHS (X)	1.92E-06
	HIST2H2AB (1)	1.12E-12	HIST1H3I (6)	7.46E-11	HIST1H2AK (6)	6.39E-09	SVIL (10)	4.02E-06
	HIST1H1B (6)	1.18E-12	SCARNA2 (1)	1.10E-10	HIST1H2AL (6)	1.64E-08		
rs11033879	HIST1H4A (6)	1.62E-12	HIST1H3H (6)	1.28E-10	SCARNA7 (3)	3.12E-08		
	HIST1H2BM (6)	4.53E-12	HIST1H2AH (6)	2.70E-10	FN1 (2)	3.67E-08		
	HIST2H3C (1)	1.15E-11	SNORD17 (20)	4.02E-10	HIST1H2AM (6)	1.68E-07		
	HIST1H4A (6)	2.65E-10	NOTCH2NL (1)	2.32E-07	HIST1H3I (6)	1.73E-06	ZNF207 (17)	4.57E-06
	HIST3H2BB (1)	3.31E-10	RNF26 (11)	3.73E-07	HIST1H2AJ (6)	2.16E-06		

TABLE 2: Continued.

eQTL	Gene	P	Gene	P	Gene	P	Gene	P
rs75349221	SNORA53 (12)	2.42E-08	SCARNA2 (1)	6.10E-07	SNORD17 (20)	2.25E-06		
	HIST1H1E (6)	3.15E-08	HIST2H3C (1)	1.51E-06	MRFAP1L1 (4)	4.02E-06		
	HIST1H4A (6)	2.75E-10	HIST1H2BM (6)	8.36E-09	HIST1H3H (6)	1.11E-07	HIST1H2AB (6)	1.91E-06
	HIST1H1E (6)	4.32E-10	HIST1H3I (6)	8.42E-09	SCARNA2 (1)	1.45E-07	NDUFA8 (9)	2.23E-06
	HIST1H1B (6)	7.02E-10	SNORD17 (20)	1.32E-08	HIST1H4K (6)	1.59E-07	NDUFS1 (2)	2.90E-06
	HIST1H3B (6)	1.26E-09	SNORA53 (12)	1.96E-08	HIST1H4J (6)	2.64E-07	RPPH1 (14)	2.95E-06
	HIST1H2AJ (6)	4.14E-09	HIST1H4B (6)	2.78E-08	UBAP1 (9)	3.35E-07	TEX261 (2)	3.35E-06
	SCARNA7 (3)	7.10E-09	HIST2H2AB (1)	5.63E-08	HIST2H3C (1)	1.36E-06	RUNDIC1 (17)	3.63E-06
rs72846811	HIST1H3J (6)	8.33E-09	HIST1H2AH (6)	8.54E-08	SCARNA13 (14)	1.61E-06	HIST1H2AL (6)	4.38E-06
	HIST1H4A (6)	1.90E-11	HIST1H3I (6)	1.06E-07	SCARNA7 (3)	3.49E-07	HIST1H3A (6)	2.08E-06
	SNORA53 (12)	1.90E-10	SCARNA2 (1)	1.22E-07	HIST1H3J (6)	5.24E-07	HIST1H2BM (6)	2.77E-06
	HIST1H1E (6)	8.56E-09	HIST1H2AH (6)	2.32E-07	HIST2H3C (1)	1.12E-06	HIST2H2AB (1)	2.79E-06
rs183898825	HIST1H2AJ (6)	7.92E-08	HIST1H3B (6)	2.44E-07	HIST1H1B (6)	1.24E-06		
	SNORA53 (12)	9.65E-11	HIST1H4J (6)	2.52E-08	HIST1H1E (6)	2.74E-07	HIST1H2AH (6)	7.54E-07
	HIST1H4A (6)	2.60E-10	HIST1H2AJ (6)	4.29E-08	HIST2H2AB (1)	4.28E-07	SNORA70 (X)	8.38E-07
	HIST1H4K (6)	7.93E-09	HIST2H3C (1)	8.18E-08	HIST1H3B (6)	4.88E-07	HIST1H1B (6)	1.58E-06
	HIST1H3I (6)	1.64E-08	SCARNA7 (3)	1.21E-07	HIST1H3H (6)	4.96E-07	HIST1H2AB (6)	2.66E-06
rs57185274	SCARNA2 (1)	1.69E-08	SNORD17 (20)	1.78E-07	HIST1H3A (6)	5.65E-07	HIST1H3J (6)	3.18E-06
	HIST1H4B (6)	2.04E-10	HIST1H3J (6)	4.54E-08	HIST1H2AB (6)	5.47E-07	EPCAM (2)	2.65E-06
	HIST1H2BM (6)	3.32E-09	HIST1H3B (6)	7.51E-08	HIST1H3H (6)	6.20E-07	HIST2H3C (1)	2.79E-06
	HIST1H2AM (6)	5.05E-09	SCARNA12 (12)	2.88E-07	HIST1H2AJ (6)	7.13E-07	FNBP1 (9)	3.03E-06
	HIST1H1B (6)	7.66E-09	SCARNA13 (14)	4.61E-07	HIST2H2AB (1)	9.68E-07	HIST3H2BB (1)	3.24E-06
	HIST1H1E (6)	2.02E-08	HIST1H3I (6)	5.12E-07	HIST1H2AH (6)	1.69E-06	ZNF524 (19)	4.57E-06

Figure in parentheses indicates chromosome number.

identified in this study might be involved in the cell cycle-dependent expression of both RPPH1 and histone genes. Such a regulation of the eQTLs would be one of the key factors to solve their underlying mechanisms. The others identified with many eQTLs were the genes encoding scaRNAs (SCARNA2 and SCARNA7) located in the Cajal body, similar to the pre-mRNAs of histones, which move to the Cajal body for mRNA processing [3, 19].

Interestingly, many genes controlled by the same eQTLs as those for histones do not have polyadenylated structures [20]. In particular, the genes associated with more than 10 eQTLs were all nonpolyadenylated. They were snoRNAs, scaRNAs, and RPPH1. Considering that histones are also nonpolyadenylated, this may help us to understand the transcriptional regulation of histone genes by these eQTLs.

The expressions of histone genes play an important role in controlling chromatin accessibility [21]. Improper expression of histone genes has been associated with tumorigenesis [22–24]. Expression of NPAT, a transcriptional activator for histone genes, is also associated with human tumorigenesis [25]. The influence of histone genes on tumor developments might be supported by the eQTLs identified in the current study, because some of the eQTLs were located within anticipated tumor suppressor genes such as low-density lipoprotein receptor-related protein (LRP1B) and utrophin (UTRN) [26, 27].

In conclusion, we identified 31 eQTLs for histone genes. The eQTLs were also associated with nonhistone genes that exhibited both a cell cycle-dependent expression and a non-polyadenylated RNA structure. Further investigations are required to understand the mechanisms regulating the transcription of the histone and nonhistone genes identified in this study and to appreciate their influence on cancer and other diseases. Moreover, identification of eQTLs using disease-specific cell types would provide resolute mechanisms by diseases.

Conflicts of Interest

The authors declare that they have no competing interests.






Acknowledgments

This work was funded by the National Research Foundation of Korea, the Ministry of Education, Science, and Technology (Grant no. NRF-2012M3A9D1054705).

References

- [1] W. F. Marzluff and R. J. Duronio, "Histone mRNA expression: multiple levels of cell cycle regulation and important developmental consequences," *Current Opinion in Cell Biology*, vol. 14, no. 6, pp. 692–699, 2002.

- [2] G. Li, X. Ruan, R. K. Auerbach et al., "Extensive promoter-centered chromatin interactions provide a topological basis for transcription regulation," *Cell*, vol. 148, no. 1-2, pp. 84-98, 2012.
- [3] L. S. Shopland, M. Byron, J. L. Stein, J. B. Lian, G. S. Stein, and J. B. Lawrence, "Replication-dependent histone gene expression is related to Cajal body (CB) association but does not require sustained CB contact," *Molecular Biology of the Cell*, vol. 12, no. 3, pp. 565-576, 2001.
- [4] G. S. Stein, A. J. van Wijnen, J. L. Stein et al., "An architectural perspective of cell-cycle control at the G1/S phase cell-cycle transition," *Journal of Cellular Physiology*, vol. 209, no. 3, pp. 706-710, 2006.
- [5] Genomes Project Consortium, G. R. Abecasis, A. Auton et al., "An integrated map of genetic variation from 1,092 human genomes," *Nature*, vol. 491, no. 7422, pp. 56-65, 2012.
- [6] T. Lappalainen, M. Sammeth, M. R. Friedlander et al., "Transcriptome and genome sequencing uncovers functional variation in humans," *Nature*, vol. 501, no. 7468, pp. 506-511, 2013.
- [7] P. A. t Hoen, M. R. Friedlander, J. Almlöf et al., "Reproducibility of high-throughput mRNA and small RNA sequencing across laboratories," *Nature Biotechnology*, vol. 31, no. 11, pp. 1015-1022, 2013.
- [8] S. Purcell, B. Neale, K. Todd-Brown et al., "Plink: a tool set for whole-genome association and population-based linkage analyses," *American Journal of Human Genetics*, vol. 81, no. 3, pp. 559-575, 2007.
- [9] J. C. Barrett, B. Fry, J. Maller, and M. J. Daly, "Haploview: analysis and visualization of LD and haplotype maps," *Bioinformatics*, vol. 21, no. 2, pp. 263-265, 2005.
- [10] S. B. Gabriel, S. F. Schaffner, H. Nguyen et al., "The structure of haplotype blocks in the human genome," *Science*, vol. 296, no. 5576, pp. 2225-2229, 2002.
- [11] W. McLaren, B. Pritchard, D. Rios, Y. Chen, P. Flückeck, and F. Cunningham, "Deriving the consequences of genomic variants with the Ensembl API and SNP Effect Predictor," *Bioinformatics*, vol. 26, no. 16, pp. 2069-2070, 2010.
- [12] A. P. Boyle, E. L. Hong, M. Hariharan et al., "Annotation of functional variation in personal genomes using RegulomeDB," *Genome Research*, vol. 22, no. 9, pp. 1790-1797, 2012.
- [13] E. A. El-Karim, E. G. Hagos, A. M. Ghaleb, B. Yu, and V. W. Yang, "Kruppel-like factor 4 regulates genetic stability in mouse embryonic fibroblasts," *Molecular Cancer*, vol. 12, p. 89, 2013.
- [14] D. Meeks-Wagner and L. H. Hartwell, "Normal stoichiometry of histone dimer sets is necessary for high fidelity of mitotic chromosome transmission," *Cell*, vol. 44, no. 1, pp. 43-52, 1986.
- [15] S. Wu, W. Yue, M. Jia et al., "Association of the neuropilin-2 (NRP2) gene polymorphisms with autism in Chinese Han population," *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, vol. 144B, no. 4, pp. 492-495, 2007.
- [16] C. Chen, M. Li, H. Chai, H. Yang, W. E. Fisher, and Q. Yao, "Roles of neuropilins in neuronal development, angiogenesis, and cancers," *World Journal of Surgery*, vol. 29, no. 3, pp. 271-275, 2005.
- [17] R. W. Old and H. R. Woodland, "Histone genes: not so simple after all," *Cell*, vol. 38, no. 3, pp. 624-626, 1984.
- [18] R. Reiner, N. Krasnov-Yoeli, Y. Dehtiar, and N. Jarrous, "Function and assembly of a chromatin-associated RNase P that is required for efficient transcription by RNA polymerase I," *PLoS One*, vol. 3, no. 12, article e4072, 2008.
- [19] X. Darzacq, B. E. Jady, C. Verheggen, A. M. Kiss, E. Bertrand, and T. Kiss, "Cajal body-specific small nuclear RNAs: a novel class of 2'-O-methylation and pseudouridylation guide RNAs," *The EMBO Journal*, vol. 21, no. 11, pp. 2746-2756, 2002.
- [20] L. Yang, M. O. Duff, B. R. Graveley, G. G. Carmichael, and L. L. Chen, "Genomewide characterization of non-polyadenylated RNAs," *Genome Biology*, vol. 12, no. 2, article R16, 2011.
- [21] S. Misri, S. Pandita, R. Kumar, and T. K. Pandita, "Telomeres, histone code, and DNA damage response," *Cytogenetic and Genome Research*, vol. 122, no. 3-4, pp. 297-307, 2008.
- [22] K. Yoshioka, Y. Atsumi, H. Nakagama, and H. Teraoka, "Development of cancer-initiating cells and immortalized cells with genomic instability," *World Journal of Stem Cells*, vol. 7, no. 2, pp. 483-489, 2015.
- [23] M. Piscopo, G. Campisi, G. Colella et al., "H3 and H3.3 histone mRNA amounts and ratio in oral squamous cell carcinoma and leukoplakia," *Oral Diseases*, vol. 12, no. 2, pp. 130-136, 2006.
- [24] T. Iwaya, T. Fukagawa, Y. Suzuki et al., "Contrasting expression patterns of histone mRNA and microRNA 760 in patients with gastric cancer," *Clinical Cancer Research*, vol. 19, no. 23, pp. 6438-6449, 2013.
- [25] G. Gao, A. P. Bracken, K. Burkard et al., "NPAT expression is regulated by E2F and is essential for cell cycle progression," *Molecular and Cellular Biology*, vol. 23, no. 8, pp. 2821-2833, 2003.
- [26] C. X. Liu, Y. Li, L. M. Obermoeller-McCormick, A. L. Schwartz, and G. Bu, "The putative tumor suppressor LRP1B, a novel member of the low density lipoprotein (LDL) receptor family, exhibits both overlapping and distinct properties with the LDL receptor-related protein," *The Journal of Biological Chemistry*, vol. 276, no. 31, pp. 28889-28896, 2001.
- [27] Y. Li, J. Huang, Y. L. Zhao et al., "UTRN on chromosome 6q24 is mutated in multiple tumors," *Oncogene*, vol. 26, no. 42, pp. 6220-6228, 2007.



Hindawi

Submit your manuscripts at
<https://www.hindawi.com>

